

Respiratory Inhalers

Identification Guide

Version 2

This booklet has been produced by NHS Greater Glasgow and Clyde together with the following companies,
Almirall, AstraZeneca, Boehringer Ingelheim Ltd, Chiesi, GSK, Napp and Novartis as a service to medicine.

Endorsed by NHSGGC Respiratory Managed Clinical Network, September 2013
Designed by Medical Illustration Services

230801

BILAG 43
88

CONTENTS

Example Costs of Respiratory Inhaler Devices

Recommendations for Inhaler Supply

Respiratory Inhaler Identification

- Short-acting beta₂ agonist inhalers (SABAs)

Salbutamol
Terbutaline

- Long-acting beta₂ agonist inhalers (LABAs)

Salmeterol
Formoterol
Indacaterol

- Short-acting muscarinic antagonists (SAMAs)

Ipratropium

- Long-acting muscarinic antagonists (LAMAs)

Tiotropium
Acclidinium
Glycopyrronium

- Corticosteroid inhalers

Beclometasone
Fluticasone
Budesonide

- Compound preparations

Seretide®
Symbicort®
Fostair®
Flutiform®

Spacer Devices


Examples of High Cost Respiratory Inhaler Devices

Some inhaler devices are relatively more expensive than others. Examples of some of the higher cost devices are provided below. (Costs from eMIMS May 2013)




Seretide Accuhaler®

250 strength (60 doses) **£35**
500 strength (60 doses) **£40.92**



Seretide Evohaler®

125 strength (120 doses) **£35**
250 strength (120 doses) **£59.48**



Symbicort Turbohaler®

200/6 strength (120 doses) **£38**
400/12 strength (60 doses) **£38**



Spiriva®

cap pack with HandiHaler®
device **£34.87**
30 cap refill **£33.50**

NB. For patients on Seretide® 500 micrograms twice daily, the 250 evohaler® is more expensive than the equivalent 500 accuhaler®

Recommendations for Inhaler Supply

**** Important points to consider before issuing or prescribing inhalers ****

- Approximately £1.5 million[□] was spent in 2012/13 on inhalers within NHSGGC Acute care. A lot of inhaler wastage occurs across NHSGGC Acute and most would be considered preventable.
- By adhering to the following recommendations, inhaler wastage could be minimised. Patient safety would also be improved by ensuring patients receive the correct inhaler, strength and device during hospital admission.
- Encourage the use of patient's own inhalers.
- Always ask patients if they have their own inhaler(s) before ordering or issuing a new inhaler. If patients have their own inhaler(s), check the expiry date and if it is the current inhaler prescribed by the GP. If they don't have their inhaler, ask if a relative or carer could bring it in at their earliest convenience.
- If a patient is transferred to another ward, ensure inhaler(s) are transferred with the patient. Similarly, if a patient has been transferred from another ward, always check if they have been issued with inhaler(s) prior to transfer.
- Always check what type of inhaler device and strength the patient uses before ordering or issuing a new one. If unsure, discuss with the doctor, clinical pharmacist, or respiratory nurse specialist.
- Ensure the correct device is clearly prescribed on the medicine prescription form (e.g. Accuhaler[®], turbohaler[®], evohaler[®]) prior to administration.
- Always check if a patient has an inhaler before documenting code '13' (patient self administration) on the medicine prescription form. Do not assume that patients have their own inhalers and they are using them as prescribed.
- When patients are started on inhalers for the first time, inhaler technique should be assessed. Seek advice from pharmacy or respiratory nurse specialist if unsure of the most suitable device.

**** Stop and think before ordering, issuing or prescribing inhalers ****

[□] (costs from Ascribe business objects acute database)

Respiratory Inhaler Identification

There are many different inhaler devices available. Examples of the different types of inhaler devices are illustrated to aid identification. Please note however, that different strengths of inhalers may be slightly different colours than those shown. The manufacturer's packaging may also differ from time to time. The following images are for illustrative purposes only. If the patient does not have any of the inhaler devices illustrated, and you are unsure what device the patient normally uses, please speak to a pharmacist or respiratory nurse specialist for further advice.

This booklet is not intended to be a prescribing guide. Although dosage information is provided for some preparations, always refer to the BNF or manufacturer's Summary of Product Characteristics (SPC) for current dosage advice and further information.

The examples of the medicine prescription forms (kardexes) are for illustrative purposes only and do not reflect all doses available for each inhaler preparation.

The Asthma UK website has useful information on how to use spacers and different inhaler devices. Refer to the link below to access videos on inhaler technique:
<http://www.asthma.org.uk/knowledge-bank-treatment-and-medicines-using-your-inhalers>


Bronchodilator – short-acting beta₂ agonist (blue/reliever) Inhalers (SABAs)

SALBUTAMOL



Salbutamol
***MDI (aerosol)**
(brands include
Ventolin evohaler®)

**Strength: 100 micrograms/
metered inhalation**



**Salamol
Easi-Breathe®
(aerosol)**

**Strength: 100 micrograms/
metered inhalation**



**Airomir
Autohaler®
(aerosol)**

**Strength: 100 micrograms/
metered inhalation**

Adult Dose

By aerosol inhalation

100-200 micrograms; for persistent symptoms up to 4 times daily. Refer to manufacturer's dosing instructions or BNF for further advice.

AN HOURS: As Required Prescriptions	
DATE 11/12/2013	TIME 10:12:27
DOSE 4 x	CONCENTR 10122703
STOPPED 10/12/2013	STOPPED 10/12/2013
2 puffs	Initial
SOB/ wheeze	SOB/ wheeze
AN Other (AN OTHER)	4 x
Ventolin evohaler	Ventolin evohaler


Example of medicine prescription form

(*MDI = metered-dose inhaler)

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Bronchodilator – short-acting beta₂ agonist (blue/reliever) Inhalers (SABAs)


SALBUTAMOL



Pulvinal®

Salbutamol
(dry powder)

Strength: 200
micrograms/
metered inhalation^



Easyhaler®

Salbutamol
(dry powder)

Strengths: 100, 200
micrograms/
metered inhalation^a



Asmasal

Clickhaler®
(dry powder)

Strength: 95
micrograms/
metered inhalation^a



Ventolin

Accuhaler®
(dry powder)

Strength: 200 micrograms/
metered inhalation[^]

[illegible]


^aRefer to manufacturer's dosing instructions or BNF for further advice.

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Bronchodilator – short-acting beta₂ agonist (blue/reliever) Inhalers (SABAs)

TERBUTALINE SULPHATE



**Bricanyl
Turbohaler®
(dry powder)**

Strength: 500
micrograms/metered inhalation

Adult Dose

By inhalation of powder

500 micrograms; for persistent symptoms up to 4 times daily. Refer to manufacturer's dosing instructions or BNF for further advice.

All Routes: As Required Prescriptions									
DATE		TIME		DOSE		GIVEN BY			
LL Drug: Terbutaline 500 micrograms NAME: 1 puff ROUTE: Inhal INJECTION: SOB/Wheeze AN Other (A/N OTHER): 4 x 0.162/13 Bricanyl Turbohaler									

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Long-acting beta₂ agonist Inhalers (LABAs)

SALMETEROL



**Serevent
Accuhaler®**
(dry powder)

Strength: 50 micrograms/metered
inhalation

Adult Dose

By inhalation of dry powder
50 micrograms twice daily
up to 100 micrograms twice daily
Refer to manufacturer's dosing
instructions or BNF for further advice.

Oral and Other Drugs: Regular Prescription			
Drug	Strength	Frequency	Notes
M	Salmeterol 50 micrograms	Inhal	01/02/13
1	1 puff		
A	N Other (A N OTHER)		
S	Serevent accuhaler		

Example of medicine prescription form



**Serevent
Evohaler®**
MDI (aerosol)

Strength: 25 micrograms/
metered inhalation



Neoven®
MDI (aerosol)

Strength: 25 micrograms/
metered inhalation

Adult Dose

By aerosol inhalation
50 micrograms twice daily; up to
100 micrograms twice daily
Refer to manufacturer's dosing
instructions or BNF for further advice.


Oral and Other Drugs: Regular Prescription			
Drug	Strength	Frequency	Notes
M	Salmeterol 25 micrograms	Inhal	01/02/13
2	2 puffs		
A	N Other (A N OTHER)		
S	Serevent evohaler		

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Long-acting beta₂ agonist Inhalers (LABAs)


FORMOTEROL FUMARATE



**Oxis
Turbohaler®**
(dry powder)

Strengths[^]: 6, 12 micrograms/
metered inhalation

[^]Refer to manufacturer's dosing
instructions or BNF for further advice.



Easyhaler® Formoterol
(dry powder)

Strength: 12 micrograms/metered
inhalation[^]



Atimos Modulite®
(aerosol)

Strength: 12 micrograms/metered inhalation[^]

Oral and Other Drugs: Regular Prescription									
H	Formoterol 12 micrograms	1 puff	Inhal	01/02/13					
	A N Other (A N OTHER)								
	Oxis turbohaler								

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Long-acting beta₂ agonist Inhalers (LABAs)

INDACATEROL



Adult Dose:
By inhalation of dry powder
150 micrograms once daily,
increased to max. 300
micrograms once daily.
Refer to manufacturer's
dosing instructions or BNF
for further advice.

Onbrez Breezhaler®

(inhalation powder, hard capsule)

Strengths: 150, 300 micrograms/metered inhalation


Oral and Other Drugs: Regular Prescription				DATE PRESCRIBED	
H	DRUG	ROUTE	DATE	TIME	INITIALS
	Indacaterol	Inhal	01/02/13		
	150 micrograms				
	AN Other (A N OTHER)				
	Onbrez breezhaler				

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Antimuscarinic Bronchodilator Inhalers – short-acting muscarinic antagonists (SAMAs)

IPRATROPIUM BROMIDE



**Atrovent®
MDI (aerosol)**

Strength: 20 micrograms/metered inhalation

Adult Dose
By aerosol inhalation
20–40 micrograms 3–4 times daily. Refer to manufacturer's dosing instructions or BNF for further advice.


Oral and Other Drugs: Regular Prescription				DATE	
H	Q	W	WEEK	DAY	MONTH
2 puffs					
Inhal					
A/N Other (A/N OTHER)					
Atrovent MDI					

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Antimuscarinic Bronchodilator Inhalers – long-acting muscarinic antagonists (LAMAs)

TIOTROPIUM



Spiriva®
(inhalation powder, hard capsule
for use with HandiHaler® device)

Strength: 18 microgram cap

Adult Dose
By inhalation of powder
18 micrograms once daily.
Refer to manufacturer's
dosing instructions or
BNF for further advice.

Oral and Other Drugs: Regular Prescription			
H	0100	Tiotropium	
		18 micrograms Inhal	010213
		A N Other (A N OTHER)	
		Spiriva HandiHaler	

Example of medicine prescription form



Spiriva Respimat®
(solution for inhalation) Please note. Spiriva Respimat is currently non-formulary in NHSGGC.

Strength: 2.5 micrograms/
metered inhalation

Adult dose
By inhalation
5 micrograms (2 puffs)
once daily. Refer to
manufacturer's dosing
instructions or BNF for
further advice.

Oral and Other Drugs: Regular Prescription			
H	0100	Tiotropium 2.5 micrograms	
		2 puffs Inhal	010213
		A N Other (A N OTHER)	
		Spiriva Respimat	

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Anfimuscarinic Bronchodilator Inhalers – long-acting muscarinic antagonists (LAMAs)

ACLIDINIUM BROMIDE



Eklira Genuair® (dry powder)

Strength: 400 micrograms/metered inhalation

Equivalence: each 400 micrograms metered inhalation of acclidinium bromide delivers 375 micrograms of acclidinium bromide which is equivalent to 322 micrograms of aclidinium.

Adult Dose
By inhalation of dry powder
1 inhalation twice daily.
Refer to manufacturer's dosing instructions or BNF for further advice.

Oral and Other Drugs: Regular Prescription			
H	Acclidinium 322 micrograms	Initial	0.000000
1 puff	AN Other (AN OTHER)		
	Eklira Genuair		

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Antimuscarinic Bronchodilator Inhalers – long-acting muscarinic antagonists (LAMAs)

GLYCOPYRRONIUM



Adult Dose
By inhalation of powder
50 micrograms
once daily. Refer to
manufacturer's dosing
instructions or BNF for
further advice.

Seebri Breezhaler® (inhalation powder, hard capsule)

Strength: 50 micrograms cap

Equivalence: each 50 microgram capsule
of glycopyrronium delivers 44 micrograms
of glycopyrronium

Oral and Other Drugs: Regular Prescription				DATE	
DATE	DRUG	DOSE	ROUTE	INITIAL	DATE
	H	50 micrograms	Inhal		
	Glycopyrronium				
	A/N Other (A/N OTHER)				
	Seebri Breezhaler				

Example of medicine prescription form


NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Corticosteroid (brown/preventer) Inhalers

BECLOMETASONE DIPROPIONATE

NOTE:

BECLOMETASONE CFC-FREE AEROSOL INHALERS ARE NOT INTERCHANGEABLE AND MUST BE PRESCRIBED BY BRAND NAME **



Adult Dose
By aerosol inhalation
200-400 micrograms twice daily (up to 1mg twice daily)
Refer to manufacturer's dosing instructions or BNF for further advice.

Clenil Modulite® (CFC-free) MDI (aerosol)

Strengths: 50, 100, 200, 250 micrograms/
metered inhalation

Oral and Other Drugs: Regular Prescription				DATE
H	2 puffs	Inhal	01/02/13	01/02/13
Clenil modulite 100 micrograms				01/02/13
A N Other (A N OTHER)				01/02/13
MDI				01/02/13


Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Corticosteroid (brown/preventer) Inhalers


BECLOMETASONE DIPROPIONATE

**** NOTE:**
BECLOMETASONE CFC-FREE AEROSOL INHALERS ARE NOT INTERCHANGEABLE AND MUST BE PRESCRIBED BY BRAND NAME **




Qvar®
(CFC-free) MDI (aerosol)

Strengths: 50, 100 micrograms/
metered inhalation



Qvar Autohaler®
(aerosol)

Strengths: 50, 100 micrograms/
metered inhalation



Qvar Easi-Breathe®
(aerosol)

Strengths: 50, 100 micrograms/
metered inhalation

Adult Dose
By aerosol inhalation
50-200 micrograms twice
daily (up to 400 micro-
grams twice daily). Refer
to manufacturer's dosing
instructions or BNF for
further advice.


Oral and Other Drugs: Regular Prescription				Oral and Other Drugs: Regular Prescription			
Drug	Qvar 100 micrograms	Qvar 100 micrograms	Qvar 100 micrograms	Drug	Qvar 100 micrograms	Qvar 100 micrograms	Qvar 100 micrograms
1 puff	1 puff	1 puff	1 puff	1 puff	1 puff	1 puff	1 puff
AN Other (AN OTHER)	AN Other (AN OTHER)	AN Other (AN OTHER)	AN Other (AN OTHER)	AN Other (AN OTHER)	AN Other (AN OTHER)	AN Other (AN OTHER)	AN Other (AN OTHER)
MDI	MDI	MDI	MDI	MDI	MDI	MDI	MDI

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.


Corticosteroid (brown/preventer) Inhalers

BECLOMETASONE DIPROPIONATE



Pulvinal[®]
Beclometasone
(dry powder)

Strengths[^]: 100, 200,
400 micrograms/
metered inhalation



Easyhaler[®]
Beclometasone
(dry powder)

Strength[^]: 200
micrograms/
metered inhalation



Asmabec
Clickhaler[®]
(dry powder)

Strengths[^]: 100, 250
micrograms/metered
inhalation[^]

[^]Refer to manufacturer's dosing
instructions or BNF for further advice.


Oral and Other Drugs: Regular Prescription									
H	Beclometasone 200 micrograms	1 puff	Inhaler	orizol					
	AN Other (AN OTHER)								
	Dry powder inhaler (Easyhaler)								

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Corticosteroid (brown/preventer) Inhalers

FLUTICASONE PROPIONATE



Adult Dose
By aerosol inhalation
100-500 micrograms twice daily (up to 1mg twice daily)
Refer to manufacturer's dosing instructions or BNF for further advice.

Flixotide Evohaler®
MDI (aerosol)

Strengths: 50, 125, 250 micrograms/metered inhalation



Adult Dose
By inhalation of dry powder
100-500 micrograms twice daily (up to 1mg twice daily)
Refer to manufacturer's dosing instructions or BNF for further advice.

Flixotide Accuhaler®
(dry powder)

Strengths: 50, 100, 250, 500 micrograms/metered inhalation

Oral and Other Drugs: Regular Prescription									
H	5000	Fluticasone 125 micrograms	Inhal	01/02/13	01/02/13	01/02/13	01/02/13	01/02/13	01/02/13
1	2	2 puffs	A N Other (A N OTHER)	Flutotide evohaler					

Example of medicine prescription form


Oral and Other Drugs: Regular Prescription									
H	5000	Fluticasone 250 micrograms	Inhal	01/02/13	01/02/13	01/02/13	01/02/13	01/02/13	01/02/13
1	2	1 puff	A N Other (A N OTHER)	Flutotide accuhaler					

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Corticosteroid (brown/preventer) Inhalers


BUDESONIDE



Pulmicort Turbuhaler® (dry powder)

Strengths^: 100, 200, 400
micrograms/metered inhalation

^Refer to manufacturer's dosing
instructions or BNF for further advice.



Easyhaler® budesonide (dry powder)

Strengths^: 100, 200, 400 micrograms/
metered inhalation



Budelin novolizer® (dry powder)

Strength: 200 micrograms/metered inhalation^

Oral and Other Drugs: Regular Prescription		Oral and Other Drugs: Regular Prescription	
H	Budesonide 200 micrograms	H	Budesonide 200 micrograms
1 puff	Initial	1 puff	Initial
A N Other (A N OTHER)		A N Other (A N OTHER)	
Pulmicort turbuhaler		Pulmicort turbuhaler	

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Compound Preparations (Corticosteroid/ Long-acting beta₂ agonist)

FLUTICASONE/SALMETEROL




Seretide Accuhaler® (dry powder)

Strengths[^]:
 100 Accuhaler®
 (fluticasone 100 micrograms/salmeterol 50micrograms)
 250 Accuhaler®
 (fluticasone 250 micrograms/salmeterol 50micrograms)
 500 Accuhaler®
 (fluticasone 500 micrograms/salmeterol 50micrograms)

Oral and Other Drugs: Regular Prescription		DATE INITIAL
H	Seretide 500 accuhaler	
Q	1 puff	01/02/13
A N Other (A N OTHER)		

Example of medicine prescription form



Seretide Evohaler® MDI (aerosol)

Strengths[^]:
 50 Evohaler®
 (fluticasone 50 micrograms/salmeterol 25micrograms)
 125 Evohaler®
 (fluticasone 125 micrograms/salmeterol 25micrograms)
 250 Evohaler®
 (fluticasone 250 micrograms/salmeterol 25micrograms)

Oral and Other Drugs: Regular Prescription		DATE INITIAL
H	Seretide 250 evohaler	
Q	2 puffs	01/02/13
A N Other (A N OTHER)		


Example of medicine prescription form

[^]Refer to manufacturer's dosing instructions or BNF for further advice.

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Compound Preparations (Corticosteroid/ Long-acting beta₂ agonist)

BUDESONIDE/FORMOTEROL



Symbicort Turbohaler® (dry powder)

Strengths[^]:

- 100/6 Turbohaler® (budesonide 100 micrograms/formoterol 6micrograms)
- 200/6 Turbohaler® (budesonide 200 micrograms/formoterol 6micrograms)
- 400/12 Turbohaler® (budesonide 400 micrograms/formoterol 12micrograms)

[^]Refer to manufacturer's dosing instructions or BNF for further advice.

Symbicort Maintenance Therapy

Oral and Other Drugs: Regular Prescription		Symbicort 200/6 turbohaler		DATE	
DATE	TIME	DOSE	CARE BY	DATE	TIME
01/02/13	09:00	2 puffs	Initial	01/02/13	09:00
A/N Other (A/N OTHER)					

Example of medicine prescription form

Symbicort Reliever Therapy

All Hours: As Required Prescriptions		Symbicort 200/6		DATE	
DATE	TIME	DOSE	CARE BY	DATE	TIME
01/02/13	09:00	1 puff	Initial	01/02/13	09:00
A/N Other (A/N OTHER)					

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Compound Preparations (Corticosteroid/ Long-acting beta₂ agonist)

BECLOMETASONE/FORMOTEROL



Fostair® (aerosol)

Strength: 100/6 (beclometasone 100 micrograms/
formoterol 6 micrograms)[^]

[^]Refer to manufacturer's dosing
instructions or BNF for further advice.

Fostair Maintenance Therapy

Oral and Other Drugs: Regular Prescription		Fostair 100/6		DATE	
H	1 puff	Inhal	over 10		
	A/N Other (A/N OTHER)				
	MDI				

Example of medicine prescription form

Fostair Reliever Therapy

All Routes: As Required Prescriptions		Fostair 100/6		DATE	
LL	1 puff	Inhal	over 10		
	A/N Other (A/N OTHER)				
	MDI				

Example of medicine prescription form

NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Compound Preparations (Corticosteroid/ Long-acting beta₂ agonist)

FLUTICASONE/FORMOTEROL



Flutiform® (aerosol)

Strengths[^]: 50/5 (fluticasone 50 micrograms/formoterol 5 micrograms)
125/5 (fluticasone 125 micrograms/formoterol 5 micrograms)
250/10 (fluticasone 250 micrograms/formoterol 10 micrograms)

[^]Refer to manufacturer's dosing instructions or BNF for further advice.

Oral and Other Drugs: Regular Prescription				DATE	
H	Flutiform 125/5	01/02/13	01/02/13	01/02/13	01/02/13
2 puffs	Inhal	01/02/13	01/02/13	01/02/13	01/02/13
AN Other (A N OTHER)					
MDI					

Example of medicine prescription form


NB. Different strengths of inhalers may be slightly different colours to those illustrated.

Spacer Devices

Some patients use spacer devices which remove the need for coordination between actuation of a pressurised metered-dose inhaler (MDI) and inhalation. Spacers reduce the velocity of the aerosol and subsequent impaction on the oropharynx and allow more time for evaporation of the propellant so that a larger proportion of the particles can be inhaled and deposited in the lungs.

Spacers should be cleaned once a month and replaced every 6 to 12 months. It is important to prescribe a spacer device that is compatible with the MDI. Spacer devices should **not** be regarded as interchangeable; patients should be advised not to switch between spacer devices.

Volumatic®



- Large-volume device
- Compatible with all GlaxoSmithKline brand MDIs eg. Ventolin®, Serevent®, Flixotide®, Seretide® and also Glenil Modulite®
- Also available with paediatric facemask

Spacer Devices

AeroChamber® Plus



- Medium-volume device
- For use with all pressurised (aerosol) inhalers*
- Available as standard device (blue), child device (yellow), infant device (orange)
- Also available with facemask

Able Spacer®



- Small-volume device
- For use with all pressurised (aerosol) inhalers*
- Available with infant (small), child (medium) or adult (large) mask

A2A Spacer®



- For use with all pressurised (aerosol) inhalers*
- Available with small or medium mask

Optichamber®



- For use with all pressurised (aerosol) inhalers*
- Available with small, medium or large mask

Vortex Spacer®



- Medium-volume device
- For use with all pressurised (aerosol) inhalers*
- Available with infant, child or adult mask

Pocket Chamber®



- Small-volume device
- For use with all pressurised (aerosol) inhalers*
- Available with infant, small, medium or large mask

*Please check compatibility of all inhaler devices before prescribing.

Flutiform® has not been tested with all of the spacers listed on this page.