



(12) Translation of
european patent specification

(11) NO/EP 2454250 B1

NORWAY

(19) NO
(51) Int Cl. A61P 25/28 (2006.01)
C07D 401/12 (2006.01) A61P 29/00 (2006.01)
A61K 31/437 (2006.01) A61P 37/00 (2006.01)
A61K 31/4439 (2006.01) C07D 401/14 (2006.01)
A61K 31/444 (2006.01) C07D 407/14 (2006.01)
A61K 31/497 (2006.01) C07D 413/14 (2006.01)
A61K 31/506 (2006.01) C07D 471/04 (2006.01)
A61P 9/00 (2006.01) C07D 491/048 (2006.01)

Norwegian Industrial Property Office


(21) Translation Published 2015.06.29
(80) Date of The European Patent Office Publication of the Granted Patent 2015.01.14
(86) European Application Nr. 10733116.7
(86) European Filing Date 2010.07.12
(87) The European Application's Publication Date 2012.05.23
(30) Priority 2009.07.13, US, 225076 P
 2009.07.13, US, 225079 P
 2009.12.22, US, 289263 P
(84) Designated Contracting States:
Designated Extension States AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV
MC MK MT NL NO PL PT RO SE SI SK SM TR
BA ME RS
(73) Proprietor Gilead Sciences, Inc., 333 Lakeside Drive, Foster City, CA 94404, US-USA
(72) Inventor CORKEY, Britton, 355 Buena Vista Ave East Apt 415, San Francisco CA 94117, US-USA
GRAUPE, Michael, 1131 Banyan Way, Pacifica CA 94044, US-USA
KOCH, Keith, 384 Baker Lane, Erie CO 80516, US-USA
MELVIN, Lawrence S., 7623 Crestview Drive, Longmont CO 80504, US-USA
NOTTE, Gregory, 707 Highland Ave Apt 2, San Mateo CA 94401, US-USA
(74) Agent or Attorney Tandbergs Patentkontor AS, Postboks 1570 Vika, 0118 OSLO, Norge

(54) Title **APOPTOSIS SIGNAL-REGULATING KINASE INHIBITORS**
(56) References Cited: EP-A1- 2 058 309

Enclosed is a translation of the patent claims in Norwegian. Please note that as per the Norwegian Patents Acts, section 66i the patent will receive protection in Norway only as far as there is agreement between the translation and the language of the application/patent granted at the EPO. In matters concerning the validity of the patent, language of the application/patent granted at the EPO will be used as the basis for the decision. The patent documents published by the EPO are available through Espacenet (<http://worldwide.espacenet.com>) or via the search engine on our website here: <https://search.patentstyret.no/>

P a t e n t k r a v

1. Forbindelse av formel (I)



(I)

5

der:

R^1 er alkyl med 1-10 karbonatomer, sykloalkyl med 3-8 karbonatomer, alkenyl med opptil 10 karbonatomer, alkynyl med opptil 10 karbonatomer, aryl, heteroaryl eller heterosyklyl, som alle eventuelt substitueres med 1, 2, eller 3 substituenter valgt fra halogen, okso, alkyl med 1-6 karbonatomer, sykloalkyl med 3-8 karbonatomer, heterosyklyl, fenyl, fenoksy, halogen, -CN, -O-R⁶, -C(O)-R⁶, -OC(O)-R⁶, -C(O)-O-R⁶, -N(R⁶)-C(O)-O-R⁷, -N(R⁶)-C(O)-R⁷, -N(R⁶)-C(O)-N(R⁶)(R⁷) og -C(O)-N(R⁶)(R⁷), der alkyl, sykloalkyl, heterosyklyl, fenyl og fenoksy eventuelt substitueres med 1, 2 eller 3 substituenter valgt fra alkyl med 1-6 karbonatomer, sykloalkyl med 3-8 karbonatomer, alkoxsy med 1-6 karbonatomer, hydroksyl og halogen;

forutsatt at R^1 ikke er methyl når R^3 er morfolinyl eller furyl; der R^6 og R^7 uavhengig velges fra gruppen bestående av hydrogen, alkyl med 1-6 karbonatomer, eller sykloalkyl med 3-8 karbonatomer; eller R^6 and R^7 tatt sammen med nitrogenet som de er bundet til danner en heterosyklus;

R^2 er hydrogen, halogen, cyano, alkoxsy eller alkyl eventuelt substituert med halogen;

R^3 er aryl, heteroaryl eller heterosyklyl, som alle eventuelt er substituert med 1, 2 eller 3 substituenter valgt fra alkyl med 1-6 karbonatomer, alkoxsy med 1-6 karbonatomer, sykloalkyl med 3-8 karbonatomer, sykloalkyl, aryl, arylalkyl, heteroaryl, heteroarylalkyl, heterosyklyl, heterosyklylalkyl, halogen, haloalkoxsy, okso, -CN, -O-R⁶, -O-C(O)-R⁶, -O-C(O)-N(R⁶)(R⁷), -S-R⁶, -N(R⁶)(R⁷), -S(=O)-R⁶, -S(=O)₂R⁶, -S(=O)₂-N(R⁶)(R⁷), -S(=O)₂-O-R⁶, -N(R⁶)-C(O)-R⁷, -N(R⁶)-C(O)-O-R⁷, -N(R⁶)-C(O)-N(R⁶)(R⁷), -C(O)-R⁶, -C(O)-O-R⁶, -C(O)-N(R⁶)(R⁷) og -N(R⁶)-S(=O)₂-R⁷, der alkyl, alkoxsy, sykloalkyl, aryl, heteroaryl eller heterosyklyl eventuelt er ytterligere substituert med én eller flere substituenter valgt fra halogen, hydroksyl, okso, -CN, og -O-R⁶;

med det forbehold at heteroaryl- eller heterosyklydelen inkluderer minst ett ringnitrogenatom;

$X^1, X^2, X^3, X^4, X^5, X^6, X^7$ og X^8 er uavhengig av hverandre $C(R^4)$ eller N, der hver R^4 er uavhengig av hverandre hydrogen, hydroksyl, halogen, alkyl med 1-6 karbonatomer, alkoxsy med 1-6 karbonatomer, eller sykloalkyl med 3-8 karbonatomer, der alkylet eller sykloalkylet er ytterligere eventuelt substituert med én eller flere substituenter valgt fra halogen, hydroksyl, okso, $-CF_3$, $-O-CF_3$, $-N(R^6)(R^7)$, $-C(O)-R^6$, $-C(O)-O-R^7$, $-C(O)-N(R^6)(R^7)$, $-CN$, $-O-R^6$; eller X^5 og X^6 eller X^6 og X^7 sammenføyes for å tilveiebringe fusjonert sykloalkyl, fusjonert aryl eller fusjonert heteroaryl, som alle eventuelt er substituert med alkyl med 1-6 karbonatomer, hydroksyl eller halogen; og med det forbehold at minst én av

X^2, X^3 og X^4 er $C(R^4)$;

minst to av X^5, X^6, X^7 og X^8 er $C(R^4)$; og

minst én av $X^2, X^3, X^4, X^5, X^6, X^7$ og X^8 er N.

2. Forbindelsen ifølge krav 1, der X^1 er N.

3. Forbindelsen ifølge krav 2, der (i) X^2 og X^5 er N, (ii) X^2 er $C(R^4)$ og X^5 er N eller (iii) X^2 er N og X^5 er $C(R^4)$.

4. Forbindelsen ifølge krav 3, der X^3, X^4, X^6, X^7 og X^8 er $C(R^4)$.


5. Forbindelsen ifølge krav 4, der R^1 er eventuelt substituert alkyl, eventuelt substituert sykloalkyl eller eventuelt substituert heterosyklyl.


6. Forbindelsen ifølge krav 5, der alkyl, sykloalkyl, og heterosyklyl eventuelt er substituert med 1, 2 eller 3 substituenter valgt fra hydroksyl, halogen eller sykloalkyl.

7. Forbindelsen ifølge krav 6, der R^3 er eventuelt substituert aryl, eventuelt substituert heteroaryl eller eventuelt substituert heterosyklyl, der heteroaryl- eller heterosyklylrestene inneholder 1, 2 eller 3 ringnitrogenatomer.

8. Forbindelsen ifølge krav 7, der R^3 velges fra

35





5

10

der:

R^{11} er hydrogen, alkyl eller sykloalkyl, der alkyl og sykloalkyl eventuelt er substituert med hydroksy eller halogen;

R^{12} er hydrogen, alkyl, sykloalkyl, $-S(=O)-R^6$ eller $-S(=O)_2R^6$, der alkyl og sykloalkyl eventuelt er substituert med hydroksyl eller halogen; og
der R^3 -aryl-, heteroaryl- og heterosyklylrestene eventuelt er substituert med alkyl, sykloalkyl, halogen, cyano, $-OR^6$, der alkyl og sykloalkyl eventuelt er substituert med hydroksyl eller halogen.

20

9. Forbindelsen ifølge krav 8, der R^2 er hydrogen eller halogen.

10. Forbindelsen ifølge krav 9, valgt fra:

6-syklopropyl-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-

25 2'-karboksamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4,5-dimetyl-1H-imidazol-1-yl)pikolinamid;

- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-6-(2-hydroksypropan-2-yl)-3,4'-bipyridin-2'-karboksamid;
- 6'-syklopropyl-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-2,3'-bipyridin-6-karboksamid;
- 5 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(5-metyl-4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;
- 6-syklopropyl-N-(6-(4-((2R)-3-hydroksybutan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;
- 10 6-syklopropyl-N-(6-(4-((2S,3R)-3-hydroksybutan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;
- 6-syklopropyl-N-(6-(4-((2S,3S)-3-hydroksybutan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;
- 15 6-syklopropyl-N-(6-(4-(1-(pyrrolidin-1-yl)propan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(6-syklopropylpyridin-3-yl)-7,8-dimethylkinolin-2-karboksamid;
- 20 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)kinolin-2-karboksamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(6-syklopropylpyridin-3-yl)kinolin-2-karboksamid;
- 25 4-((4-syklopropyl-2-metyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)pikolinamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4,5,6,7-tetrahydro-1H-benzo[d]imidazol-1-yl)pikolinamid;
- 30 25 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(trifluormetyl)-1H-imidazol-1-yl)pikolinamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;
- 35 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(perfluoretyl)-1H-imidazol-1-yl)pikolinamid;
- 4-((3-syklopropyl-1H-1,2,4-triazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)pikolinamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(2,2,2-trifluor-1-hydroksyethyl)-1H-imidazol-1-yl)pikolinamid;
- 40 35 6-syklopropyl-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5'-metyl-3,4'-bipyridin-2'-karboksamid;
- 6-syklopropyl-N-(2-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-4-yl)-3,4'-bipyridin-2'-karboksamid;
- 45 N-(2-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-4-yl)-4-(kinolin-3-yl)pikolinamid;

- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-metyl-1H-imidazol-1-yl)pikolinamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-isopropyl-1H-imidazol-1-yl)pikolinamid;
- 5 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)pikolinamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(3-hydroksypiperidin-1-yl)pikolinamid;
- 10 6-syklopropyl-N-(6-(4-isopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-etil-3-oksopiperazin-1-yl)pikolinamid;
- (R)-6-syklopropyl-N-(6-(4-(1,1,1-trifluoropropan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;
- 15 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(N-metylulfamoyl)fenyl)pikolinamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(kinolin-3-yl)pikolinamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-fenyl-1H-imidazol-1-yl)pikolinamid;
- 20 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(methylsulfonyl)fenyl)pikolinamid
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;
- 6-syklopropyl-N-(3-(4-fenyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 25 6-syklopropyl-N-(3-(4-(pyridin-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4,-bipyridin-2'-karboksamid;
- 6-syklopropyl-N-(3-(4-(pyridin-3-yl)-4H-1,2,4-triazo]-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 6-syklopropyl-N-(3-(4-(pyridin-4-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 30 6-syklopropyl-N-(3-(4-(pyrimidin-5-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-(but-2-ynyl)-4H-1,2,4-triazol-3-yl)fenyl)-6-syklopropyl-3,41-bipyridin-21-karboksamid;
- 35 6-syklopropyl-N-(3-(4-(1-(pyridin-3-yloksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 6-syklopropyl-N-(3-(4-(1-(2,2,2-trifluoretoksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

- 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-fenyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(pyridin-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 5 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(pyridin-4-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(pyrimidin-5-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 10 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1-(pyridin-3-yloksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1-(2,2,2-trifluoretoksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid og
- 15 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1-(2,2,2-trifluoretoksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid.

11. Forbindelsen ifølge krav 9, valgt fra:

- 6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 20 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-syklopropylpyrimidin-5-yl)pikolinamid;
- 25 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(2,2,2-trifluoretyl)-3,4'-bipyridin-2'-karboksamid;
- 4-((imidazo[1,2-a]pyridin-3-yl)-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-pikolinamid;
- 4-((2-aminopyriroidin-5-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-pikolinamid;
- 30 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-fenylpikolinamid;
- N-(3-(4-(tetrahydro-2H-pyran-4-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 35 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-imidazol-1-yl)pikolinamid;
- N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-4-fenylpikolinamid;
- N-(3-(4-(3-amino-3-oksopropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-1,2,4-triazol-1-yl)pikolinamid;

N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-6-fenylpikolinamid;
N-(3-(4-(2-acetamidoetyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-metylpirazin-1-yl)pikolinamid;
N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-2,3'-bipyridin-6-karboksamid;
5 N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-4-morfolinopikolinamid;
N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(kinolin-6-yl)pikolinamid;
(R)-N-(3-(4-(1-hydroksypropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,41-bipyridin-2'-
karboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-hydroksy-3,4'-bipyridin-2'-
10 karboksamid;
(S)-N-(3-(4-(1-hydroksypropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-
karboksamid;
N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)4-(3-oksopiperazin-1-yl)pikolinamid;
N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
15 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-metoksy-3,4'-bipyridin-2'-
karboksamid;
4-((3-aminopyrrolidin-1-yl)-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
6-amino-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-
karboksamid;
20 (R)-N-(3-(4-(2-hydroksypropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-
karboksamid;
5-metoksy-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
Metyl-2'-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenylkarbamoyl)-3,4'-bipyridin-6-
ylkarbamat;
25 (S)-N-(3-(4-(2-hydroksypropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-
karboksamid;
4-((1-metyl-1H-imidazol-5-yl)-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-metyl-1H-imidazol-5-
yl)pikolinamid;
30 4-((1H-benzo[d]imidazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-
yl)fenyl)pikolinamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2,4-dimetoksypyrimidin-5-
yl)pikolinamid;
N-(3-(4-((1-hydroksypropyl)metyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-
35 karboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-fenyl-1H-imidazol-1-
yl)pikolinamid;
N-(3-(4-syklobutyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
N2'-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2',6-dikarboksamid;

(S)-N-(3-(4-(1,1,1-trifluoropropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-syklopentyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(trifluormetyl)-3,4'-bipyridin-2'-karboksamid;
5 N2'-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2',5-dikarboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-metyl-1H-imidazol-1-yl)pikolinamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-metyl-3,4'-bipyridin-2'-karboksamid;
10 5-cyano-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-metyl-1H-imidazol-1-yl)pikolinamid;
15 2-amino-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4,5-dimetyl-1H-imidazol-1-yl)pikolinamid;
N-(3-(4-((1S,2S)-2-metylsyklopropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
20 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2-metoksy-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(trifluormetyl)-1H-imidazol-1-yl)pikolinamid;
25 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(2,2,2-trifluoretoksy)-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-metyl-1H-pyrazol-4-yl)pikolinamid;
30 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-metoksypyrimidin-5-yl)pikolinamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-metyl-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(imidazo[1,2-a]pyridin-3-yl)pikolinamid;
35 6'-metyl-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
N-(3-(4-(2,2,2-trifluoretyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
6-klor-[3,2',5',4"]terpyridin-2"-karboksylsyre[3-(4-syklopropyl-4H-[1,2,4]triazol-3-yl)-fenyl]amid;

- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(pyrrolidin-1-yl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-(trifluormetyl)-3,4'-bipyridin-2'-karboksamid;
- 5 N-3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1,2-dimetyl-1H-imidazol-5-yl)pikolinamid;
- 4-((1H-benzo[d][1,2,3]triazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-sulfamoylfenyl)pikolinamid;
- 10 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-metoksy-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-fluor-5-metyl-3,4'-bipyridin-2'-karboksamid;
- 15 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-fluor-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2-metyl-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4,5,6,7-tetrahydro-1H-benzo[d]imidazol-1-yl)pikolinamid;
- 20 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(N-methylsulfamoyl)fenyl)pikolinamid;
- N5-tert-butyl-N2'-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2',5'-dikarboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(pyrazin-2-yl)pikolinamid;
- 25 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(N-isopropylsulfamoyl)fenyl)pikolinamid;
- 5-klor-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-(methylsulfonyl)fenyl)pikolinamid;
- 30 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(isokinolin-4-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-(methylsulfonyl)fenyl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1,5-dimetyl-1H-pyrazol-4-yl)pikolinamid;
- 35 6-syklobutyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-isopropyl-3,4'-bipyridin-2'-karboksamid;

- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(metylsulfonyl)fenyl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(dimethylamino)-3,4'-bipyridin-2'-karboksamid;
- 5 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-pyrrolo[2,3-b]pyridin-5-yl)pikolinamid;
- 6-syklopropoksy-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-imidazo[4,5-b]pyridin-1-yl)pikolinamid;
- 10 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-fluor-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(2-oksoimidazolidin-1-yl)fenyl)pikolinamid;
- 15 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3H-imidazo[4,5-b]pyridin-3-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-isopropoksy-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;
- 20 6-syklobutoksy-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4,-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(kinolin-3-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(N-
- 25 syklopropylsulfamoyl)fenyl)pikolinamid;
- 6-syklopentyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(imidazo[2,1-b][1,3,4]tiadiazol-5-yl)pikolinamid;
- 30 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(5-syklopropylpyrazin-2-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(1-metyl-2-oksopyrrolidin-3-yl)-3,4'-bipyridin-2'-karboksamid;
- 35 4-((4-klor-1H-imidazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-fluor-3,4'-bipyridin-2'-karboksamid;
- (S)-4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(3-metylbutan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

- 6'-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2,3'-bipyridin-6-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(5-metyl-4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;
- 5 4-((5-syklopropyl-4-metyl-4H-1,2,4-triazol-3-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 4-((3-syklopropyl-1,2,4-oksadiazol-5-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 10 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-metyl-1,2,4-oksadiazol-5-yl)pikolinamid;
- 6-syklopropyl-N-(3-(4-(3-hydroksybutan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(5-(1-hydroksyethyl)-1,3,4-oksadiazol-2-yl)pikolinamid;
- 15 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-metoksykinolin-3-yl)pikolinamid;
- 6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5'-metyl-3,4'-bipyridin-2'-karboksamid;
- 6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6'-metyl-3,4'-bipyridin-2'-karboksamid;
- 20 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-(2,2,2-trifluoretyl)-1H-pyrrolo[3,2-b]pyridin-6-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-isopropyl-1H-pyrrolo[3,2-b]pyridin-6-yl)pikolinamid;
- 25 (S)-6-syklopropyl-N-(3-(4-(3,3-dimetylbutan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-sek-butyl-4H-1,2,4-triazol-3-yl)fenyl)-6-syklopropyl-3,4'-bipyridin-2'-karboksamid;
- (S)-6-syklopropyl-N-(3-(4-(1-syklopropyletyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 30 6-syklopropyl-N-(3-(4-(pentan-3-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- (S)-6-syklopropyl-N-(3-(4-(1-metoksypropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 35 (S)-N-(3-(4-sek-butyl-4H-1,2,4-triazol-3-yl)fenyl)-6-syklopropyl-3,4'-bipyridin-2'-karboksamid;
- (S)-6-syklopropyl-N-(3-(4-(3-metylbutan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

- (R)-6-syklopropyl-N-(3-(4-(1-(2,6-dimetylfenoksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- (S)-6-syklopropyl-N-(3-(4-(1,1,1-trifluoropropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 5 N-(3-(4-syklobutyl-4H-1,2,4-triazol-3-yl)fenyl)-6-syklopropyl-3,4'-bipyridin-2'-karboksamid;
- (S)-6-syklopropyl-N-(3-(4-(1-fenyletyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 10 6-syklopropyl-N-(3-(4-isopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-(syklopropylmethyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 4-((4-syklopropyl-2-metyl-1H-imidazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 15 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-isopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(syklopropylmethyl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 4-((4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1-fenyletyl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 20 (R)-4-(4-syklopropyl-11H-imidazol-1-yl)-N-(3-(4-(1,1,1-trifluoropropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1,5-naftyridin-3-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;
- 25 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(perfluoretyl)-1H-imidazol-1-yl)pikolinamid;
- 4-((3-syklopropyl-1H-1,2,4-triazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 4-((5-syklopropyl-1H-1,2,4-triazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- 30 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(2,2,2-trifluor-1-hydroksyetyl)-1H-imidazol-1-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-etylpyrimidin-5-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-etyl-3,4'-bipyridin-2'-karboksamid;
- 35 6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-4-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-4-fluorfenyl)-6-etyl-3,4'-bipyridin-2'-karboksamid;

- 6-tert-butyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(5,6,7,8-tetrahydro-1,6-naftyridin-3-yl)pikolinamid;
- 5 6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-2-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;
- 5-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-2-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;
- 10 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-etyl-1H-imidazol-1-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-(2,2,2-trifluoretyl)-5,6,7,8-tetrahydro-1,6-naftyridin-3-yl)pikolinamid;
- 15 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-isopropyl-1H-imidazol-1-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(2-hydroksypropan-2-yl)-3,4'-bipyridin-2'-karboksamid;
- 20 6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-5-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-5-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-isopropyl-5,6,7,8-tetrahydro-1,6-naftyridin-3-yl)pikolinamid;
- 25 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-metyl-5,6,7,8-tetrahydro-1,6-naftyridin-3-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-hydroksypiperidin-1-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-etyl-3-oksopiperazin-1-yl)pikolinamid;
- 30 N-(3-(4-isopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-propyl-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-neopentyl-3,4'-bipyridin-2'-karboksamid;;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-metyl-2-fenyl-1H-imidazol-5-yl)pikolinamid;
- 35 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(etyl sulfonyl)fenyl)-pikolinamid;

- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(isopropylsulfonyl)fenyl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(etylamino)-3;4'-bipyridin-2'-karboksamid;
- 5 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(syklopropylamino)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6'-(trifluormetyl)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(kinolin-3-yl)-6-(trifluormetyl)pikolinamid;
- 10 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-pyrrolo[3,2-b]pyridin-6-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-syklopropylfenyl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(metylthio)-3,4'-bipyridin-2'-karboksamid;
- 15 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(isobutylthio)-3,4'-bipyridin-2'-karboksamid;
- 5-klor-6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- 20 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(2-metoksyethylamino)-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(methylsulfonyl)piperazin-1-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-etyl-5-fluor-3,4'-bipyridin-2'-karboksamid;
- 25 5-klor-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-etyl-3,4'-bipyridin-2'-karboksamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5,6-dietyl-3,4'-bipyridin-2'-karboksamid;
- 30 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(furo[3,2-b]pyridin-6-yl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-metyl-3H-imidazo[4,5-b]pyridin-6-yl)pikolinamid;
- 35 6-syklopropyl-N-(3-(4-(2-fenylsyklopropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;
- (S)-4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1,1,-trifluorpropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(syklopropylmetyl)-3,4'-bipyridin-2'-karboksamid; og

4-((5-syklopropyl-1,3,4-tiadiazol-2-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid.

12. Forbindelsen ifølge krav 9, valgt fra:

- 5 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(kinolin-3-yl)benzamid;
N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-
2,4-difluorbenzamid;
4-klor-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-
syklopropylpyridin-3-yl)-2-fluorbenzamid;
- 10 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4-(2,2,2-trifluor-1-
metoksyetyl)-1H-imidazol-1-yl)benzamid;
3-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-
yl)pyridin-2-yl)-4-metoksybenzamid;
4-klor-3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-
15 yl)pyridin-2-yl)benzamid;
N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-
2-fluorbenzamid;
3-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-isopropyl-4H-1,2,4-triazol-3-yl)pyridin-
2-yl)benzamid;
- 20 (S)-3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-(1-fenyletyl)-4H-1,2,4-triazol-3-
yl)pyridin-2-yl)benzamid;
N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(1,5-naftyridin-3-
yl)benzamid;
3-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-
25 yl)pyridin-2-yl)benzamid;
N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4-isopropyl-1H-imidazol-1-
yl)benzamid;
3-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-
yl)pyridin-2-yl)-2-methylbenzamid;
- 30 5-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-
yl)pyridin-2-yl)-2-methylbenzamid;
3-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-
yl)pyridin-2-yl)-4-methylbenzamid;
N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(6-(2-hydroksypropan-2-
35 yl)pyridin-3-yl)benzamid;
3-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-
yi)pyridin-2-yl)-5-fluorbenzamid;
N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4-(2,2,2-trifluor-1-
hydroksyetyl)-1H-imidazol-1-yl)benzamid;

- 3-((4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-metylbenzamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4,5-dimetyl-1H-imidazol-1-yl)benzamid;
- 5 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4,5,6,7-tetrahydro-1H-benzo[d]imidazol-1-yl)benzamid;
- 10 1-((3-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)karbamoyl)fenyl)-5-metyl-1H-imidazol-4-karboksylsyre;
- (S)-3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-(1-fenyletyl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid;
- 15 (S)-3-(4,5-dimetyl-1H-imidazol-1-yl)-N-(6-(4-(1,1,1-trifluorpropan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(6-syklopropylpyridin-3-yl)benzamid;
- 20 N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(pyridin-3-yl)benzamid;
- N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-2,4-difluorbenzamid;
- 4-klor-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-2-fluorbenzamid; og
- 25 3-((4-syklopropyl-1H-1,2,3-triazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid.

13. Forbindelsen ifølge krav 1, valgt fra:

- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-syklopropylpyridin-3-yl)-7,8-dimetylkinolin-2-karboksamid;
- 25 N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(pyridin-3-yl)kinolin-2-karboksamid;
- N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-3,3'-bipyridin-5-karboksamid;
- N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-5-fenylnikotinamid;
- 30 N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-2-fenylisonikotinamid;
- 6'-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2,3'-bipyridin-6-karboksamid;
- 6'-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2,3'-bipyridin-4-karboksamid;
- 35 5-((2,5-difluorfenyl)-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)nikotinamid;
- N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(6-syklopropylpyridin-3-yl)pyrimidin-4-karboksamid;
- 6'-syklopropyl-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-2,3'-bipyridin-4-karboksamid; og

2-hydroksy-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-6-fenylpyrimidin-4-karboksamid.

14. Forbindelsen ifølge krav 1, der X¹ er C.

5

15. Forbindelsen ifølge krav 14, valgt fra:

N-(6-(1-syklopropyl-1H-imidazol-5-yl)pyridin-2-yl)-4-(4,5-dimetyl-1H-imidazol-1-yl)pikolinamid;

10 N-(6-(1-syklopropyl-1H-imidazol-5-yl)pyridin-2-yl)-6-(2-hydroksypropan-2-yl)-3,4'-bipyridin-2'-karboksamid;

N-(6-(1-syklopropyl-1H-imidazol-5-yl)pyridin-2-yl)-4-(kinolin-3-yl)pikolinamid;

15 6-syklopropyl-N-(6-(1-syklopropyl-1H-imidazol-5-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(1-syklopropyl-1H-imidazol-5-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

20 N-(3-(1-syklopropyl-1H-imidazol-5-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

4-((1H-benzo[d]imidazol-1-yl)-N-(3-(1-syklopropyl-1H-imidazol-5-yl)fenyl)pikolinamid; og

N-(3-(1-syklopropyl-1H-imidazol-5-yl)fenyl)-4-(kinolin-3-yl)pikolinamid.

25

16. Farmasøyttisk sammensetning omfattende en effektiv mengde av én eller flere forbindelser ifølge hvilket som helst av kravene 1 til 15 og en farmasøyttisk akseptabel bærer.

25

17. Forbindelse ifølge hvilket som helst av kravene 1 til 15 for anvendelse i behandling av en sykdom valgt fra gruppen som består av autoimmune forstyrrelser, inflammatoriske sykdommer, kardiovaskulære sykdommer og nevrodegenerative sykdommer.