



(12) Translation of  
European patent specification

(11) NO/EP 2933252 B1

<b>NORWAY</b>	(19) NO	
	(51) Int Cl.	<b>A61P 25/28 (2006.01)</b>
	<b>C07D 401/12 (2006.01)</b>	<b>A61P 29/00 (2006.01)</b>
	<b>A61K 31/437 (2006.01)</b>	<b>A61P 37/00 (2006.01)</b>
	<b>A61K 31/4439 (2006.01)</b>	<b>C07D 401/14 (2006.01)</b>
	<b>A61K 31/444 (2006.01)</b>	<b>C07D 407/14 (2006.01)</b>
	<b>A61K 31/497 (2006.01)</b>	<b>C07D 413/14 (2006.01)</b>
	<b>A61K 31/506 (2006.01)</b>	<b>C07D 471/04 (2006.01)</b>
	<b>A61P 9/00 (2006.01)</b>	<b>C07D 491/048 (2006.01)</b>

**Norwegian Industrial Property Office**

---

(21)	Translation Published	2018.06.11
(80)	Date of The European Patent Office Publication of the Granted Patent	2018.01.03
(86)	European Application Nr.	15151030.2
(86)	European Filing Date	2010.07.12
(87)	The European Application's Publication Date	2015.10.21
(30)	Priority	2009.07.13, US, 225076 P 2009.07.13, US, 225079 P 2009.12.22, US, 289263 P
(84)	Designated Contracting States:	AL ; AT ; BE ; BG ; CH ; CY ; CZ ; DE ; DK ; EE ; ES ; FI ; FR ; GB ; GR ; HR ; HU ; IE ; IS ; IT ; LI ; LT ; LU ; LV ; MC ; MK ; MT ; NL ; NO ; PL ; PT ; RO ; SE ; SI ; SK ; SM ; TR
	Designated Extension States:	BA ME RS
(62)	Divided application	EP2454250, med inndato 2010.07.12
(73)	Proprietor	GILEAD SCIENCES, INC., 333 Lakeside Drive, Foster City, California 94404, US-USA
(72)	Inventor	CORKEY, Britton, 355 Buena Vista Ave East Apt 415, San Francisco, CA 94117, US-USA Graupe, Michael, 1131 Banyan Way, Pacifica, CA 94044, US-USA Koch, Keith, 384 Baker Lane, Erie, CO 80516, US-USA Melvin, Lawrence S., 7623 Crestview Drive, Longmont, CO 80504, US-USA Notte, Gregory, 707 Highland Ave, Apt 2, San Mateo, CA 94401, US-USA
(74)	Agent or Attorney	TANDBERG INNOVATION AS, Postboks 1570 Vika, 0118 OSLO, Norge
(54)	Title	<b>Apoptosis signal-regulating kinase inhibitors</b>
(56)	References	


Cited:

EP-A1- 2 058 309

Enclosed is a translation of the patent claims in Norwegian. Please note that as per the Norwegian Patents Acts, section 66i the patent will receive protection in Norway only as far as there is agreement between the translation and the language of the application/patent granted at the EPO. In matters concerning the validity of the patent, language of the application/patent granted at the EPO will be used as the basis for the decision. The patent documents published by the EPO are available through Espacenet (<http://worldwide.espacenet.com>) or via the search engine on our website here: <https://search.patentstyret.no/>

## Patentkrav

**1.** Forbindelse med formel I for anvendelse ved behandling av en akutt kardiovaskulær sykdomshendelse, hvori forbindelsen med formel I administreres samtidig med et terapeutisk middel, og formel I er:



hvori:

R<sup>1</sup> er alkyl med 1-10 karbonatomer, sykloalkyl med 3-8 karbonatomer, alkenyl med 2-10 karbonatomer, alkynyl med 2-10 karbonatomer, aryl, heteraryl eller heterosyklyl, som alle eventuelt er substituert med 1, 2, eller 3 substituenter valgt fra halogen, okso, alkyl med 1-6 karbonatomer, sykloalkyl med 3-8 karbonatomer, heterosyklyl, fenyl, fenoksy, halogen, -CN, -O-R<sup>6</sup>, -C(O)-R<sup>6</sup>, -OC(O)-R<sup>6</sup>-C(O)-O-R<sup>6</sup>, -N(R<sup>6</sup>)-C(O)-O-R<sup>7</sup>, -N(R<sup>6</sup>)-C(O)-R<sup>7</sup>, -N(R<sup>6</sup>)-C(O)-N(R<sup>6</sup>)(R<sup>7</sup>), og -C(O)-N(R<sup>6</sup>)(R<sup>7</sup>), hvori alkyl, sykloalkyl, heterosyklyl, fenyl og fenoksy eventuelt er substituert med 1, 2 eller 3 substituenter valgt fra alkyl med 1-6 karbonatomer, sykloalkyl med 3-8 karbonatomer, alkoxsy med 1-6 karbonatomer, hydroksyl og halogen;

gitt at R<sup>1</sup> ikke er methyl når R<sup>3</sup> er morfolinyl eller furyl;

hvori R<sup>6</sup> og R<sup>7</sup> er uavhengig valgt fra gruppen som består av hydrogen, alkyl med 1-6 karbonatomer eller sykloalkyl med 3-8 karbonatomer; eller

R<sup>6</sup> og R<sup>7</sup> når de tas sammen med nitrogenet de er bundet til, danner en heterosyklus;

R<sup>2</sup> er hydrogen, halogen, cyano, alkoxsy, eller alkyl eventuelt substituert med halogen;

R<sup>3</sup> er aryl, heteraryl eller heterosyklyl, som alle eventuelt er substituert med 1, 2 eller 3 substituenter valgt fra alkyl med 1-6 karbonatomer, alkoxsy med 1-6 karbonatomer, sykloalkyl med 3-8 karbonatomer, sykloalkylalkyl, aryl, arylalkyl, heteroaryl, heteroarylalkyl, heterosyklyl, heterosyklylalkyl, halogen, halogenalkoxsy, okso, -CN, -O-R<sup>6</sup>, -O-C(O)-R<sup>6</sup>, -O-C(O)-N(R<sup>6</sup>)(R<sup>7</sup>), -S-R<sup>6</sup>, -N(R<sup>6</sup>)(R<sup>7</sup>), -S(=O)-R<sup>6</sup>, -S(=O)<sub>2</sub>R<sup>6</sup>, -S(=O)<sub>2</sub>-N(R<sup>6</sup>)(R<sup>7</sup>), -S(=O)<sub>2</sub>O-R<sup>6</sup>, -N(R<sup>6</sup>)-C(O)-R<sup>7</sup>, -N(R<sup>6</sup>)-C(O)-O-R<sup>7</sup>, -N(R<sup>6</sup>)-C(O)-N(R<sup>6</sup>)(R<sup>7</sup>), -C(O)-R<sup>6</sup>, -C(O)-O-R<sup>6</sup>, -C(O)-N(R<sup>6</sup>)(R<sup>7</sup>), og -N(R<sup>6</sup>)-S(=O)<sub>2</sub>-R<sup>7</sup>, hvori alkylet, alkoxyet,

sykloalkylet, arylet, heteroarylet eller heterosyklylet eventuelt er substituert med én eller flere substituenter valgt fra halogen, hydroksyl, okso, -CN, og -O-R<sup>6</sup>;

med det forbehold at heteroaryl- eller heterosyklylresten inkluderer minst ett ringnitrogenatom;

X<sup>1</sup>, X<sup>2</sup>, X<sup>3</sup>, X<sup>4</sup>, X<sup>5</sup>, X<sup>6</sup>, X<sup>7</sup> og X<sup>8</sup> er uavhengig C(R<sup>4</sup>) eller N, der hver R<sup>4</sup> er uavhengig hydrogen, hydroksyl, halogen, alkyl med 1-6 karbonatomer, alkoksy med 1-6 karbonatomer eller sykloalkyl med 3-8 karbonatomer, hvori alkylet eller sykloalkylet er videre eventuelt substituert med én eller flere substituenter valgt fra halogen, hydroksyl, okso, -CF<sub>3</sub>, -O-CF<sub>3</sub>, -N(R<sup>6</sup>)(R<sup>7</sup>), -C(O)-R<sup>6</sup>, -C(O)-O-R<sup>7</sup>, -C(O)-N(R<sup>6</sup>)(R<sup>7</sup>), -CN, -O-R<sup>6</sup>; eller

X<sup>5</sup> og X<sup>6</sup> eller X<sup>6</sup> og X<sup>7</sup> sammenføyes for å tilveiebringe kondensert sykloalkyl, kondensert aryl eller kondensert heteroaryl, som alle eventuelt er substituert med alkyl med 1-6 karbonatomer, hydroksyl eller halogen; og

med det forbehold at minst én av X<sup>2</sup>, X<sup>3</sup>, og X<sup>4</sup> er C(R<sup>4</sup>);

minst to av X<sup>5</sup>, X<sup>6</sup>, X<sup>7</sup>, og X<sup>8</sup> er C(R<sup>4</sup>); og

minst én av X<sup>2</sup>, X<sup>3</sup>, X<sup>4</sup>, X<sup>5</sup>, X<sup>6</sup>, X<sup>7</sup> og X<sup>8</sup> er N.

**2. Forbindelsen for anvendelse ifølge rav 1, hvori det terapeutiske midlet er for anvendelse ved behandling av sykdommer eller tilstander som er kardiovaskulære av art, lungeforsyrelser, metabolske forsyrelser eller gastrointestinale forsyrelser; eller tilstander som drar fordel av administrering av terapeutiske midler valgt fra gruppen som består av antibiotika, analgetika, antidepressiva og anti-angstmidler.**

**3. Forbindelsen for anvendelse ifølge krav 1, hvori det terapeutiske midlet er for anvendelse ved behandling av kardiovaskulære sykdommer, eventuelt hvori sykdommen er valgt fra gruppen som består av angina, arytmier, tilbakevendende halting, myokardinfarkt, hjertesvikt og tilbakevendende iskemi.**

**4. Forbindelsen for anvendelse ifølge krav 1 eller krav 3, hvori det terapeutiske midlet er valgt fra gruppen som består av anti-anginaler, hjertesviktmidler, antitrombotiske midler, antiarytmiske midler, antihypertensive midler og lipidsenkende midler.**

**5. Forbindelsen for anvendelse ifølge krav 1, hvori det terapeutiske midlet er for anvendelse ved behandling av lungeforsyrelser, eventuelt hvori forsyrelsen er valgt fra gruppen som består av astma, kronisk obstruktiv lungesykdom (KOLS), bronkitt og emfysem.**

**6. Forbindelsen ifølge krav 1 eller krav 5, hvori det terapeutiske midlet er en bronkodilator, kortikosteroid eller et elektrolyttilskudd.**

**7. Forbindelsen for anvendelse ifølge krav 1, hvori det terapeutiske midlet er for anvendelse ved behandling av metabolske forsyrelser, idet den metabolske**

forstyrrelsen eventuelt er valgt fra gruppen som består av diabetes, metabolsk syndrom, dyslipidemi, fedme, glukoseintoleranse, hypertensjon, forhøyet serumkolesterol og forhøyede triglyserider.

**8.** Forbindelsen for anvendelse ifølge krav 1 eller krav 7, hvori det terapeutiske midlet er valgt fra gruppen som består av antihypertensive midler, lipidsenkende midler, insulin, sulfonylureaer, biguanider, alfa-glukosidasehemmere og inkretinetterlignere.

**9.** Forbindelsen for anvendelse ifølge krav 1, hvori det terapeutiske midlet er for anvendelse ved behandling av gastrointestinale forstyrrelser, den gastrointestinale forstyrrelsen er eventuelt valgt fra gruppen som består av gastroøsophageal refluksykdom (GERD), inflammatorisk tarmsykdom (IBD), gastroenteritt, gastritt og peptisk sårsykdom og pankreatitt.

**10.** Forbindelsen for anvendelse ifølge krav 1 eller krav 9, hvori det terapeutiske midlet er valgt fra gruppen som består av protonpumpehemmere, H<sub>2</sub>-blokkere, prostaglandiner, sukralfat og antacider.

**11.** Forbindelsen for anvendelse ifølge krav 1, hvori det terapeutiske midlet er et antibiotisk middel valgt fra gruppen som består av β-laktamantibiotika, tetrasykliner, makrolidantibiotika, aminoglykosider, kinoloner, sykliske peptider, linkosamider og sulfaantibiotika.

**12.** Forbindelsen for anvendelse ifølge krav 1, hvori det terapeutiske midlet er et analgetisk middel valgt fra gruppen som består av opiater, morfinoetterlignere, NSAID-er og COX-2-hemmere.

**13.** Forbindelsen for anvendelse ifølge krav 1, hvori det terapeutiske midlet er et antidepressivt middel og anti-angstmiddel valgt fra gruppen som består av benzodiazepiner, enzodiazepiner, barbiturater, glutetimid, klorhydrat, meprobamat, sertralin, escitalopram, fluoksetin, venlafaksin, citalopram, paroksetin, trazodon, amitriptylin og bupropion.

**14.** Farmasøytisk sammensetning som omfatter en forbindelse med formel I som definert i krav 1 og et terapeutisk middel som definert i ett av kravene 4, 6, 8 og 10 til 13.

**15.** Forbindelsen for anvendelse ifølge ett av kravene 1 til 13 eller den farmasøytiske sammensetningen ifølge krav 14, hvori forbindelsen med formel I er valgt fra gruppen som består av:

6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-syklopropylpyrimidin-5-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(2,2,2-trifluoretyl)-3,4'-bipyridin-2'-karboksamid;

4-(imidazo[1,2-a]pyridin-3-yl)-N-(3-(4-methyl-4H-1,2,4-triazol-3-yl)fenyl)-pikolinamid;

4-(2-aminopyrimidin-5-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-fenylpikolinamid;

N-(3-(4-(tetrahydro-2H-pyran-4-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-imidazol-1-yl)pikolinamid;

N-(3-(4-methyl-4H-1,2,4-triazol-3-yl)fenyl)-4-fenylpikolinamid;

N-(3-(4-(3-amino-3-oksopropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-1,2,4-triazol-1-yl)pikolinamid;

N-(3-(4-methyl-4H-1,2,4-triazol-3-yl)fenyl)-6-fenylpikolinamid;

N-(3-(4-(2-acetamidoetyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-methyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-metylpiperazin-1-yl)pikolinamid;

N-(3-(4-methyl-4H-1,2,4-triazol-3-yl)fenyl)-2,3'-bipyridin-6-karboksamid;

N-(3-(4-methyl-4H-1,2,4-triazol-3-yl)fenyl)-4-morfolinopikolinamid;

N-(3-(4-methyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(kinolin-6-yl)pikolinamid;

(R)-N-(3-(4-(1-hydroksypropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-hydroksy-3,4'-bipyridin-2'-karboksamid;

(S)-N-(3-(4-(1-hydroksypropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-methyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-oksopiperazin-1-yl)pikolinamid;

N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-metoksy-3,4'-bipyridin-2'-karboksamid;

4-(3-aminopyrrolidin-1-yl)-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

6-amino-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

(R)-N-(3-(4-(2-hydroksypropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

5-metoksy-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

Metyl 2'-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenylkarbamoyl)-3,4'-bipyridin-6-ylkarbamat;

(S)-N-(3-(4-(2-hydroksypropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

4-(1-metyl-1H-imidazol-5-yl)-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-metyl-1H-imidazol-5-yl)pikolinamid;

4-(1H-benzo[d]imidazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2,4-dimetoksypyrimidin-5-yl)pikolinamid;

N-(3-(4-((1-hydroksypropyl)metyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-fenyl-1H-imidazol-1-yl)pikolinamid;

N-(3-(4-syklobutyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N2'-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2',6-dikarboksamid;

(S)-N-(3-(4-(1,1,1-trifluorpropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopentyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(trifluormetyl)-3,4'-bipyridin-2'-karboksamid;

N2'-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2',5'-dikarboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-metyl-1H-imidazol-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-metyl-3,4'-bipyridin-2'-karboksamid;

5-cyano-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-metyl-1H-imidazol-1-yl)pikolinamid;

2-amino-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4,5-dimetyl-1H-imidazol-1-yl)pikolinamid;

N-(3-(4-((1S,2S)-2-metylsyklopropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2-metoksy-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(trifluormetyl)-1H-imidazol-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(2,2,2-trifluoretoksy)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-metyl-1H-pyrazol-4-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-metoksypyrimidin-5-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-metyl-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(imidazo[1,2-a]pyridin-3-yl)pikolinamid;

6'-metyl-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-(2,2,2-trifluoretyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

6-klor-[3,2',5',4"]terpyridin-2"-karboksylsyre [3-(4-syklopropyl-4H-[1,2,4]triazol-3-yl)-fenyl]amid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(pyrrolidin-1-yl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-(trifluormetyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1,2-dimetyl-1H-imidazol-5-yl)pikolinamid;

4-(1H-benzo[d][1,2,3]triazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-sulfamoylfenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-metoksy-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-fluor-5-metyl-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-fluor-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2-metyl-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4,5,6,7-tetrahydro-1H-benzo[d]imidazol-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(N-methylsulfamoyl)fenyl)pikolinamid;

N5-tert-butyl-N2'-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2',5-dikarboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(pyrazin-2-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(N-isopropylsulfamoyl)fenyl)pikolinamid;

5-klor-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-(metylsonylyl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(isokinolin-4-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-(metylsonylyl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1,5-dimetyl-1H-pyrazol-4-yl)pikolinamid;

6-syklobutyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-isopropyl-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(metylsonylyl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(dimethylamino)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-pyrrolo[2,3-b]pyridin-5-yl)pikolinamid;

6-syklopropoksy-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-imidazo[4,5-b]pyridin-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-fluor-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(2-oksoimidazolidin-1-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3H-imidazo[4,5-b]pyridin-3-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-isopropoksy-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;

6-syklobutoksy-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(kinolin-3-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(N-syklopropylsulfamoyl)fenyl)pikolinamid;

6-syklopentyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(imidazo[2,1-b][1,3,4]tiadiazol-5-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(5-syklopropylpyrazin-2-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(1-metyl-2-oksopyrrolidin-3-yl)-3,4'-bipyridin-2'-karboksamid;

4-(4-klor-1H-imidazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-fluor-3,4'-bipyridin-2'-karboksamid;

(S)-4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(3-metylbutan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

6'-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2,3'-bipyridin-6-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(5-metyl-4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;

4-(5-syklopropyl-4-metyl-4H-1,2,4-triazol-3-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(3-syklopropyl-1,2,4-oksadiazol-5-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-metyl-1,2,4-oksadiazol-5-yl)pikolinamid;

6-syklopropyl-N-(3-(4-(3-hydroksybutan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(5-(1-hydroksyethyl)-1,3,4-oksadiazol-2-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-metoksykinolin-3-yl)pikolinamid;

6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5'-metyl-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6'-metyl-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-(2,2,2-trifluoretyl)-1H-pyrrolo[3,2-b]pyridin-6-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-isopropyl-1H-pyrrolo[3,2-b]pyridin-6-yl)pikolinamid;

(S)-6-syklopropyl-N-(3-(4-(3,3-dimetylbutan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-sek-butyl-4H-1,2,4-triazol-3-yl)fenyl)-6-syklopropyl-3,4'-bipyridin-2'-karboksamid;

(S)-6-syklopropyl-N-(3-(4-(1-syklopropyletyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-(pentan-3-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

(S)-6-syklopropyl-N-(3-(4-(1-metoksypropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

(S)-N-(3-(4-sek-butyl-4H-1,2,4-triazol-3-yl)fenyl)-6-syklopropyl-3,4'-bipyridin-2'-karboksamid;

(S)-6-syklopropyl-N-(3-(4-(3-metylbutan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

(R)-6-syklopropyl-N-(3-(4-(1-(2,6-dimetylfenoksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

(S)-6-syklopropyl-N-(3-(4-(1,1,1-trifluoropropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklobutyl-4H-1,2,4-triazol-3-yl)fenyl)-6-syklopropyl-3,4'-bipyridin-2'-karboksamid;

(S)-6-syklopropyl-N-(3-(4-(1-fenyletyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-isopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-(syklopropylmetyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

4-(4-syklopropyl-2-metyl-1H-imidazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-isopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(syklopropylmetyl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1-fenyletyl)-4H-1H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

(R)-4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1,1,1-trifluorpropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1,5-naftyridin-3-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(perfluoretyl)-1H-imidazol-1-yl)pikolinamid;

4-(3-syklopropyl-1H-1,2,4-triazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(5-syklopropyl-1H-1,2,4-triazol-1-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(2,2,2-trifluor-1-hydroksyethyl)-1H-imidazol-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(2-etylpyrimidin-5-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5-etyl-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-4-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-4-fluorfenyl)-6-etyl-3,4'-bipyridin-2'-karboksamid;

6-tert-butyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(5,6,7,8-tetrahydro-1,6-naftyridin-3-yl)pikolinamid;

6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-2-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;

5-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-2-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-etil-1H-imidazol-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-(2,2,2-trifluoretyl)-5,6,7,8-tetrahydro-1,6-naftyridin-3-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-isopropyl-1H-imidazol-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(2-hydroksypropan-2-yl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-5-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)-5-fluorfenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-isopropyl-5,6,7,8-tetrahydro-1,6-naftyridin-3-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-metyl-5,6,7,8-tetrahydro-1,6-naftyridin-3-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-hydroksypiperidin-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-etil-3-oksopiperazin-1-yl)pikolinamid;

N-(3-(4-isopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-propyl-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-neopentyl-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1-metyl-2-fenyl-1H-imidazol-5-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(etyl sulfonyl)fenyl)-pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(isopropylsulfonyl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(ethylamino)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(syklopropylamino)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6'-(trifluormetyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(kinolin-3-yl)-6-(trifluormetyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(1H-pyrrolo[3,2-b]pyridin-6-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-syklopropylfenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(metyltio)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(isobutyltio)-3,4'-bipyridin-2'-karboksamid;

5-klor-6-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(2-metoksyethylamino)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-(methylsulfonyl)piperazin-1-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-etil-5-fluor-3,4'-bipyridin-2'-karboksamid;

5-klor-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-etil-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-5,6-dietyl-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(furo[3,2-b]pyridin-6-yl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(3-metyl-3H-imidazo[4,5-b]pyridin-6-yl)pikolinamid;

6-syklopropyl-N-(3-(4-(2-fenylsyklopropyl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

(S)-4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1,1,1-trifluoropropan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(syklopropylmetyl)-3,4'-bipyridin-2'-karboksamid;

4-(5-syklopropyl-1,3,4-tiadiazol-2-yl)-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(kinolin-3-yl)benzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-2,4-difluorbenzamid;

4-klor-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-2-fluorbenzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4-(2,2,2-trifluor-1-metoksyetyl)-1H-imidazol-1-yl)benzamid;

3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-metoksybenzamid;

4-klor-3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-2-fluorbenzamid;

3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-isopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid;

(S)-3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-(1-fenyletyl)-4H-1H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(1,5-naftyridin-3-yl)benzamid;

3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4-isopropyl-1H-imidazol-1-yl)benzamid;

3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-2-metylbenzamid;

5-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-2-metylbenzamid;

3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-metylbenzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(6-(2-hydroksypropan-2-yl)pyridin-3-yl)benzamid;

3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-fluorbenzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4-(2,2,2-trifluor-1-hydroksyethyl)-1H-imidazol-1-yl)benzamid;

3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-metylbenzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4,5-dimetyl-1H-imidazol-1-yl)benzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(4,5,6,7-tetrahydro-1H-benzo[d]imidazol-1-yl)benzamid;

1-(3-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-ylkarbamoyl)fenyl)-5-metyl-1H-imidazol-4-karboksylsyre;

(S)-3-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-(1-fenyletyl)-4H-1H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid;

(S)-3-(4,5-dimetyl-1H-imidazol-1-yl)-N-(6-(4-(1,1,1-trifluorpropan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(6-syklopropylpyridin-3-yl)benzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3-(pyridin-3-yl)benzamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-2,4-difluorbenzamid;

4-klor-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5-(6-syklopropylpyridin-3-yl)-2-fluorbenzamid;

3-(4-syklopropyl-1H-1,2,3-triazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)benzamid

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(6-syklopropylpyridin-3-yl)-7,8-dimetylkinolin-2-karboksamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-4-(pyridin-3-yl)kinolin-2-karboksamid;

N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-3,3'-bipyridin-5-karboksamid;

N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-5-fenylnikotinamid;

N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-2-fenylisonikotinamid;

6'-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2,3'-bipyridin-6-karboksamid;

6'-syklopropyl-N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-2,3'-bipyridin-4-karboksamid;

5-(2,5-difluorfenyl)-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)nikotinamid;

N-(3-(4-syklopropyl-4H-1,2,4-triazol-3-yl)fenyl)-6-(6-syklopropylpyridin-3-yl)pyrimidin-4-karboksamid;

6'-syklopropyl-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-2,3'-bipyridin-4-karboksamid;

2-hydroksy-N-(3-(4-metyl-4H-1,2,4-triazol-3-yl)fenyl)-6-fenylpyrimidin-4-karboksamid;

N-(6-(1-syklopropyl-1H-imidazol-5-yl)pyridin-2-yl)-4-(4,5-dimetyl-1H-imidazol-1-yl)pikolinamid;

N-(6-(1-syklopropyl-1H-imidazol-5-yl)pyridin-2-yl)-6-(2-hydroksypropan-2-yl)-3,4'-bipyridin-2'-karboksamid;

N-(6-(1-syklopropyl-1H-imidazol-5-yl)pyridin-2-yl)-4-(kinolin-3-yl)pikolinamid;

6-syklopropyl-N-(6-(1-syklopropyl-1H-imidazol-5-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(1-syklopropyl-1H-imidazol-5-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(1-syklopropyl-1H-imidazol-5-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

4-(1H-benzo[d]imidazol-1-yl)-N-(3-(1-syklopropyl-1H-imidazol-5-yl)fenyl)pikolinamid;

N-(3-(1-syklopropyl-1H-imidazol-5-yl)fenyl)-4-(kinolin-3-yl)pikolinamid;

6-syklopropyl-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4,5-dimetyl-1H-imidazol-1-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-6-(2-hydroksypropan-2-yl)-3,4'-bipyridin-2'-karboksamid.

6'-syklopropyl-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-2,3'-bipyridin-6-karboksamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(5-metyl-4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;

6-syklopropyl-N-(6-(4-((2R)-3-hydroksybutan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(6-(4-((2S,3R)-3-hydroksybutan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(6-(4-((2S,3S)-3-hydroksybutan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(6-(4-(1-(pyrrolidin-1-yl)propan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(6-syklopropylpyridin-3-yl)-7,8-dimetylkinolin-2-karboksamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)kinolin-2-karboksamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(6-syklopropylpyridin-3-yl)kinolin-2-karboksamid;

4-(4-syklopropyl-2-metyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4,5,6,7-tetrahydro-1H-benzo[d]imidazol-1-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(trifluormetyl)-1H-imidazol-1-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-1-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(perfluoretyl)-1H-imidazol-1-yl)pikolinamid;

4-(3-syklopropyl-1H-1,2,4-triazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(2,2,2-trifluor-1-hydroksyethyl)-1H-imidazol-1-yl)pikolinamid;

6-syklopropyl-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-5'-metyl-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(2-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-4-yl)-3,4'-bipyridin-2'-karboksamid;

N-(2-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-4-yl)-4-(kinolin-3-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-metyl-1H-imidazol-1-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-isopropyl-1H-imidazol-1-yl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(3-hydroksypiperidin-1-yl)pikolinamid;

6-syklopropyl-N-(6-(4-isopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-etil-3-oksopiperazin-1-yl)pikolinamid;

(R)-6-syklopropyl-N-(6-(4-(1,1,1-trifluorpropan-2-yl)-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(N-methylsulfamoyl)fenyl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(kinolin-3-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-fenyl-1H-imidazol-1-yl)pikolinamid;

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-4-(4-(methylsulfonyl)fenyl)pikolinamid

N-(6-(4-syklopropyl-4H-1,2,4-triazol-3-yl)pyridin-2-yl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-fenyl-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-(pyridin-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-(pyridin-4-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

N-(3-(4-(but-2-ynyl)-4H-1,2,4-triazol-3-yl)fenyl)-6-syklopropyl-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-(1-(pyridin-3-yloksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

6-syklopropyl-N-(3-(4-(1-(2,2,2-trifluoretoksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)-3,4'-bipyridin-2'-karboksamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-fenyl-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(pyridin-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(pyridin-3-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(pyridin-4-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(pyrimidin-5-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid;

N-(3-(4-(but-2-ynyl)-4H-1,2,4-triazol-3-yl)fenyl)-4-(4-syklopropyl-1H-imidazol-1-yl)pikolinamid;

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1-(pyridin-3-yloksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid; og

4-(4-syklopropyl-1H-imidazol-1-yl)-N-(3-(4-(1-(2,2,2-trifluoretoksy)propan-2-yl)-4H-1,2,4-triazol-3-yl)fenyl)pikolinamid.