



(12) Translation of new
European patent specification
After limitation procedure

(11) NO/EP 2970267 B3

NORWAY

(19) NO
(51) Int Cl.

C07D 471/04 (2006.01)
A61K 31/437 (2006.01)
A61P 29/00 (2006.01)
A61P 37/02 (2006.01)

Norwegian Industrial Property Office

(21)	Translation Published	2017.08.21
(80)	Date of The European Patent Office Publication of the Granted Patent	2017.05.24
(45)	Decision of the opposition in EPO	2018.05.30
	Decision of the opposition in NIPO	2018.09.17
(86)	European Application Nr.	14718857.7
(86)	European Filing Date	2014.03.14
(87)	The European Application's Publication Date	2016.01.20
(30)	Priority	2013.03.14, US, 201361786260 P
(84)	Designated Contracting States:	AL ; AT ; BE ; BG ; CH ; CY ; CZ ; DE ; DK ; EE ; ES ; FI ; FR ; GB ; GR ; HR ; HU ; IE ; IS ; IT ; LI ; LT ; LU ; LV ; MC ; MK ; MT ; NL ; NO ; PL ; PT ; RO ; RS ; SE ; SI ; SK ; SM ; TR
	Designated Extension States:	BA ; ME
(73)	Proprietor	Janssen Pharmaceutica NV, Turnhoutseweg 30, 2340 Beerse, BE-Belgia
(72)	Inventor	ALCAZAR VACA, Manuel Jesus, Calle Clavel 6Burguillos, E-45112 Toledo, ES-Spania ALLISON, Brett, D., 5281 Caminito Cachorro, San Diego, CA 92105, US-USA ANDRES GIL, Jose Ignacio, Calle Capitan Haya 33 5o Derecha, E-28020 Madrid, ES-Spania CHROVIAN, Christa, C., 7439 Herschel Avenue E, La Jolla, CA 92037, US-USA COATE, Heather, R., 7187 Camino Degrazia 86, San Diego, CA 92111, US-USA DE ANGELIS, Meri, Werinherstrasse 97, 81541 Munich, DE-Tyskland DENG, Xiaohu, 8219 Bryn Glen Way, San Diego, CA 92129, US-USA DVORAK, Curt, A., 14882 Brookstone Drive, Poway, CA 92064, US-USA GELIN, Christine, F., 5678 Scripps Street, San Diego, CA 92122, US-USA LETAVIC, Michael, A., 4379 Mistral Place, San Diego, CA 92130, US-USA LIANG, Jimmy, T., 13729 Tradition Street, San Diego, CA 92128, US-USA MANI, Neelakandha, S., 13109 Russet Leaf Lane, San Diego, CA 92129, US-USA RECH, Jason, C., 4495 Clairemont Drive 3, San Diego, CA 92117, US-USA SAVALL, Brad, M., 9512 Ronda Avenue, San Diego, CA 92123, US-USA SOYODE-JOHNSON, Akinola, 8530 Costa Verde Blvd. 1409, San Diego, CA 92122,

US-USA

STENNE, Brice, M., 8686 Via Mallorca, Unit C, La Jolla, CA 92037, US-USA

SWANSON, Devin, M., 2727 Greenock Court, Carlsbad, CA 92010, US-USA

WALL, Jessica, L., 4600 Lamont Street 322, San Diego, CA 92109, US-USA


(74) Agent or Attorney OSLO PATENTKONTOR AS, Postboks 7007 M, 0306 OSLO, Norge

(54) Title **P2X7 MODULATORS**

(56) References
Cited: US-A1- 2005 096 345, WO-A1-2009/023623

Enclosed is a translation of the patent claims in Norwegian. Please note that as per the Norwegian Patents Acts, section 66i the patent will receive protection in Norway only as far as there is agreement between the translation and the language of the application/patent granted at the EPO. In matters concerning the validity of the patent, language of the application/patent granted at the EPO will be used as the basis for the decision. The patent documents published by the EPO are available through Espacenet (<http://worldwide.espacenet.com>) or via the search engine on our website here:


1. Forbindelse med formel (I):



hvor

5 R^1 er

- (a) fenyl, valgfritt substituert med null til fire grupper uavhengig valgt fra gruppen bestående av halogen, C₁-C₄-alkyl, alkoksy, perhalogenalkyl og perhalogenalkoksy; eller
- (b) heteroaryl, uavhengig valgt fra gruppen bestående av:



hvor R^k er uafhængig valgt fra gruppen bestående af H, halogen, C₁-C₃-alkyl, hydroksyl, perhalogenalkyl og alkoksy;

15 R^j er uavhengig valgt fra H eller C₁-C₃-alkyl hvor C₁-C₃-alkyl valgfritt kan være substituert med fra én til tre halogensubstituent, én OH-substituent eller én alkoksysubstituent; og

n er et heltall fra 0-3;

X er N eller CR²;

R² er H, perhalogenalkyl eller C₁-C₃-lavere alkyl;

R³ er H, perhalogenalkyl, C₁-C₄-alkyl, alkalkoksy, CH₂Rⁱ, -C(O)R^e eller fenyl, hvor
 5 nevnte fenyl valgfritt kan være substituert med null til to grupper uavhengig valgt
 fra gruppen bestående av halogen, C₁-C₃-alkyl, alkoksy, perhalogenalkyl og
 perhalogenalkoksy;


Rⁱ er OH, NC₃H₆, N(C₁-C₃-alkyl)₂ eller halogen;

R^e er OH, OC₁-C₃-alkyl, N(C₁-C₃-alkyl)₂ eller NC₃H₆;

R⁴ og R⁵ er uavhengig H eller C₁-C₃-alkyl;


10 R⁸ er fenyl eller pyridyl, valgfritt substituert med null til fire R^m-substituenten hvor
 R^m er uavhengig valgt fra gruppen bestående av halogen, C₁-C₃-alkyl, hydroksy,
 alkoksy, perhalogenalkyl og perhalogenalkoksy; eller


R⁸ er uavhengig valgt fra gruppen bestående av:




15 og farmasøytisk akseptable salter av forbindelser med formel (I).

2. Forbindelse ifølge krav 1, hvor R¹ er heteroaryl, uavhengig valgt fra gruppen
 bestående av:






hvor R^1 er heteroaryl, uavhengig valgt fra gruppen bestående av:




hvor R^1 er heteroaryl, uavhengig valgt fra gruppen bestående av:




5

hvor R^1 er



hvor R^1 er



10 3. Forbindelse ifølge krav 1 hvor R^8 er fenyl, eller

hvor R^8 er fenyl, R^m er Cl i orthoposisjon, og R^m er CF_3 i metaposisjon, eller

hvor R^8 er pyridyl, valgfritt substituert med null til fire R^m -substituenter hvor R^m er uavhengig valgt fra gruppen bestående av halogen, C_1 - C_3 -alkyl, hydroksoy, alkoksoy, perhalogenalkyl og perhalogenalkoksoy, eller

15 hvor R^8 er 2-pyridyl, 3-pyridyl eller 4-pyridyl valgfritt substituert med én til tre R^m -substituenter hvor R^m er uavhengig valgt fra gruppen bestående av halogen, C_1 - C_3 -alkyl, perhalogenalkyl og perhalogenalkoksoy, eller hvor R^8 er 4-pyridyl valgfritt

substituert med én til tre R^m -substituenten hvor R^m er uavhengig valgt fra gruppen bestående av: halogen, perhalogenalkyl og perhalogenalkoksy.

4. Forbindelse ifølge krav 1 hvor X er N, eller hvor X er CR^2 og R^2 er H.

5. Forbindelse ifølge krav 1 hvor R^3 er CH_3 .


5 6. Forbindelse ifølge krav 1 hvor R^4 og R^5 er CH_3 , eller

hvor R^4 er H og R^5 er CH_3 , eller


hvor R^4 er CH_3 og R^5 er H.

7. Forbindelse ifølge krav 1 hvor X er N, R^3 er CH_3 , R^4 og R^5 er H, R^8 er fenyl, R^m er Cl i orthoposisjon, R^m er CF_3 i metaposisjon og R^1 er:

10




hvor X er N, R^3 er CH_3 , R^4 og R^5 er H, R^8 er fenyl, R^m er Cl i orthoposisjon, R^m er CF_3 i metaposisjon og R^1 er:




15


hvor X er N, R^3 er CH_3 , R^4 og R^5 er H, R^8 er fenyl, R^m er Cl i orthoposisjon, R^m er CF_3 i metaposisjon og R^1 er:




hvor X er N, R^3 er CH_3 , R^4 og R^5 er H, R^8 er fenyl, R^m er Cl i orthoposisjon, R^m er CF_3 i metaposisjon og R^1 er:




hvor X er CR², R³ er CH₃, R⁴ og R⁵ er H, R⁸ er fenyl, R^m er Cl i orthoposisjon, R^m er CF₃ i metaposisjon og R¹ er:




5 hvor X er N, R³ og R⁵ er H, R⁴ er CH₃, R⁸ er fenyl, R^m er F i orthoposisjon, R^m er CF₃ i metaposisjon og R¹ er:




hvor X er N, R³ og R⁵ er H, R⁴ er CH₃, R⁸ er 4-pyridyl, R^m er F i orthoposisjon, R^m er CF₃ i metaposisjon og R¹ er:



10 8. Forbindelse med formel IIa og IIb:



Formel (IIa)



Formel (IIb)

hvor:


R³, R⁴ og R⁶ er uavhengig H eller C₁-C₃-alkyl;

15 R⁸ er fenyl eller pyridyl, valgfritt substituert med null til tre R^m-substituenten hvor R^m er uavhengig valgt fra gruppen bestående av: halogen, C₁-C₃-alkyl og perhalogenalkyl;

R⁷ er

(a) fenyl, valgfritt substituert med null til to grupper uavhengig valgt fra gruppen bestående av halogen og C₁-C₃-alkyl; eller

(b) heteroaryl, uavhengig valgt fra gruppen bestående av:



5

hvor R^k er halogen eller C₁-C₃-alkyl;

R^j er H eller C₁-C₃-alkyl;

hvor C₁-C₃-alkyl valgfritt kan være substituert med én halogensubstituent eller én alkoxysubstituent; og

10 n er et heltall fra 0-3;


og farmasøytisk akseptable salter av forbindelser med formel (IIa og IIb).

9. Forbindelse ifølge krav 8 hvor R⁸ er fenyl valgfritt substituert med to til tre R^m-substituenten uavhengig valgt fra gruppen bestående av halogen, C₁-C₃-alkyl og perhalogenalkyl, eller

15 hvor R⁸ er fenyl valgfritt substituert med to til tre R^m-substituenten uavhengig valgt fra gruppen bestående av halogen og perhalogenalkyl, eller hvor R⁸ er fenyl, substituert med to R^m-grupper, hvor R^m er halogen i orthoposisjon og R^m er perhalogenalkyl i metaposisjon, eller hvor R⁸ er fenyl, substituert med to R^m-grupper, hvor R^m er Cl i orthoposisjon og R^m er CF₃ i metaposisjon.

20 10. Forbindelse ifølge krav 8 hvor R³ er H og R⁴ er CH₃, eller hvor R³ er CH₃ og R⁴ er H.

11. Forbindelse ifølge krav 8 hvor R^7 er fenyl, valgfritt substituert med null til to grupper uavhengig valgt fra gruppen bestående av halogen og C_1 - C_3 -alkyl, eller hvor R^7 er heteroaryl, uavhengig valgt fra gruppen bestående av:



5

12. Forbindelse uavhengig valgt fra gruppen bestående av:

(2-Klor-3-(trifluormetyl)fenyl)(1-(pyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

10 (2-Klor-3-(trifluormetyl)fenyl)(1-fenyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-Diklorfenyl)(1-fenyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-Diklorfenyl)(1-(pyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)-metanon;

15 (1-(1H-Pyrazol-5-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)(2-klor-3-(trifluormetyl)fenyl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(pyrazin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(3,5-difluorfenyl)-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

20 (2-Klor-3-(trifluormetyl)fenyl)(3-(pyridin-2-yl)-6,7-dihydro-3H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

(2,3-Diklorfenyl)(3-(pyridin-2-yl)-6,7-dihydro-3H-imidazo[4,5-c]pyridin-5(4H)-yl)-metanon;

(2-Klor-3-(trifluormetyl)fenyl)(3-(pyrazin-2-yl)-6,7-dihydro-3H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

5 (2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-fenyl-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-fenyl-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

10 (2-Fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(4-etyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(4-isopropyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

15 (2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorfenyl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

20 (2-Fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Fluor-3-(trifluormetyl)fenyl)(1-(4-fluorfenyl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(3-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

25 (2-Klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrimidin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

Etyl-5-(2-klor-3-(trifluormetyl)benzoyl)-1-(pyridin-2-yl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-karboksylat;

- 5 Etyl-5-(2,3-diklorbenzoyl)-1-(pyridin-2-yl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-karboksylat;

Etyl-5-(2-klor-3-(trifluormetyl)benzoyl)-1-fenyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-karboksylat;

- 10 Etyl-5-(2,3-diklorbenzoyl)-1-fenyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-karboksylat;

Etyl-5-{[2-klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-karboksylat;

Etyl-5-[(2,3-diklorfenyl)karbonyl]-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-karboksylat;

- 15 (5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-fenyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-yl)metanol;

1-(5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-yl)-N,N-dimetylmetanamin;

- 20 (2-Klor-3-(trifluormetyl)fenyl)(4-(fluormetyl)-1-(pyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-karboksylsyre;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-N,N-dimetyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-karboksamid;

- 25 4-(Azetidin-1-ylkarbonyl)-5-{[2-klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

(5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-fenyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin-4-yl)metyl-2-klor-3-(trifluormetyl)benzoat;

(2-Klor-3-(trifluormetyl)fenyl)(2-metyl-1-fenyl-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

- 5 (2-Klor-3-(trifluormetyl)fenyl)(1-fenyl-2-(trifluormetyl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

- 10 (R*)-(2-klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(4S*)-5-{[2-Fluor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

(4R*)-5-{[2-Fluor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

- 15 (4S*)-5-{[2-Fluor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

(4R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

- 20 (4S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

(4R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(4-fluorfenyl)-4-metyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

(4S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(4-fluorfenyl)-4-metyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;

- 25 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4,5,6,7-tetrahydro-3H-imidazo[4,5-c]-pyridin;

- 5-{{2-Klor-3-(trifluormetyl)fenyl}karbonyl}-1-fenyl-4,5-dihydro-1H-imidazo[4,5-c]-pyridin;
- 5-[(2,2-Difluor-1,3-benzodioksol-4-yl)karbonyl]-1-fenyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;
- 5 5-(2,3-Dihydro-1-benzofuran-7-ylkarbonyl)-1-fenyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;
- 5-[(2,2-Dimetyl-2,3-dihydro-1-benzofuran-7-yl)karbonyl]-1-fenyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;
- 10 5-{{2-Klor-3-(trifluormetyl)fenyl}karbonyl}-4,4-dimetyl-1-fenyl-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;
- 5-{{2-Klor-3-(trifluormetyl)fenyl}karbonyl}-1-pyrazin-2-yl-4,5-dihydro-1H-imidazo[4,5-c]pyridin;
- 5-{{2-Klor-3-(trifluormetyl)fenyl}karbonyl}-4-etyl-1-pyrazin-2-yl-4,5-dihydro-1H-imidazo[4,5-c]pyridin;
- 15 5-{{2-Klor-3-(trifluormetyl)fenyl}karbonyl}-4-metyl-1-pyrazin-2-yl-4,5-dihydro-1H-imidazo[4,5-c]pyridin;
- 5-{{2-Fluor-3-(trifluormetyl)fenyl}karbonyl}-1-fenyl-2-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;
- 20 5-[(2,3-Diklorfenyl)karbonyl]-1-fenyl-2-(trifluormetyl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;
- 5-{{2-Fluor-3-(trifluormetyl)fenyl}karbonyl}-1-(1H-pyrazol-5-yl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;
- 5-[(2,3-Diklorfenyl)karbonyl]-1-(1H-pyrazol-5-yl)-4,5,6,7-tetrahydro-1H-imidazo[4,5-c]pyridin;
- 25 5-{{2-Klor-3-(trifluormetyl)fenyl}karbonyl}-1-fenyl-4,5,6,7-tetrahydro-1H-[1,2,3]-triazol[4,5-c]pyridin;

5-[(2,3-Diklorfenyl)karbonyl]-1-fenyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]-pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 5 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(5-fluorpyrimidin-2-yl)-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyrimidin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 10 {[2-Fluor-3-(trifluormetyl)fenyl]karbonyl}-1-pyrimidin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-[(2,3-Diklorfenyl)karbonyl]-1-pyrimidin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(1H-pyrazol-5-yl)-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 15 5-{[2-Fluor-3-(trifluormetyl)fenyl]karbonyl}-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-[(2,3-Diklorfenyl)karbonyl]-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 20 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(5-fluorpyridin-2-yl)-4-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyrazin-2-yl-4,5-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 25 (4R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(4S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-fenyl-1-pyrazin-2-yl-4,5-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-fenyl-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-fenyl-4,5,6,7-tetrahydro-1H-[1,2,3]-triazol[4,5-c]pyridin;

10 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyrimidin-2-yl-4,5-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyrimidin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(4-fluorfenyl)-4-metyl-4,5-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin;

15 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(3-fluorpyridin-2-yl)-4-metyl-4,5-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(4-fluorfenyl)-4-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

20 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(3-fluorpyridin-2-yl)-4-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-(1H-pyrazol-3-yl)-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-(1H-pyrazol-3-yl)-4,5-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin;

25 (4S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyrimidin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(4R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-4-metyl-1-pyrimidin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyrazin-2-yl-4,5-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin;

5 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyridin-2-yl-4,5-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-2-metyl-3-pyridin-2-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-pyridin-2-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin-TFA-salt;

6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-(5-fluorpyridin-2-yl)-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

15 6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-(5-fluorpyridin-3-yl)-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-pyridin-3-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

20 6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-pyrazin-2-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-pyrimidin-2-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

(2-Klor-3-(trifluormetyl)fenyl)(3-fenyl-4,5-dihydro-1H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

25 6-[(2,3-Diklorfenyl)karbonyl]-3-fenyl-4,5,6,7-tetrahydro-1H-pyrazol[3,4-c]pyridin;

6-[(2,3-Diklorfenyl)karbonyl]-1-metyl-3-fenyl-4,5,6,7-tetrahydro-1H-pyrazol-[3,4-c]pyridin og 6-[(2,3-diklorfenyl)karbonyl]-2-metyl-3-fenyl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin (1:1);

5 6-[(2,3-Diklorfenyl)karbonyl]-2-metyl-3-fenyl-4,5,6,7-tetrahydro-2H-pyrazol-[3,4-c]pyridin;

6-[(2,3-Diklorfenyl)karbonyl]-1-metyl-3-fenyl-4,5,6,7-tetrahydro-1H-pyrazol-[3,4-c]pyridin;

6-[(2,3-Diklorpyridin-4-yl)karbonyl]-3-fenyl-4,5,6,7-tetrahydro-1H-pyrazol[3,4-c]-pyridin;

10 6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-(4-fluorfenyl)-2-metyl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-(4-fluorfenyl)-1-metyl-4,5,6,7-tetrahydro-1H-pyrazol[3,4-c]pyridin;

15 6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-2-metyl-3-pyridin-3-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-metyl-3-pyridin-3-yl-4,5,6,7-tetrahydro-1H-pyrazol[3,4-c]pyridin;

6-[(2,3-Diklorfenyl)karbonyl]-3-(4-fluorfenyl)-1-metyl-4,5,6,7-tetrahydro-1H-pyrazol[3,4-c]pyridin;

20 6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-3-(4-fluorfenyl)-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

6-[(2,3-Diklorfenyl)karbonyl]-2-metyl-3-pyridin-3-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

25 6-[(2,3-Diklorfenyl)karbonyl]-2-metyl-3-pyridin-3-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

6-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-2-metyl-3-pyrimidin-5-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

6-[(2,3-Diklorfenyl)karbonyl]-3-(4-fluorfenyl)-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]pyridin;

5 6-[(2,3-Diklorfenyl)karbonyl]-3-pyridin-4-yl-4,5,6,7-tetrahydro-2H-pyrazol[3,4-c]-pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-6-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

10 (2-Klor-4-fluorfenyl)(1-(pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-(S*)-6-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-(R*)-6-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

15 5-[(2,3-Diklorfenyl)karbonyl]-6-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-[(2,3-Diklor-4-fluorfenyl)karbonyl]-6-metyl-1-pyridin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

20 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(3-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(2-Fluor-3-(trifluormetyl)fenyl)(1-(pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Fluor-3-(trifluormetyl)fenyl)(1-(2-metoksyfenyl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

25 (2-Klor-3-(trifluormetyl)fenyl)(1-(2-metoksyfenyl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(2-(2-fluoretoksy)fenyl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(1-metyl-1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (2-Klor-3-(trifluormetyl)fenyl)(1-(1-metyl-1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(4-Klor-2-fluorfenyl)(1-(pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (2,3-Diklor-4-fluorfenyl)(1-(pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]-pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(3,4-Difluor-2-metylfenyl)(1-(pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol-[4,5-c]-pyridin-5(4H)-yl)metanon;

- 15 (*R**)-(2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(*S**)-(2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (2-Klor-3-(trifluormetyl)fenyl)(1-(6-fluorpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(4-metoksypyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(6-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-diklor-4-fluorfenyl)(4-metyl-1-(pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol-
[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-diklor-4-fluorfenyl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol-
[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (R*)-(2,3-Diklor-4-fluorfenyl)(4-metyl-1-(pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2,3-Diklor-4-fluorfenyl)(4-metyl-1-(pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (R*)-(2,3-Diklor-4-fluorfenyl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2,3-Diklor-4-fluorfenyl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(5-metoksypyridin-2-yl)-4-metyl-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (R*)-(2-klor-3-(trifluormetyl)fenyl)(1-(6-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(6-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (R*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(4-metoksypyridin-2-yl)-4-metyl-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (R*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(4-metoksypyridin-2-yl)-4-metyl-6,7-
dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(4-metoksypyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (6-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(2-metyl-3-(trifluormetyl)fenyl)metanon;

(S*)-(4-klor-2-fluorfenyl)(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (S)-(4-klor-2-fluorfenyl)(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R)-(2-Klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (2-klor-3-(trifluormetyl)fenyl)(1-(3,5-dimetylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-diklorfenyl)(1-(3,5-dimetylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (2,3-Diklorfenyl)(1-(3-fluorpyridin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(1-(2-fluoretyl)-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(1-metyl-1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (S*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(6R*)-5-[(2,3-Diklorfenyl)karbonyl]-1-(3-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6S*)-5-[(2,3-Diklorfenyl)karbonyl]-1-(3-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 5 (6R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(3-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(3-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 10 (R*)-(2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(1-metyl-1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(1-metyl-1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(1-(2-fluoretyl)-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (S*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(1-(2-fluoretyl)-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

5-[(2,3-Diklorfenyl)karbonyl]-1-(4-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 20 (2,3-Diklorfenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-fluor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorpyridin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrimidin-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- (S*)-(2-fluor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2,3-diklorfenyl)(1-(4,6-dimetylpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 5 (2,3-diklorfenyl)(4-metyl-1-(6-metylpyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (R*)-(2-klor-3-(trifluormetyl)fenyl)(1-(4,6-dimetylpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 10 (S*)-(2-klor-3-(trifluormetyl)fenyl)(1-(4,6-dimetylpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (R*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-Klor-3-(trifluormetyl)fenyl)(2-etyl-4-metyl-1-fenyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;
- 15 (R*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 20 (S*)-(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]-pyridin-5(4H)-yl)(3-metyl-2-(trifluormetyl)pyridin-4-yl)metanon;
- (R*)-(4-metyl-1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(2-metyl-3-(trifluormetyl)fenyl)metanon;
- (2-fluor-3-(trifluormetyl)fenyl)(6-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 25 (R*)-(2-fluor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2,3-Diklorfenyl)(4-metyl-1-(pyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

(R*)-(2,3-Diklorfenyl)(4-metyl-1-(pyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

- 5 (R*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (6R*)-5-[(2,3-Diklorfenyl)karbonyl]-1-(4-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6S*)-5-[(2,3-Diklorfenyl)karbonyl]-1-(4-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(S*)-(4-metyl-1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(2-metyl-3-(trifluormetyl)fenyl)metanon;

- 15 (6R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(4-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(4-fluorpyridin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 20 5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 25 5-[(2,3-Diklorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6R*)-5-[(2,3-Diklorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6S*)-5-[(2,3-Diklorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 5 1-(5-Fluorpyrimidin-2-yl)-6-metyl-5-{[2-metyl-3-(trifluormetyl)fenyl]karbonyl}-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6R*)-1-(5-Fluorpyrimidin-2-yl)-6-metyl-5-{[2-metyl-3-(trifluormetyl)fenyl]karbonyl}-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 10 (6S*)-1-(5-Fluorpyrimidin-2-yl)-6-metyl-5-{[2-metyl-3-(trifluormetyl)fenyl]karbonyl}-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-6-metyl-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(2-klor-3-(trifluormetyl)fenyl)(6-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (6R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-6-metyl-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-6-metyl-1-pyrazin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 20 5-[(2,3-Diklor-4-fluorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6R*)-5-[(2,3-Diklor-4-fluorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

(6S*)-5-[(2,3-Diklor-4-fluorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- 25 5-[(2,4-Diklor-3-fluorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;

- (6R*)-5-[(2,4-Diklor-3-fluorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;
- (6S*)-5-[(2,4-Diklor-3-fluorfenyl)karbonyl]-1-(5-fluorpyrimidin-2-yl)-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;
- 5 (6R)-1-(5-Fluorpyrimidin-2-yl)-5-{[2-fluor-3-(trifluormetyl)fenyl]karbonyl}-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;
- (6S)-1-(5-Fluorpyrimidin-2-yl)-5-{[2-fluor-3-(trifluormetyl)fenyl]karbonyl}-6-metyl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;
- 10 (6R*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-6-metyl-1-pyrimidin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;
- (6S*)-5-{[2-Klor-3-(trifluormetyl)fenyl]karbonyl}-6-metyl-1-pyrimidin-2-yl-4,5,6,7-tetrahydro-1H-[1,2,3]triazol[4,5-c]pyridin;
- (R*)-(2-klor-3-(trifluormetyl)fenyl)(3-(5-fluorpyrimidin-2-yl)-7-metyl-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;
- 15 (S*)-(2-klor-3-(trifluormetyl)fenyl)(3-(5-fluorpyrimidin-2-yl)-7-metyl-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;
- (2,3-diklorfenyl)(4-metyl-1-(4-metylpyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (R*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 20 (S*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 25 (S*)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-diklorfenyl)(1-(4,6-dimetylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (S*)-(2-fluor-5-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-diklorfenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (4R*)-(2-Klor-3-(trifluormetyl)fenyl)((4R)-4-metyl-1-(6-metyl-1,6-dihydropyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)-metanon;

(4R)-(2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(4-metylpyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrimidin-5-yl)-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-diklorfenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorfenyl)-4,7-dimetyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (S*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(5-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(4,6-dimetyl-1-fenyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (2-Klor-3-(trifluormetyl)fenyl)(4,7-dimetyl-1-fenyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- (2,3-Diklorfenyl)(1-(4-fluorfenyl)-4,6-dimetyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]-pyridin-5(4H)-yl)metanon;
- (2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorfenyl)-4,6-dimetyl-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 5 (2,3-Diklorfenyl)(7-metyl-1-fenyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-Klor-3-(trifluormetyl)fenyl)(7-metyl-1-fenyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 10 (2-Klor-3-(trifluormetyl)fenyl)(1-(4-fluorfenyl)-7-metyl-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2,3-Diklorfenyl)(1-(4-fluorfenyl)-7-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]-pyridin-5(4H)-yl)metanon;
- (R*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(1-(2-metoksyetyl)-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 15 (S*)-(2-Klor-3-(trifluormetyl)fenyl)(1-(1-(2-metoksyetyl)-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(oksazol-2-yl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 20 (2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(4-metylpyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-Klor-3-(trifluormetyl)fenyl)(1-(4,6-dimetylpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 25 (2-Klor-3-(trifluormetyl)fenyl)(1-(3-etylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(5-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-4-fluorfenyl)(1-(5-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (2,4-diklorfenyl)(1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(3-etoksypyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (2-Klor-3-(trifluormetyl)fenyl)(4-metyl-1-(3-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(3-metoksypyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-diklor-4-fluorfenyl)(1-(5-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (2-fluor-3-(trifluormetyl)fenyl)(1-(5-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(1-(5-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)(2-metyl-3-(trifluormetyl)fenyl)metanon;

- 20 (2-fluorfenyl)(1-(5-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(4-(tert-butyl)fenyl)(1-(5-fluorpyridin-2-yl)-4-metyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(1,5-dimetyl-3-(1-metyl-1H-pyrazol-5-yl)-4,5-dihydro-1H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

- 25 (2-klor-3-(trifluormetyl)fenyl)(5-metyl-3-(1H-pyrazol-5-yl)-4,5-dihydro-1H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2,4-diklorfenyl)(5-metyl-3-(1H-pyrazol-5-yl)-4,5-dihydro-1H-pyrazol[3,4-c]-pyridin-6(7H)-yl)metanon;

(2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(4-metylpyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

5 (S*)-(2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

10 (4-klor-2-fluorfenyl)(1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(4-klor-2-fluorfenyl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

15 (4-klor-2-fluorfenyl)(4-metyl-1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-metyl-3-(trifluormetyl)fenyl)(1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

20 (2,4-diklorfenyl)(1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(2-metyl-3-(trifluormetyl)fenyl)metanon;

(2,4-diklorfenyl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

25 (4-klor-2-fluorfenyl)(1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- (2-metyl-3-(trifluormetyl)fenyl)(1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol-
[4,5-c]pyridin-5(4H)-yl)metanon;
- (4-metyl-1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)-
(2-metyl-3-(trifluormetyl)fenyl)metanon;
- 5 (2,4-diklorfenyl)(4-metyl-1-(pyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]-
pyridin-5(4H)-yl)metanon;
- (2-klor-3-(trifluormetyl)fenyl)((4R,6R)-1-(4-fluorfenyl)-4,6-dimetyl-6,7-dihydro-
1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-klor-3-(trifluormetyl)fenyl)((4S,6S)-1-(4-fluorfenyl)-4,6-dimetyl-6,7-dihydro-
10 1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 2-klor-3-(trifluormetyl)fenyl)((4S,6R)-1-(4-fluorfenyl)-4,6-dimetyl-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-klor-3-(trifluormetyl)fenyl)((4R,6S)-1-(4-fluorfenyl)-4,6-dimetyl-6,7-dihydro-
1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 15 (S)-(2-klor-3-(trifluormetyl)fenyl)(6-metyl-1-fenyl-6,7-dihydro-1H-[1,2,3]triazol-
[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-klor-3-(trifluormetyl)fenyl)(4-metyl-3-fenyl-6,7-dihydro-3H-[1,2,3]triazol-
[4,5-c]pyridin-5(4H)-yl)metanon;
- (2-klor-3-(trifluormetyl)fenyl)(6-metyl-1-fenyl-6,7-dihydro-1H-[1,2,3]triazol-
20 [4,5-c]pyridin-5(4H)-yl)metanon;
- (R*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(3-metylpyridin-2-yl)-6,7-dihydro-
1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(3-metylpyridin-2-yl)-6,7-dihydro-
1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 25 (2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(3-propoksypyridin-2-yl)-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(2-klor-3-(trifluormetyl)fenyl)(1-(4-etylpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(1-(3-etylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(3-(trifluormetyl)fenyl)metanon;

- 5 (2-klor-3-(trifluormetyl)fenyl)((4R,6R)-4,6-dimetyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)((4S,6R)-4,6-dimetyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 2-klor-3-(trifluormetyl)fenyl)(4,6-dimetyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(1-(4,6-dimetylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(5-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (2-klor-3-(trifluormetyl)fenyl)(3-(5-fluorpyrimidin-2-yl)-7-metyl-2-((2-(trimetylsilyl)etoksy)metyl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)-metanon;

(S)-(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(3-(trifluormetyl)fenyl)metanon;

- 25 (R*)-(2-klor-3-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-klor-3-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S)-(3-fluor-5-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (2-klor-3-(trifluormetyl)fenyl)(7-metyl-3-(trifluormetyl)-4,5-dihydro-1H-pyrazol-[3,4-c]pyridin-6(7H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)((4S,6R)-4,6-dimetyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (2-klor-3-(trifluormetyl)fenyl)((4R,6S)-4,6-dimetyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-fluor-3-(trifluormetyl)fenyl)(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(1-(5-fluorpyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)(2-metyl-3-(trifluormetyl)fenyl)metanon;

- 15 (2,4-diklorfenyl)(1-(5-fluorpyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)metanon;

(2-fluor-3-(trifluormetyl)fenyl)(1(5-fluorpyridin-2-yl)-6,7-dihydro-1H-imidazo-[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (2-klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyridin-2-yl)-6,7-dihydro-1H-imidazo-[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(2-klor-3-(trifluormetyl)fenyl)(1-(3-etoksypyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-klor-3-(trifluormetyl)fenyl)(1-(3-etoksypyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (S*)-(2-klor-3-(trifluormetyl)fenyl)(1-(1-(2-hidroksyetyl)-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)((4S,6S)-4,6-dimetyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)((4R,6R)-4,6-dimetyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (2-klor-3-(trifluormetyl)fenyl)(1-(5-fluorpyridin-2-yl)-4-metyl-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

(3-fenyl-4,5-dihydro-1H-pyrazol[3,4-c]pyridin-6(7H)-yl)(2-(trifluormetyl)pyridin-3-yl)metanon;

- 10 (2-klor-4-fluorfenyl)(3-fenyl-4,5-dihydro-1H-pyrazol[3,4-c]pyridin-6(7H)-yl)-metanon;

(2,6-diklorfenyl)(3-fenyl-4,5-dihydro-1H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2-klor-6-fluorfenyl)(3-fenyl-4,5-dihydro-1H-pyrazol[3,4-c]pyridin-6(7H)-yl)-metanon;

- 15 (2,3-diklorfenyl)(3-(4-fluorfenyl)-2-metyl-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(2-metyl-3-(pyridin-4-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2,3-diklorfenyl)(2-metyl-3-(pyridin-4-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

- 20 (2,3-diklorfenyl)(2-metyl-3-(pyrimidin-5-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2,3-diklorfenyl)(3-(pyrimidin-5-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

- 25 (2,3-diklorfenyl)(2-metyl-1-fenyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)-metanon;

(2,3-diklorfenyl)(2-etyl-1-fenyl-6,7-dihydro-1H-imidazo[4,5-c]pyridin-5(4H)-yl)-metanon;

(S*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrimidin-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

5 (R*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(pyrimidin-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2,3-diklorfenyl)(4-metyl-1-(5-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

10 (R*)-(3-klor-4-(trifluormetyl)pyridin-2-yl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(4-klor-5-(trifluormetyl)pyridin-3-yl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluorpyrimidin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

15 (R*)-(3-klor-4-(trifluormetyl)pyridin-2-yl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(4-klor-5-(trifluormetyl)pyridin-3-yl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

20 (R*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(pyrazin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-Klor-3-(trifluormetyl)fenyl)(1-(pyridin-2-yl)-6,7-dihydro-1H-imidazo[4,5-c]-pyridin-5(4H)-yl)metanon;

(R*)-(6-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(2-metyl-3-(trifluormetyl)fenyl)metanon;

25 (S*)-(6-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(2-metyl-3-(trifluormetyl)fenyl)metanon;

(R*)-(2-fluor-3-(trifluormetyl)fenyl)(6-metyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-fluor-3-(trifluormetyl)fenyl)(6-metyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

5 (R*)-(2-klor-3-(trifluormetyl)fenyl)(6-metyl-1-(1H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-klor-3-(trifluormetyl)fenyl)(6-metyl-1-(H-pyrazol-5-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

10 (2-klor-5-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(2-klor-5-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-klor-5-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon

15 (3-fluor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

20 (S*)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(3-klor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

25 (S*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(3-klor-5-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(3-klor-5-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (S*)-(3-klor-5-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(4-klor-3-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (R*)-(4-klor-3-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(4-klor-3-(trifluormetyl)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(3-fluor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (R*)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (2-fluor-3-(trifluormetoksy)fenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-fluor-3-(trifluormetoksy)fenyl)(1-(5-fluor-4-metylpyridin-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(3-(trifluormetoksy)fenyl)metanon;

- 5 (R*)-(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(3-(trifluormetoksy)fenyl)metanon;

(S*)-(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(3-(trifluormetoksy)fenyl)metanon;

- 10 (2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-(trifluormetyl)pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-(trifluormetyl)pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-(trifluormetyl)pyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (1-(1H-imidazol-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(2,3-diklorfenyl)metanon;

(2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (R*)-(2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(3-klor-2-metylfenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (R*)-(2,3-diklorfenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2,3-diklorfenyl)(4-metyl-1-(6-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(R*)-(2,3-diklorfenyl)(4-metyl-1-(4-metylpyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (S*)-(2,3-diklorfenyl)(4-metyl-1-(4-metylpyrimidin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(1-(1H-imidazol-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-
yl)(2-klor-3-(trifluormetyl)fenyl)metanon;

- 10 (R*)-(2,3-diklorfenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2,3-diklorfenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(1-(1H-imidazol-2-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-
yl)(2-klor-3-(trifluormetyl)fenyl)metanon;

- 15 (R*)-(2,3-diklorfenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S*)-(2,3-diklorfenyl)(4-metyl-1-(4-metylpyridin-2-yl)-6,7-dihydro-1H-[1,2,3]-
triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 20 (2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyrimidin-4-yl)-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(3-fluor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(6-metylpyrimidin-4-yl)-6,7-
dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(2-metylpyrimidin-4-yl)-6,7-dihydro-1H-
[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (3-klor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(2-metylpyrimidin-4-yl)-6,7-
dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(2-fluor-3-(trifluormetyl)fenyl)(4-metyl-1-(2-metylpyrimidin-4-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(3-fluor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(2-metylpyrimidin-4-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(6-metylpyrimidin-4-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(3-klor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(6-metylpyrimidin-4-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (S)-(2-klor-3-(trifluormetyl)fenyl)(1-(1-etyl-1H-pyrazol-3-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S)-(2-klor-3-(trifluormetyl)fenyl)(1-(1-etyl-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S)-(2-klor-3-(trifluormetyl)fenyl)(1-(1-etyl-1H-pyrazol-5-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 15 (S)-(2-klor-3-(trifluormetyl)fenyl)(1-(1-etyl-1H-pyrazol-5-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S)-(1-(1-etyl-1H-pyrazol-3-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]-pyridin-5(4H)-yl)(3-fluor-2-(trifluormetyl)pyridin-4-yl)metanon;

- 20 (S)-(1-(1-etyl-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]-pyridin-5(4H)-yl)(3-fluor-2-(trifluormetyl)pyridin-4-yl)metanon;

(S)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(1-etyl-1H-pyrazol-3-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(1-etyl-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 25 (S)-(2-klor-3-(trifluormetyl)fenyl)(1-(1-isopropyl-1H-pyrazol-3-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- (S)-(2-klor-3-(trifluormetyl)fenyl)(1-(1-isopropyl-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S)-(2-fluor-3-(trifluormetyl)fenyl)(1-(1-isopropyl-1H-pyrazol-3-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 5 (S)-(2-fluor-3-(trifluormetyl)fenyl)(1-(1-isopropyl-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(1-isopropyl-1H-pyrazol-3-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(1-(1-isopropyl-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 10 (S)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(1-(1-isopropyl-1H-pyrazol-3-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(1-(1-isopropyl-1H-pyrazol-3-yl)-4-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 15 (S)-(2-klor-3-(trifluormetyl)fenyl)(6-metyl-1-(tiofen-3-yl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S)-(2-klor-3-(trifluormetyl)fenyl)(4-metyl-1-(tiofen-3-yl)-6,7-dihydro-1H-[1,2,3]-triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(6-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 20 (S*)-(3-klor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- (S*)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(6-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;
- 25 (S*)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(4-metyl-1-(1H-pyrazol-3-yl)-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S)-(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)(2-hidroksy-3-(trifluormetyl)fenyl)metanon;

(S)-(2-fluor-3-(trifluormetoksi)fenyl)(1-(5-fluorpyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 5 (S)-(2-fluor-3-(trifluormetyl)fenyl)(1-(5-hidroksypyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

(S)-(3-fluor-2-(trifluormetyl)pyridin-4-yl)(1-(5-hidroksypyrimidin-2-yl)-6-metyl-6,7-dihydro-1H-[1,2,3]triazol[4,5-c]pyridin-5(4H)-yl)metanon;

- 10 (2-klor-3-(trifluormetyl)fenyl)(3-(5-fluorpyridin-2-yl)-7-metyl-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2,3-diklorfenyl)(7-metyl-3-(pyrimidin-2-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(7-metyl-3-(pyridin-2-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

- 15 (2,3-diklorfenyl)(7-metyl-3-(pyrazin-2-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(3-(4-fluorfenyl)-7-metyl-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

- 20 (2,3-diklorfenyl)(3-(4-fluorfenyl)-7-metyl-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2,3-diklorfenyl)(7-metyl-3-(1-metyl-1H-pyrazol-5-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon;

(2-klor-3-(trifluormetyl)fenyl)(7-metyl-3-(1-metyl-1H-pyrazol-5-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon; og

- 25 (2-klor-3-(trifluormetyl)fenyl)(7-metyl-3-(pyrazin-2-yl)-4,5-dihydro-2H-pyrazol[3,4-c]pyridin-6(7H)-yl)metanon.

13. Farmasøytisk sammensetning, omfattende:


(a) en terapeutisk virksom mengde av minst én forbindelse uavhengig valgt fra forbindelser ifølge krav 1, forbindelser ifølge krav 8, og forbindelser ifølge krav 12;

(b) minst én farmasøytisk akseptabel eksipiens.

5 14. Forbindelse ifølge krav 1 eller krav 8 for anvendelse i en fremgangsmåte for behandling av et individ som lider av eller er blitt diagnostisert med en sykdom, forstyrrelse eller medisinsk tilstand mediert av P2X7-receptoraktivitet, omfattende å administrere til et individ som har behov for slik behandling, en virksom mengde av minst én forbindelse valgt fra forbindelser ifølge krav 1 eller krav 8.

10 15. Forbindelse ifølge krav 1 eller krav 8 for anvendelse ifølge krav 14, hvor sykdommen, forstyrrelsen eller den medisinske tilstand er valgt fra gruppen bestående av: reumatoid artritt, osteoartritt, psoriasis, septisk sjokk, allergisk dermatitt, astma, allergisk astma, mild til alvorlig astma, steroidresistent astma, idiopatisk pulmonær fibrose, allergisk rhinitt, kronisk obstruktiv pulmonær sykdom;
 15 luftveishyperresponsivitet, sykdommer i nervesystemet og neuroimmunsystemet, akutte og kroniske smertetilstander med neuropatiske smerter, inflammatoriske smerter, spontane smerter, opioid-induserte smerter, diabetisk neuropati, postherpetisk neuralgi, smerter i nedre rygg, kjemoterapi-induserte neuropatiske smerter, fibromyalgi, humørforstyrrelser, alvorlig depresjon, alvorlig depressiv
 20 forstyrrelse, behandlingsresistent depresjon, bipolar forstyrrelse, angstdepresjon, angst, søvnforstyrrelser, multippel sklerose, epileptiske anfall, Parkinsons sykdom, schizofreni, Alzheimers sykdom, Huntingtons sykdom, autisme, skader på ryggmargen og cerebral iskjemisk/traumatisk hjerneskade, stressrelaterte forstyrrelser, sykdomer i de kardiovaskulære, metabolske, gastrointestinale og
 25 urogenitale systemer så som diabetes, diabetes mellitus, trombose, irritabel tarmsyndrom, irritabel tarmsykdom, Crohns sykdom, iskjemisk hjertesykdom, iskjemisk, hypertensjon, kardiovaskulær sykdom, myokardialt infarkt og dysfunksjon i de lavere urinveier så som inkontinens, lavere urinveissyndrom, polycystisk nyresykdom, glomerulonefritt, skeletale forstyrrelser, osteoporose, osteopetrose og
 30 glaukoma, interstitial cystitt, hoste, ureterobstruksjon, sepsis, amyotrofisk lateral sklerose, Chagas sykdom, chlamydia, neuroblastoma, tuberkulose og migræne, eller hvor sykdommen, forstyrrelsen eller den medisinske tilstand er behandlingsresistent depresjon.

16. Fremgangsmåte ved fremstilling av en forbindelse med formel (I)




Formel (I)

hvor

R^1 er

- 5 (a) fenyl, valgfritt substituert med null til fire grupper uavhengig valgt fra gruppen bestående av halogen, C_1 - C_4 -alkyl, alkoksy, perhalogenalkyl og perhalogenalkoksy; eller

- (b) heteroaryl, uavhengig valgt fra gruppen bestående av:



10

hvor R^k er uavhengig valgt fra gruppen bestående av H, halogen, C_1 - C_3 -alkyl, hydroksyl, perhalogenalkyl og alkoksy;

- 15 R^j er uavhengig valgt fra H eller C_1 - C_3 -alkyl hvor C_1 - C_3 -alkyl valgfritt kan være substituert med fra én til tre halogensubstituent, én OH-substituent eller én alkoksylsubstituent; og

n er et heltall fra 0-3;

X er N eller CR^2 ;

R^2 er H, perhalogenalkyl eller C_1 - C_3 -lavere alkyl;

R^3 er H, perhalogenalkyl, C_1 - C_4 -alkyl, alkalkoksy, CH_2R^i , $-C(O)R^e$ eller fenyl, hvor nevnte fenyl valgfritt kan være substituert med null til to grupper uavhengig valgt fra gruppen bestående av halogen, C_1 - C_3 -alkyl, alkoksy, perhalogenalkyl og
5 perhalogenalkoksy;


R^i er OH, NC_3H_6 , $N(C_1-C_3-alkyl)_2$ eller halogen;

R^e er OH, $OC_1-C_3-alkyl$, $N(C_1-C_3-alkyl)_2$ eller NC_3H_6 ;

R^4 og R^5 er uavhengig H eller C_1 - C_3 -alkyl;

R^8 er fenyl eller pyridyl, valgfritt substituert med null til fire R^m -substituenten hvor
10 R^m er uavhengig valgt fra gruppen bestående av halogen, C_1 - C_3 -alkyl, hydroksy, alkoksy, perhalogenalkyl og perhalogenalkoksy; eller


R^8 er uavhengig valgt fra gruppen bestående av:




og farmasøytisk akseptable salter av forbindelser med formel (I),

15 omfattende trinnene å:

(a) omsette forbindelse XXIVA med en kilde for azid, et alkyleringsmiddel, en første base og et kobber(I)-salt i et første organisk løsemiddel ved en temperatur rundt -78°C , for å danne forbindelse XXVA;




(b) omsette forbindelse XXVA med ozon i et andre organisk løsemiddel valgt fra gruppen bestående av: metanol, diklormetan og tetrahydrofuran, ved en temperatur rundt -78°C , og deretter behandle reaksjonsblandingen med NaBH_4 for å danne forbindelse XXVIA;



5

(c) omsette forbindelse XXVIA med et sulfonylchlorid i et tredje organisk løsemiddel, en andre base og en acyleringskatalysator for å danne forbindelse XXVIIA; og



10 (d) omsette forbindelse XXVIIA i et fjerde løsemiddel, med en tredje base ved en temperatur rundt 60°C i omtrent 3 timer for å danne en forbindelse med formel (I).

