



(12) Translation of
European patent specification

(11) NO/EP 3071203 B1

NORWAY

(19) NO
(51) Int Cl.
A61K 31/47 (2006.01)
A61K 31/4709 (2006.01)
C07D 401/02 (2006.01)

Norwegian Industrial Property Office

(45)	Translation Published	2021.05.25
(80)	Date of The European Patent Office Publication of the Granted Patent	2020.12.23
(86)	European Application Nr.	14862604.7
(86)	European Filing Date	2014.11.18
(87)	The European Application's Publication Date	2016.09.28
(30)	Priority	2013.11.18, US, 201361905639 P 2014.09.24, US, 201462054811 P
(84)	Designated Contracting States:	AL ; AT ; BE ; BG ; CH ; CY ; CZ ; DE ; DK ; EE ; ES ; FI ; FR ; GB ; GR ; HR ; HU ; IE ; IS ; IT ; LI ; LT ; LU ; LV ; MC ; MK ; MT ; NL ; NO ; PL ; PT ; RO ; RS ; SE ; SI ; SK ; SM ; TR
(73)	Proprietor	Forma Therapeutics, Inc., 500 Arsenal St., Suite 100, Watertown, MA 02472, USA
(72)	Inventor	Bair, Kenneth W., 41 Cartwright Road, Wellesley, Massachusetts 02482, USA Herbertz, Torsten, 25 Woodland Way, Stow, Massachusetts 01775, USA Kauffman, Goss Stryker, 4 Cranwood Road, Ledyard, Connecticut 06339, USA Kayser-Bricker, Katherine J., 186 Alps Road, Branford, Connecticut 06405, USA Luke, George P., 17 Vienna Lane, Clinton, Connecticut 06413, USA Martin, Matthew W., 98 Forest Street, Arlington, Massachusetts 02474, USA Millan, David S., 500 Arsenal Street Suite 100, Watertown, Massachusetts 02472, USA Schiller, Shawn E.R., 614 Hilldale Avenue, Haverhill, Massachusetts 01832, USA Talbot, Adam C., 3 Hart Landing, Guilford, Connecticut 06437, USA
(74)	Agent or Attorney	TANDBERG INNOVATION AS, Postboks 1570 Vika, 0118 OSLO, Norge

(54)	Title	TETRAHYDROQUINOLINE COMPOSITIONS AS BET BROMODOMAIN INHIBITORS
(56)	References Cited:	WO-A1-2011/054848 US-A1- 2007 179 165 US-A1- 2006 167 047 EP-A1- 0 555 183 SOLANKEE ET AL.: 'Synthesis and evaluation of some novel S-triazine based chalcones and their derivatives' DER PHARMA CHEMICA vol. 3, no. 6, 2011, pages 317 - 324, XP055344080 ZHEN JIANG ET AL: "Direct synthesis of 8-aryl tetrahydroquinolines via pd-catalyzed ortho- arylation of arylureas in water", RSC ADVANCES: AN INTERNATIONAL JOURNAL TO

FURTHER THE CHEMICAL SCIENCES, vol. 3, no. 4, 15 November 2012 (2012-11-15), pages 1025-1028, XP055364072, GB ISSN: 2046-2069, DOI: 10.1039/C2RA22901C

PASCAL BOUYSSOU ET AL: "Synthesis of 7- and 5,7-substituted-6-fluoro-2-methyl-1,2,3,4-tetrahydroquinolines: Convenient precursors of quinolone antibacterial agents", JOURNAL OF HETEROCYCLIC CHEMISTRY, vol. 29, no. 4, 1 July 1992 (1992-07-01), pages 895-898, XP055045549, ISSN: 0022-152X, DOI: 10.1002/jhet.5570290436

CACCHI S ET AL: "The palladium -catalysed conjugate addition type reaction of 2 -(n-acylamino)-arylmercury compounds with @a,@b -enones: a new entry to the quinoline skeleton", TETRAHEDRON, ELSEVIER SCIENCE PUBLISHERS, AMSTERDAM, NL, vol. 39, no. 20, 1 January 1983 (1983-01-01), pages 3373-3383, XP028087796, ISSN: 0040-4020, DOI: 10.1016/S0040-4020(01)91589-3 [retrieved on 1983-01-01]

HU S ET AL: "An Efficient and Practical Chemoenzymatic Preparation of Optically Active Secondary Amines", ORGANIC LETTERS , 14(23), 6012-6015 CODEN: ORLEF7; ISSN: 1523-7052,, vol. 7, no. 20, 27 August 2005 (2005-08-27), pages 4329-4331, XP002395193, ISSN: 1523-7060, DOI: 10.1021/OL051392N


CORINNE LE GOFF ET AL: "Synthesis of some novel fused tetracyclic quinolonecarboxylic acids via 7-methyl-6,7,8,9-tetrahydro-3 H -imidazo[4,5- f]quinoline and 6-methyl-5,6,7,8-tetrahydro-1 H -imidazo[4,5- g]quinoline", JOURNAL OF HETEROCYCLIC CHEMISTRY, vol. 31, no. 1, 1 January 1994 (1994-01-01), pages 153-160, XP055363851, US ISSN: 0022-152X, DOI: 10.1002/jhet.5570310126

Enclosed is a translation of the patent claims in Norwegian. Please note that as per the Norwegian Patents Acts, section 66i the patent will receive protection in Norway only as far as there is agreement between the translation and the language of the application/patent granted at the EPO. In matters concerning the validity of the patent, language of the application/patent granted at the EPO will be used as the basis for the decision. The patent documents published by the EPO are available through Espacenet (<http://worldwide.espacenet.com>) or via the search engine on our website here: <https://search.patentstyret.no/>

Patentkrav

1. En forbindelse som har formel IV

5



eller et farmasøytisk akseptabelt salt derav,
hvor:

- 10 R^4 er $-O(CH_2)_nR^d$;
 R^8 er C_1 - C_6 -alkyl, sykloalkyl, O- C_1 - C_6 -alkyl, eller O-sykloalkyl, hvor C_1 - C_6 -alkyl eller sykloalkyl av R^8 er eventuelt substituert med én eller flere R^e ;
hver R^a og R^b er uavhengig hydrogen eller C_1 - C_6 -alkyl, hvor hver C_1 - C_6 -alkyl av R^a og R^b er eventuelt substituert med én eller flere R^e ;
15 hver R^c er uavhengig $-(CH_2)_nR^a$, $-(CH_2)_nOR^a$, $-C(O)R^a$, $-C(O)OR^a$, $-C(O)NR^aR^b$, $S(O)_2R^a$, $-S(O)_2NR^aR^b$, C_1 - C_6 -haloalkyl, C_1 - C_6 -haloalkoksy, aryl, heteroaryl, sykloalkyl heterosykloalkyl, halo, cyano, eller okso, hvor hver C_1 - C_6 -haloalkyl, C_1 - C_6 -haloalkoksy, aryl, heteroaryl, sykloalkyl, og heterosykloalkyl av R^c er eventuelt substituert med én eller flere R^e ;
20 R^d er hydrogen, $NH(C_1-C_6-alkyl)$, $N(C_1-C_6-alkyl)_2$, C_1 - C_6 -alkyl, sykloalkyl, heterosykloalkyl, aryl, eller heteroaryl, hvor nevnte alkyl, sykloalkyl, heterosykloalkyl, aryl, og heteroaryl av R^d er eventuelt substituert med én eller flere substituenten som er uavhengig valgt fra R^a , R^b , og R^c ;
hver R^e er uavhengig hydrogen, halogen, $-OH$, C_1 - C_6 -alkyl, sykloalkyl,
25 heterosykloalkyl, okso, C_1 - C_6 -haloalkyl, C_1 - C_6 -haloalkoksy, C_1 - C_6 -alkoksy, eller $-S(O)_2(C_1-C_6-alkyl)$; og
n er 0, 1, eller 2.

- 30 **2.** Forbindelsen ifølge krav 1, hvor R^c er sykloalkyl eller heterosykloalkyl, hvor hver sykloalkyl og heterosykloalkyl av R^c er eventuelt substituert med én eller flere R^e .

- 3.** Forbindelsen ifølge krav 2, hvor R^c er usubstituert heterosykloalkyl.

4. Forbindelsen ifølge krav 1, hvor R^d er aryl, heteroaryl, eller sykloalkyl, hvor hver aryl, heteroaryl, eller sykloalkyl av R^d er eventuelt substituert med én eller flere substituenten som er uavhengig valgt fra R^a , R^b , og R^c .

5 **5.** Forbindelsen ifølge krav 4, hvor R^d er usubstituert sykloalkyl.

6. Forbindelsen ifølge krav 1, hvor R^8 er sykloalkyl eventuelt substituert med én eller flere R^e .

10 **7.** Forbindelsen ifølge krav 6, hvor R^8 er usubstituert sykloalkyl.

8. Forbindelsen ifølge krav 1, hvor n er 0.

9. Forbindelsen ifølge krav 1, hvor forbindelsen er valgt fra gruppen som består av:

15 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-{[3-(hydroksymetyl)oksetan-3-yl]metoksy}-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-(1-{oktahydrosyklopenta[c]pyrrol-5-yl}-1H-pyrazol-4-yl)-1,2,3,4-tetrahydroquinolin-1-karboksylat;
metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(3,3-difluorsyklobutoksy)-2-metyl-
20 1,2,3,4-tetrahydroquinolin-1-karboksylat;
metyl(2S)-5-(azetidin-3-ylmetoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
metyl(2S)-5-(3-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
25 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(2,2,2-trifluoretoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
metyl(2S)-5-(3-klorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2,2-difluoretoksy)-2-metyl-1,2,3,4-
30 tetrahydroquinolin-1-yl]etan-1-on;
1-[(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2,2-difluorpropoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
35 1-[(2S)-5-(4-klorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(1,3-difluorpropan-2-yl)oksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(3,4-difluorfenoksy)-2-metyl-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(3-hydroksy-2,2-dimetylpropoksy)-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 5 metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-2-metyl-5-fenoksy-1,2,3,4-
 tetrahydroquinolin-1-karboksylat;
 2-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}-2-metylpropanamid;
 (2S)-1-syklopropankarbonyl-5-(2-metoksyfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-
 10 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(3,3,3-trifluorpropoksy)-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 (2S)-1-syklopropankarbonyl-5-(3-metoksyfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-
 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;
 15 1-(2-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}etyl)pyrrolidin-2-on;
 (2S)-1-syklopropankarbonyl-5-(4-metoksyfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-
 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;
 metyl(2S)-5-(2-metoksyfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
 20 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 2-(2-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}etyl)-1λ⁶,2-thiazolidine-1,1-dion;
 metyl(2S)-5-(3-metoksyfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 25 {[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}metansulfonamid;
 metyl(2S)-5-(4-metoksyfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 1-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 30 tetrahydroquinolin-5-yl]oksy}-N,N-dimetylmetansulfonamid;
 metyl(2S)-2-metyl-5-fenoksy-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-
 tetrahydroquinolin-1-karboksylat;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[2-(oksetan-3-yl)etoksy]-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 35 1-[(2S)-2-metyl-5-fenoksy-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-
 tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(2,2-difluorsyklopropyl)metoksy]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

3-[[[(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
 1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzonitril;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-{[3-(hydroksymetyl)oksetan-3-
 yl]metoksy}-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 5 1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-(pyridin-2-yloksy)-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(3-fluoroksetan-3-yl)metoksy]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-(3-metoksyfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
 10 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(3,3-difluorsyklobutoksy)-2-metyl-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-(azetidin-3-ylmetoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 15 (2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-6-(1H-pyrazol-4-yl)-1,2,3,4-
 tetrahydroquinolin;
 (2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-6-(1-metyl-1H-pyrazol-4-yl)-
 1,2,3,4-tetrahydroquinolin;
 metyl(2S)-5-({1-[(tert-butoksy)karbonyl]azetidin-3-yl}oksy)-6-(1-syklopropyl-1H-
 20 pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(azetidin-3-yloksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 1-[(2S)-5-(azetidin-3-yloksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-1-yl]etan-1-on;
 25 metyl(2S)-5-syklobutoksy-6-[1-(1,1-diokso-1 λ ⁶-thietan-3-yl)-1H-pyrazol-4-yl]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-syklobutoksy-6-[1-(1,1-diokso-1 λ ⁶-thian-3-yl)-1H-pyrazol-4-yl]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 (2R)-2-[[[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 30 tetrahydroquinolin-5-yl]oksy}-2-fluoracetamid;
 (2S)-2-[[[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}-2-fluoracetamid;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(3-fluoroksetan-3-yl)metoksy]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 35 2-[[[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}-2,2-difluoracetamid;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2-fluor-2-metylpropoksy)-2-metyl-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(oksan-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

1-[(2S)-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-propoksy-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

2-[(2S)-1-acetyl-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N,N-dimetylacetamid;

metyl(2S)-5-[(dimetylkarbamoyl)metoksy]-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

2-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N-etylacetamid;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2-fluoretoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(2,2,2-trifluoretoksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2,2-difluoretoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2-fluoretoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2,2-difluorpropoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(3,3,3-trifluorpropoksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(karbamoyldifluormetoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(1,3-difluorpropan-2-yl)oksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2-fluor-2-metylpropoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(3-hydroksy-2,2-dimetylpropoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(1-karbamoyl-1-metyletoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-[(R)-karbamoyl(fluor)metoksy]-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-[(S)-karbamoyl(fluor)metoksy]-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(etylkarbamoyl)metoksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-[2-(azetidin-1-yl)-2-oksoetoksy]-6-(1-syklopropyl-1H-pyrazol-4-yl)-
 2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[2-okso-2-(piperidin-1-
 yl)etoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 5 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[2-(2-oksopyrrolidin-1-
 yl)etoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[2-(morpholin-4-yl)-2-
 oksoetoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[2-(1,1-diokso-1 λ ⁶,2-thiazolidin-2-
 10 yl)etoksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(sulfamoylmetoksy)-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(dimetylsulfamoyl)metoksy]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 15 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[2-(oksetan-3-yl)etoksy]-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(2,2-difluorsyklopropyl)metoksy]-
 2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(quinazolin-2-yloksy)-
 20 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-(1,3-benzoksazol-2-yloksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-(1,3-benzoksazol-2-yloksy)-2-metyl-6-[1-(oksetan-3-yl)-1H-pyrazol-4-
 yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 25 1-[(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-(pyrimidin-2-yloksy)-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 2-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}pyridin-3-karboksamid;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{1H-pyrazolo[3,4-
 30 d]pyrimidin-6-yloksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(1,3-thiazol-2-yloksy)-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 2-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}pyridin-3-karbonitril;
 35 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{[4-(trifluormetyl)pyrimidin-
 2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{[3-(trifluormetyl)pyridin-2-
 yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-[(3-klorpyridin-2-yl)oksy]-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(pyrazin-2-yloksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

5 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(pyridin-2-yloksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(4,6-dimetylpyrimidin-2-yl)oksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

10 6-{[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}pyridazine-3-karbonitril;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(5-metylpyrimidin-2-yl)oksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{[2-(trifluormetyl)pyrimidin-4-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

15 (2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-propoksy-1,2,3,4-tetrahydroquinolin;

20 (2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-2-metyl-5-propoksy-1,2,3,4-tetrahydroquinolin;

1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-propoksy-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

25 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-propoksy-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(pyrrolidin-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

30 metyl(2S)-5-syklobutoksy-2-metyl-6-(1-{oktahydrosyklopenta[c]pyrrol-5-yl}-1H-pyrazol-4-yl)-1,2,3,4-tetrahydroquinolin-1-karboksylat;

1-[(2S)-5-syklopropoksy-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-5-(4-klor-2-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

35 metyl(2S)-5-(2-cyano-4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(2-klor-4-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-cyano-2-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat
 2-{{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzonitril;
 5 metyl(2S)-5-(2-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(2-cyanofenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(2-cyano-3-fluorfenoksy)-2-
 10 metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 4-{{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzonitril;
 1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[3-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 15 1-[(2S)-5-[(3-klorpyridin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 2-{{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}pyridin-3-karbonitril;
 1-[(2S)-2-metyl-5-[(5-metylpyrimidin-2-yl)oksy]-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 20 1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-(pyrazin-2-yloksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 metyl(2S)-5-(4-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 25 metyl(2S)-5-[(3-cyanopyridin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(2-cyano-3-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(3-klor-2-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 30 2-{{[(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzonitril;
 2-{{[(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-6-fluorbenzonitril;
 35 4-{{[(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-3-fluorbenzonitril;
 2-{{[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzonitril;

metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(3-klor-4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

4-{{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzamid;

1-[(2S)-5-(2-klorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-klorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(2-klorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-karbamoylfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(3-cyano-4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(3-klor-4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

(2S)-1-syklopropankarbonyl-5-(4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-5-(2-klorfenoksy)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-5-(4-klorfenoksy)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

4-{{[(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzonitril;

(2S)-1-syklopropankarbonyl-2-metyl-5-fenoksy-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-5-(3-klor-4-fluorfenoksy)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

(2S)-1-syklopropankarbonyl-5-(3-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-1-syklopropankarbonyl-5-(3,4-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(3-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(3,4-difluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-2-metyl-5-fenoksy-1,2,3,4-tetrahydroquinolin;

5 metyl(2S)-5-(3,4-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(3-klorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(3-klorfenoksy)-1-

10 syklopropankarbonyl-2-metyl-1,2,3,4-tetrahydroquinolin;

(2S)-5-(3-klorfenoksy)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(3,5-difluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

15 (2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(3,5-difluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

metyl(2S)-5-(3,5-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

(2S)-1-syklopropankarbonyl-5-(3,5-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

20 metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(pyrrolidin-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

4-{[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzamid;

25 metyl(2S)-6-[1-(1,1-diokso-1 λ^6 -thian-3-yl)-1H-pyrazol-4-yl]-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(1,1-diokso-1 λ^6 -thietan-3-yl)-1H-pyrazol-4-yl]-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

(2S)-1-syklopropankarbonyl-2-metyl-6-(1-metyl-1H-pyrazol-4-yl)-5-fenoksy-1,2,3,4-tetrahydroquinolin;

30 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-(4-klorfenoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

35 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

3-{4-[(2S)-1-syklopropankarbonyl-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-6-yl]-1H-pyrazol-1-yl}-1 λ^6 -thietan-1,1-dion;

3-{4-[(2S)-1-syklopropankarbonyl-2-metyl-5-fenoksy-1,2,3,4-tetrahydroquinolin-6-yl]-1H-pyrazol-1-yl}-1 λ^6 -thietan-1,1-dion;

5 1-[(2S)-5-(2-klorfenoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-cyanofenoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

10 metyl(2S)-5-(4-klorfenoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(2-klorfenoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

15 metyl(2S)-5-(4-karbamoylfenoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

4-{[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzonitril;

metyl(2S)-5-(4-klor-2-cyanofenoksy)-2-metyl-6-[1-(1-metylpiperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

20 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{[1-(propan-2-yl)azetidin-3-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

2-{[(2S)-1-acetyl-2-metyl-6-[1-(1-metylpiperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}benzonitril;

25 metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(1-metylpyrrolidin-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-syklobutoksy-2-metyl-6-(1-{2-metyl-oktahydrosyklopenta[c]pyrrol-5-yl}-1H-pyrazol-4-yl)-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(1-metylpyrrolidin-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

30 metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-(1-{2-metyl-oktahydrosyklopenta[c]pyrrol-5-yl}-1H-pyrazol-4-yl)-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(1-etylazetidin-3-yl)oksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

35 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{[1-(propan-2-yl)azetidin-3-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(1-etylazetidin-3-yl)oksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(4-metylpyridin-2-yl)oksy]-
1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(6-metylpyridin-2-yl)oksy]-
1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

5 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(isoquinolin-1-yloksy)-2-metyl-
1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-(2-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-
tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-5-(2-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
10 1,2,3,4-tetrahydroquinolin-1-karboksylat;

(2S)-1-syklopropankarbonyl-5-(2-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-
pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(2-
fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

15 metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(2-fluorfenoksy)-2-metyl-
1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(2,4-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
1,2,3,4-tetrahydroquinolin-1-karboksylat;

(2S)-1-syklopropankarbonyl-5-(2,4-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-
20 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(2,4-
difluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(2,4-difluorfenoksy)-2-metyl-
1,2,3,4-tetrahydroquinolin-1-karboksylat;

25 (2S)-1-syklopropankarbonyl-5-(2,3-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-
1 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(2,3-
difluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

metyl(2S)-5-(2,3-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
30 1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(2,3-difluorfenoksy)-2-metyl-
1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(2,5-difluorfenoksy)-2-metyl-
1,2,3,4-tetrahydroquinolin-1-karboksylat;

35 (2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(2,5-
difluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

metyl(2S)-5-(2,5-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
1,2,3,4-tetrahydroquinolin-1-karboksylat;

(2S)-1-syklopropankarbonyl-5-(2,5-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

1-[(2S)-5-(3,4-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

5 1-[(2S)-5-(2,5-difluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on

metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(1-metylazetidin-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(1-metylpiperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

10 metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(1-metylazetidin-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(1-metylpiperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

15 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(3-metylpyridin-2-yl)oksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(5-metylpyridin-2-yl)oksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-[(5-klorpyridin-2-yl)oksy]-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

20 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(7H-purin-2-yl)oksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-5-syklobutoksy-6-[1-(3-metoksypiperidin-4-yl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

25 metyl(2S)-5-(4-fluorfenoksy)-6-[1-(3-metoksypiperidin-4-yl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-syklobutoksy-6-[1-(3-metoksy-1-metylpiperidin-4-yl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-fluorfenoksy)-6-[1-(3-metoksy-1-metylpiperidin-4-yl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

30 3-{4-[(2S)-1-syklopropankarbonyl-2-metyl-5-fenoksy-1,2,3,4-tetrahydroquinolin-6-yl]-1H-pyrazol-1-yl}-1 λ^6 -thian-1,1-dion;

3-{4-[(2S)-1-syklopropankarbonyl-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-6-yl]-1H-pyrazol-1-yl}-1 λ^6 -thian-1,1-dion;

35 metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(2-oksopiperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(2-oksopiperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-{1-[(2S)-2-metylazetidin-3-yl]-1H-pyrazol-4-yl}-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-syklobutoksy-2-metyl-6-{1-[(2S)-2-metylazetidin-3-yl]-1H-pyrazol-4-yl}-1,2,3,4-tetrahydroquinolin-1-karboksylat;

5 metyl(2S)-5-syklobutoksy-6-[1-(3-hidroksysyklobutyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

2-{[(2S)-1-acetyl-2-metyl-6-[1-(oksetan-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N-metylacetamid;

1-[(2S)-2-metyl-5-(1,2-oksazol-5-ylmetoksy)-6-[1-(oksetan-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

10 N-(2-{[(2S)-1-acetyl-2-metyl-6-[1-(oksetan-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}etyl)metansulfonamid;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(1,2-oksazol-5-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

15 N-(2-{[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}etyl)metansulfonamid;

2-{[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N-metylacetamid;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(oksetan-3-yloksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-(syklopentylmetoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[2-(dimetylamino)etoksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

25 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-propoksy-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(propan-2-yloksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-syklobutoksy-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(syklopropylmetoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

2-{[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}acetamid;

1-[(2S)-5-(syklobutylmetoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-(benzyloksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(2-metylpropoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(3-metyloksetan-3-yl)metoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

5 1-[(2S)-5-(syklopentyloksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

2-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}acetonitril;

10 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-(2-metoksyetoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(pyridin-3-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(oksan-4-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

15 2-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N,N-dimetylacetamid;

1-[(2S)-5-(syklohexylmetoksy)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

20 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(pyridin-2-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-metoksy-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(1-metyl-1H-pyrazol-3-yl)metoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

25 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(1,3-thiazol-5-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-propoksy-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

30 1-[(2S)-6-[1-(2-hydroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-propoksy-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-syklobutoksy-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-syklobutoksy-6-[1-(2-hydroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

35 1-[(2S)-5-syklobutoksy-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-syklobutoksy-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-(oksan-4-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-(oksan-4-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

5 1-[(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-(oksan-4-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-2-metyl-5-(oksan-4-ylmetoksy)-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

10 2-{[(2S)-1-acetyl-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N,N-dimetylacetamid;

2-{[(2S)-1-acetyl-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N,N-dimetylacetamid;

2-{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N,N-dimetylacetamid;

15 1-[(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-(2-metylpropoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-(2-metylpropoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

20 1-[(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-(2-metylpropoksy)-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-2-metyl-5-(2-metylpropoksy)-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-(syklopentylmetoksy)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

25 1-[(2S)-5-(syklopentylmetoksy)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-5-(syklopentylmetoksy)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

30 1-[(2S)-5-(syklopentylmetoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

2-{[(2S)-1-acetyl-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-1-(pyrrolidin-1-yl)etan-1-on;

2-{[(2S)-1-acetyl-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-1-(pyrrolidin-1-yl)etan-1-on;

35 2-{[(2S)-1-acetyl-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-1-(pyrrolidin-1-yl)etan-1-on;

2-{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-1-(pyrrolidin-1-yl)etan-1-on;

(5R)-5-({[(2S)-1-acetyl-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}metyl)pyrrolidin-2-on;

(5R)-5-({[(2S)-1-acetyl-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}metyl)pyrrolidin-2-on;

5 (5R)-5-({[(2S)-1-acetyl-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}metyl)pyrrolidin-2-on;

(5R)-5-({[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}metyl)pyrrolidin-2-on;

10 N-(2-{[(2S)-1-acetyl-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}etyl)-N-metylmetansulfonamid;

N-(2-{[(2S)-1-acetyl-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}etyl)-N-metylmetansulfonamid;

N-(2-{[(2S)-1-acetyl-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}etyl)-N-metylmetansulfonamid;

15 N-(2-{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}etyl)-N-metylmetansulfonamid;

1-[(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-[(3S)-pyrrolidin-3-ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-one;

20 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-propoksy-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-propoksy-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-propoksy-1,2,3,4-tetrahydroquinolin-1-karboksylat;

25 metyl(2S)-5-syklobutoksy-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-syklobutoksy-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

30 metyl(2S)-5-syklobutoksy-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-(oksan-4-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;

35 metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-(oksan-4-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-(oksan-4-ylmetoksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-2-metyl-5-(oksan-4-ylmetoksy)-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(dimetylkarbamoyl)metoksy]-6-[1-(2-metansulfonyletyl)-1H-
 pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 5 metyl(2S)-5-[(dimetylkarbamoyl)metoksy]-6-[1-(2-hidroksy-2-metylpropyl)-1H-
 pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(dimetylkarbamoyl)meto-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-
 tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-(2-
 10 metylpropoksy)-1,2,3,4-tetrahydroquinolin-,2,3,4-tetrahydroquinolin-1-
 karboksylat;
 metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-(2-
 metylpropoksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-(2-metylpropoksy)-
 15 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-5-(2-metylpropoksy)-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(syklopentylmetoksy)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 20 metyl(2S)-5-(syklopentylmetoksy)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-
 4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(syklopentylmetoksy)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(syklopentylmetoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-
 25 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-[2-okso-2-
 (pyrrolidin-1-yl)etoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-[2-okso-
 2-(pyrrolidin-1-yl)etoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 30 metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-[2-okso-2-
 (pyrrolidin-1-yl)etoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-5-[2-okso-2-(pyrrolidin-1-yl)etoksy]-6-[1-(piperidin-4-yl)-1H-
 pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-[(2R)-5-
 35 oksopyrrolidin-2-yl]metoksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-[(2R)-5-
 oksopyrrolidin-2-yl]metoksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-[(2R)-5-
 oksopyrrolidin-2-yl]metoksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-2-metyl-5-[[(2R)-5-oksopyrrolidin-2-yl]metoksy]-6-[1-(piperidin-4-yl)-
 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-[2-(N-
 metylmetansulfonamido)etoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 5 metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-[2-(N-
 metylmetansulfonamido)etoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-[2-(N-
 metylmetansulfonamido)etoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-5-[2-(N-metylmetansulfonamido)etoksy]-6-[1-(piperidin-4-yl)-
 10 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-[(3S)-
 pyrrolidin-3-ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-[(3S)-
 pyrrolidin-3-ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 15 metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-[(3S)-pyrrolidin-3-
 ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-[(3S)-pyrrolidin-3-
 ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(5-metyl-1,3-oksazol-2-
 20 yl)metoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(pyridin-4-ylmetoksy)-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-syklobutoksy-2-metyl-1,2,3,4-
 tetrahydroquinolin-1-karboksylat;
 25 metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-2-metyl-5-propoksy-1,2,3,4-
 tetrahydroquinolin-1-karboksylat;
 (2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-6-[1-(oksan-4-yl)-1H-
 pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;
 3-4-[(2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-1,2,3,4-
 30 tetrahydroquinolin-6-yl]-1H-pyrazol-1-yl}-1 λ ⁶-thian-1,1-dion;
 3-4-[(2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-1,2,3,4-
 tetrahydroquinolin-6-yl]-1H-pyrazol-1-yl}-1 λ ⁶-thietan-1,1-dion;
 1-[(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-
 4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 35 1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-[[5-
 (trifluormetyl)pyridin-2-yl]oksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-(pyrimidin-2-yloksy)-
 1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[4-
 (trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[2-
 (trifluormetyl)pyrimidin-4-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 5 1-[(2S)-2-metyl-5-{[6-(morpholin-4-yl)pyrimidin-4-yl]oksy}-6-[1-(piperidin-4-yl)-
 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-[(6-syklopropylpyrimidin-4-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-
 pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-[(5-syklopropylpyrimidin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-
 10 pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[5-
 (trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 2-{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}pyridin-3-karboksamid;
 15 1-[(2S)-5-{[3-fluor-5-(trifluormetyl)pyridin-2-yl]oksy}-2-metyl-6-[1-(piperidin-4-
 yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 metyl 6-{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-
 tetrahydroquinolin-5-yl]oksy}pyridin-3-karboksylat;
 6-{[(2S)-1-acetyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-
 20 tetrahydroquinolin-5-yl]oksy}pyridin-3-karboksamid;
 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[5-
 (trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-(pyrimidin-2-yloksy)-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 25 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-(pyrazin-2-yloksy)-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[3-
 (trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[4-
 30 (trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[2-
 (trifluormetyl)pyrimidin-4-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-5-{[6-(morpholin-4-yl)pyrimidin-4-yl]oksy}-6-[1-(piperidin-4-
 yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 35 metyl(2S)-5-[(6-syklopropylpyrimidin-4-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-
 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(5-syklopropylpyrimidin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-
 1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[5-(trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 5 metyl(2S)-2-metyl-5-[(5-metylpyrimidin-2-yl)oksy]-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-{[3-fluor-5-(trifluormetyl)pyridin-2-yl]oksy}-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-{[5-(metoksykarbonyl)pyridin-2-yl]oksy}-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 10 metyl(2S)-5-[(5-karbamoylpyridin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 (2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[3-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin;
 15 2-{[(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}pyridin-3-karbonitril;
 (2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-{[5-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin;
 1-[(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-{[5-(trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 20 1-[(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-[(4,6-dimetylpyrimidin-2-yl)oksy]-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 25 1-[(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-{[5-(propan-2-yl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-5-[(5-metoksypyrimidin-2-yl)oksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-[(5-syklopropylpyrimidin-2-yl)oksy]-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 30 1-[(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 1-[(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 35 1-[(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-6-[1-(1-hidroksy-2-metylpropan-2-yl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-{[5-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(2-hydroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-{[5-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-{[5-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 5 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{[5-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-(pyrazin-2-yloksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hydroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-(pyrazin-2-yloksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 10 metyl(2S)-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-(pyrazin-2-yloksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-(pyrazin-2-yloksy)-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 15 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-{[3-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hydroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-{[3-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-{[3-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 20 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{[3-(trifluormetyl)pyridin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(3-cyanopyridin-2-yl)oksy]-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 25 metyl(2S)-5-[(3-cyanopyridin-2-yl)oksy]-6-[1-(2-hydroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(3-cyanopyridin-2-yl)oksy]-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 30 metyl(2S)-5-[(3-cyanopyridin-2-yl)oksy]-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(5-syklopropylpyrimidin-2-yl)oksy]-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(5-syklopropylpyrimidin-2-yl)oksy]-6-[1-(2-hydroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 35 metyl(2S)-5-[(5-syklopropylpyrimidin-2-yl)oksy]-6-[1-(2-hydroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(5-syklopropylpyrimidin-2-yl)oksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 5 metyl(2S)-5-[(5-fluorpyrimidin-2-yl)oksy]-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-[(5-fluorpyrimidin-2-yl)oksy]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-{[5-(trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 10 metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-{[5-(trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-{[5-(trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 15 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-{[5-(trifluormetyl)pyrimidin-2-yl]oksy}-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-5-[(5-metylpyrimidin-2-yl)oksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-[(5-metylpyrimidin-2-yl)oksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 20 metyl(2S)-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-5-[(5-metylpyrimidin-2-yl)oksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(5-metylpyrimidin-2-yl)oksy]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 25 metyl(2S)-5-[(3-karbamoylpyridin-2-yl)oksy]-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-[(3-karbamoylpyridin-2-yl)oksy]-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-{[3-fluor-5-(trifluormetyl)pyridin-2-yl]oksy}-6-[1-(2-metansulfonyletyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 30 metyl(2S)-5-{[3-fluor-5-(trifluormetyl)pyridin-2-yl]oksy}-6-[1-(2-hidroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-{[3-fluor-5-(trifluormetyl)pyridin-2-yl]oksy}-6-[1-(2-hidroksyetyl)-1H-pyrazol-4-yl]-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 35 metyl(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-5-{[3-fluor-5-(trifluormetyl)pyridin-2-yl]oksy}-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(oksan-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-fenoksy-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

4-[(2S)-1-acetyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-N,N-dimetylbenzamid;

metyl(2S)-5-(3-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

1-[6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-fenoksy-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-syklopropankarbonyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-fenoksy-1,2,3,4-tetrahydroquinolin;

metyl-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-fenoksy-1,2,3,4-tetrahydroquinolin-1-karboksylat;

1-[(2S)-2-metyl-6-[1-(oksetan-3-yl)-1H-pyrazol-4-yl]-5-[(3R)-pyrrolidin-3-ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-2-metyl-6-[1-(oksetan-3-yl)-1H-pyrazol-4-yl]-5-[(3S)-pyrrolidin-3-ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(3R)-pyrrolidin-3-ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-(1-syklopropyl-1H-pyrazol-4-yl)-2-metyl-5-[(3S)-pyrrolidin-3-ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

1-[(2S)-6-[1-(2-hydroksy-2-metylpropyl)-1H-pyrazol-4-yl]-2-metyl-5-[(3S)-pyrrolidin-3-ylmetoksy]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

(2S)-1-syklopropankarbonyl-2-metyl-5-[(6-metylpyridin-2-yl)oksy]-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-1-syklopropankarbonyl-5-[(2,6-dimetylpyridin-3-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-1-syklopropankarbonyl-5-[(2,6-dimetylpyridin-4-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-5-[(6-klorpyridin-2-yl)oksy]-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-(pyridin-2-yloksy)-1,2,3,4-tetrahydroquinolin;

(2S)-1-syklopropankarbonyl-5-[(6-fluorpyridin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;


metyl(2S)-2-metyl-5-[(6-metylpyridin-2-yl)oksy]-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-(pyridin-2-yloksy)-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 1-[(2S)-2-metyl-5-[(6-metylpyridin-2-yl)oksy]-6-[1-(piperidin-4-yl)-1H-pyrazol-4-
 yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 5 (2S)-1-syklopropankarbonyl-5-[(6-metoksypyridin-2-yl)oksy]-2-metyl-6-[1-
 (piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;
 metyl(2S)-5-[(6-metoksypyridin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-
 pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 1-[(2S)-5-[(6-metoksypyridin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-
 10 pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;
 metyl(2S)-5-syklobutoksy-6-[1-(1,1-diokso-1 λ^6 -thian-4-yl)-1H-pyrazol-4-yl]-2-
 metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 4-{4-[(2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-1,2,3,4-
 tetrahydroquinolin-6-yl]-1H-pyrazol-1-yl}-1 λ^6 -thian-1,1-dion;
 15 metyl(2S)-5-syklobutoksy-6-{1-[(3S,4R)-3-fluorpiperidin-4-yl]-1H-pyrazol-4-yl}-
 2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-syklobutoksy-6-{1-[(3R,4S)-3-fluorpiperidin-4-yl]-1H-pyrazol-4-yl}-
 2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-syklobutoksy-6-{1-[(3S,4S)-3-fluorpiperidin-4-yl]-1H-pyrazol-4-yl}-
 20 2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(4-fluorfenoksy)-6-{1-[(3S,4S)-3-fluorpiperidin-4-yl]-1H-pyrazol-4-
 yl}-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(4-fluorfenoksy)-6-{1-[(3S,4R)-3-fluorpiperidin-4-yl]-1H-pyrazol-4-
 yl}-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 25 metyl(2S)-5-(4-fluorfenoksy)-6-{1-[(3R,4S)-3-fluorpiperidin-4-yl]-1H-pyrazol-4-
 yl}-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-syklobutoksy-6-{1-[(3R,4R)-3-fluorpiperidin-4-yl]-1H-pyrazol-4-yl}-
 2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-(4-fluorfenoksy)-6-{1-[(3R,4R)-3-fluorpiperidin-4-yl]-1H-pyrazol-4-
 30 yl}-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(2-metyl-piperidin-4-yl)-1H-pyrazol-4-yl]-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 metyl(2S)-5-syklobutoksy-2-metyl-6-[1-(2-metyl-piperidin-4-yl)-1H-pyrazol-4-yl]-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;
 35 (2S)-5-syklobutoksy-1-syklopropankarbonyl-6-{1-[(3S,4R)-3-fluorpiperidin-4-yl]-
 1H-pyrazol-4-yl}-2-metyl-1,2,3,4-tetrahydroquinolin;
 metyl(2S)-5-syklobutoksy-6-[5-fluor-1-(piperidin-4-yl)-1H-pyrazol-4-yl]-2-metyl-
 1,2,3,4-tetrahydroquinolin-1-karboksylat;




metyl(2S)-5-syklobutoksy-6-{1-[(3R*,4S*)-4-fluorpyrrolidin-3-yl]-1H-pyrazol-4-yl}-2-metyl-1,2,3,4-tetrahydroquinolin-1-karboksylat; og
(2S)-5-syklobutoksy-1-syklopropankarbonyl-6-{1-[(3R*,4S*)-4-fluorpiperidin-3-yl]-1H-pyrazol-4-yl}-2-metyl-1,2,3,4-tetrahydroquinolin.

5


10. Forbindelsen ifølge krav 1, hvor forbindelsen er en forbindelse som er valgt fra gruppen som består av:





10










15






















5


10



5

10





5

11. Forbindelsen ifølge krav 1, hvor forbindelsen er valgt fra:

(2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

10

(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-propoksy-1,2,3,4-tetrahydroquinolin;

metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-propoksy-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(4-cyano-2-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

15

metyl(2S)-5-(2-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-[(3-cyanopyridin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(2-cyano-3-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

20

metyl(2S)-5-(3-klor-2-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

2-{[(2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-5-yl]oksy}-6-fluorbenzonitril;

25

1-[(2S)-5-(2-klorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on;

metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

metyl(2S)-5-(3-klor-4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

30

(2S)-1-syklopropankarbonyl-5-(4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-1-syklopropankarbonyl-2-metyl-5-fenoksy-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin;

(2S)-6-[1-(azetidin-3-yl)-1H-pyrazol-4-yl]-1-syklopropankarbonyl-5-(4-fluorfenoksy)-2-metyl-1,2,3,4-tetrahydroquinolin;

metyl(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(pyrrolidin-3-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat;

1-[(2S)-5-(4-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-yl]etan-1-on; og

metyl(2S)-5-(2-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat.

12. Forbindelsen ifølge krav 1, hvor forbindelsen er (2S)-5-syklobutoksy-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin.

13. Forbindelsen ifølge krav 1, hvor forbindelsen er (2S)-1-syklopropankarbonyl-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-propoksy-1,2,3,4-tetrahydroquinolin.

14. Forbindelsen ifølge krav 1, hvor forbindelsen er metyl(2S)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-5-propoksy-1,2,3,4-tetrahydroquinolin-1-karboksylat.

15. Forbindelsen ifølge krav 1, hvor forbindelsen er metyl(2S)-5-(4-cyano-2-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat.

16. Forbindelsen ifølge krav 1, hvor forbindelsen er metyl(2S)-5-(2-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat.

17. Forbindelsen ifølge krav 1, hvor forbindelsen er metyl(2S)-5-[(3-cyanopyridin-2-yl)oksy]-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat.

18. Forbindelsen ifølge krav 1, hvor forbindelsen er metyl(2S)-5-(2-cyano-3-fluorfenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat.

19. Forbindelsen ifølge krav 1, hvor forbindelsen er metyl(2S)-5-(3-klor-2-cyanofenoksy)-2-metyl-6-[1-(piperidin-4-yl)-1H-pyrazol-4-yl]-1,2,3,4-tetrahydroquinolin-1-karboksylat.

- 5 **20.** En farmasøytisk sammensetning som omfatter en forbindelse som er valgt fra gruppen som består av forbindelsene ifølge et hvilket som helst av kravene 1-19 og en farmasøytisk akseptabel bærer.