



(12) Translation of
European patent specification

(11) NO/EP 3386511 B1

NORWAY

(19) NO
(51) Int Cl.
C07D 403/12 (2006.01)
A61K 31/501 (2006.01)
A61K 31/506 (2006.01)
A61K 31/517 (2006.01)
C07D 237/20 (2006.01)
C07D 401/14 (2006.01)
C07D 403/10 (2006.01)
C07D 405/12 (2006.01)
C07D 413/14 (2006.01)
C07D 417/12 (2006.01)
C07D 417/14 (2006.01)
C07D 471/10 (2006.01)
C07D 487/10 (2006.01)

Norwegian Industrial Property Office

(45)	Translation Published	2021.09.06
(80)	Date of The European Patent Office Publication of the Granted Patent	2021.05.12
(86)	European Application Nr.	16874024.9
(86)	European Filing Date	2016.12.11
(87)	The European Application's Publication Date	2018.10.17
(30)	Priority	2015.12.10, US, 201562265652 P
(84)	Designated Contracting States:	AL ; AT ; BE ; BG ; CH ; CY ; CZ ; DE ; DK ; EE ; ES ; FI ; FR ; GB ; GR ; HR ; HU ; IE ; IS ; IT ; LI ; LT ; LU ; LV ; MC ; MK ; MT ; NL ; NO ; PL ; PT ; RO ; RS ; SE ; SI ; SK ; SM ; TR
(73)	Proprietor	PTC Therapeutics, Inc., 100 Corporate Court,, South Plainfield, NJ 07080, USA
(72)	Inventor	BABU, Suresh, 225 Concord Place, Pennington, NJ 08534, USA BHATTACHARYYA, Anuradha, 115 Inverness Drive, Edison, NJ 08820, USA HWANG, Seongwoo, 227 Suttons Lane, Edison, NJ 08817, USA JANI, Minakshi, 29 Kiva Street, Iselin, NJ 08830, USA MOON, Young-choon, 11 Edgewood Drive, Belle Mead, NJ 08502, USA SYDORENKO, Nadiya, 37 Sycamore Place, Princenton, NJ 08540, USA
(74)	Agent or Attorney	BRYN AARFLOT AS, Stortingsgata 8, 0161 OSLO, Norge

(54) Title **METHODS FOR TREATING HUNTINGTON'S DISEASE**


(56) References

Cited: US-A1- 2010 267 721
US-A1- 2003 004 164
WO-A2-2007/130383
US-A1- 2012 083 495
WO-A2-2007/003604
WO-A1-2015/017589
US-A1- 2014 051 672
US-A1- 2014 329 825
WO-A2-2007/133561
PRYOR ET AL.: 'Huntingtin promotes mTORC1 signaling in the pathogenesis of Huntington's disease' SCI.SIGNAL. vol. 7, no. 349, 2014, pages 1 - 12, XP009507194
MACDONALD ET AL.: 'Quantification Assays for Total and Polyglutamine-Expanded Huntingtin Proteins' PLOS ONE vol. 9, no. 5, 2014, pages 1 - 17, XP055390961

Enclosed is a translation of the patent claims in Norwegian. Please note that as per the Norwegian Patents Acts, section 66i the patent will receive protection in Norway only as far as there is agreement between the translation and the language of the application/patent granted at the EPO. In matters concerning the validity of the patent, language of the application/patent granted at the EPO will be used as the basis for the decision. The patent documents published by the EPO are available through Espacenet (<http://worldwide.espacenet.com>) or via the search engine on our website here: <https://search.patentstyret.no/>

Patentkrav

1. Forbindelse for anvendelse ved behandling eller forbedring av Huntingtons sykdom (HD) hos et individ med behov derav, hvor forbindelsen skal administreres til individet i en effektiv mengde, hvor forbindelsen har formel (Ia):



eller en form derav, hvor

X er CH₂, O, NR₅ eller en binding;

A er aryl, heteroaryl, heterocyklyl eller C₉₋₁₀cykloalkyl, hvor:

aryl er valgt fra:

- i) fenyl substituert med hydroksyl og eventuelt 1, 2 eller 3 ytterligere substituent, hvor de ytterligere substituentene er hver valgt fra gruppen bestående av R₁ og hydroksyl, og
- ii) naftyl eventuelt substituert med 1, 2, 3 eller 4 substituent, hvor substituentene er hver valgt fra gruppen bestående av R₁ og hydroksyl,

heteroaryl er valgt fra gruppen bestående av furanyl, tienyl, pyrrolyl, pyrazolyl, imidazolyl, isoksazolyl, isotiazolyl, oksazolyl, tiazolyl, triazolyl, oksadiazolyl, tiadiazolyl, tetrazolyl, pyranyl, tiopyranyl, pyrimidinyl, pyrazinyl, pyridazinyl, triazinyl, indolyl, indazolyl, indolizinyll, benzofuranyl, benzotienyl, benzimidazolyl, benzotiazolyl, benzooksazolyl, 9H-purinyll, kinoksalinyll, isoindolyl, kinolinyll, isokinolinyll, kinazolinyll, akridinyll, ftalazinyl, imidazo[1,2-a]pyridinyll, imidazo[1,5-a]pyridinyll, imidazo[5,1-a]isokinolinyll, 1,4-dihydroindeno[1,2-c]-1H-pyrazolyl, 2,3-dihydro-1H-inden-1-on, 2,3-dihydro-1H-indenyl, 3,4-dihydrokinolin-2(1H)-on, 5,6-dihydroimidazo[5,1-a]isokinolinyll, 8H-indeno[1,2-d]tiazolyl, benzo[c][1,2,5]oksadiazolyl, benzo[d]oksazol-2(3H)-on, kinolin-2(1H)-on, kinazolin-4(1H)-on, kinazolin-2,4(1H,3H)-dion, benzo-[d]oksazolyl og pyrazolo[1,5-a]pyridinyll, hvor heteroaryl eventuelt er substituert med 1, 2, 3, 4 eller 5 substituent hver valgt fra R₁, heterocyklyl er valgt fra gruppen bestående av oxiranyl, oxetanyl, azetidinyll, dihydrofuranyl, tetrahydrofuranyl, dihydrotienyl, tetrahydrotienyl, pyrrolinyll, pyrrolidinyll, dihydropyrazolyl, pyrazolinyll, pyrazolidinyll, dihydroimidazolyl, imidazolinyll, imidazolidinyll, isoksazolinyll, isoksazolidinyll, isotiazolinyll, isotiazolidinyll, oksazolinyll,

oksazolidinyl, tiazolinyl, tiazolidinyl, triazolinyl, triazolidinyl,
 oksadiazolinyl, oksadiazolidinyl, tiadiazolinyl, tiadiazolidinyl, tetrazolinyl,
 tetrazolidinyl, dihydro-2H-pyranyl, dihydro-pyridinyl,
 tetrahydro-pyridinyl, 1,2,3,6-tetrahydropyridinyl, heksahydro-pyridinyl,
 5 dihydro-pyrimidinyl, tetrahydro-pyrimidinyl, 1,4,5,6-
 tetrahydropyrimidinyl, dihydro-pyrazinyl, tetrahydro-pyrazinyl,
 dihydro-pyridazinyl, tetrahydro-pyridazinyl, piperazinyl, piperidinyl,
 morfolinyl, tiomorfolinyl, dihydro-triazinyl, tetrahydro-triazinyl,
 heksahydro-triazinyl, 1,4-diazepanyl, dihydro-indolyl, indolinyl,
 10 tetrahydro-indolyl, dihydro-indazolyl, tetrahydro-indazolyl,
 dihydro-isoindolyl, dihydro-benzofuranyl, tetrahydro-benzofuranyl,
 dihydro-benzotienyl, tetrahydro-benzotienyl, dihydro-benzimidazolyl,
 tetrahydro-benzimidazolyl, dihydro-benzooksazolyl, 2,3-
 dihydrobenzo[d]oksazolyl, tetrahydro-benzooksazolyl,
 15 dihydro-benzooksaziny, 3,4-dihydro-2H-benzo[b][1,4]oksaziny,
 tetrahydro-benzooksaziny, benzo[1,3]dioksolyl, benzo[1,4]dioksany,
 dihydro-purinyl, tetrahydro-purinyl, dihydro-kinolinyl,
 tetrahydro-kinolinyl, 1,2,3,4-tetrahydrokinolinyl, dihydro-isokinolinyl,
 3,4-dihydroisokinolin-(1H)-yl, tetrahydro-isokinolinyl, 1,2,3,4-
 20 tetrahydroisokinolinyl, dihydro-kinazolinyl, tetrahydro-kinazolinyl,
 dihydro-kinoksalinyl, tetrahydro-kinoksalinyl, 1,2,3,4-
 tetrahydrokinoksalinyl, 1,3-dioksolanyl, 2,5-dihydro-1H-pyrrolyl, 4,5-
 dihydro-1H-imidazolyl, tetrahydro-2H-pyranyl, heksahydropyrrolo[3,4-
 b][1,4]oksazin-(2H)-yl, (4aR,7aS)-heksahydropyrrolo[3,4-
 25 b][1,4]oksazin-(4aH)-yl, 3,4-dihydro-2H-pyrido[3,2-b][1,4]oksaziny,
 (cis)-oktahydrocyklopenta[c]pyrrolyl, heksahydropyrrolo[3,4-b]pyrrol-
 (1H)-yl, (3aR,6aR)-heksahydropyrrolo[3,4-b]pyrrol-(1H)-yl, (3aR,6aS)-
 heksahydropyrrolo[3,4-c]pyrrol-(1H)-yl, 5H-pyrrolo[3,4-b]pyridin-(7H)-
 yl, 5,7-dihydro-6H-pyrrolo[3,4-b]pyridinyl, tetrahydro-1H-pyrrolo[3,4-
 30 b]pyridin-(2H,7H,7aH)-yl, heksahydro-1H-pyrrolo[3,4-b]pyridin-(2H)-yl,
 (4aR,7aR)-heksahydro-1H-pyrrolo[3,4-b]pyridin-(2H)-yl, oktahydro-6H-
 pyrrolo[3,4-b]pyridinyl, 2,3,4,9-tetrahydro-1H-karbazolyl, 1,2,3,4-
 tetrahydropyrazino[1,2-a]indolyl, 2,3-dihydro-1H-pyrrolo[1,2-a]indolyl,
 (3aR,6aR)-heksahydrocyklopenta[c]pyrrol-(1H)-yl, (3aR,4R,6aS)-
 35 heksahydrocyklopenta[c]pyrrol-(1H)-yl, (3aR,4S,6aS)-
 heksahydrocyklopenta[c]pyrrol-(1H)-yl, (3aR,5r,6aS)-
 heksahydrocyklopenta[c]pyrrol-(1H)-yl, 1,3-dihydro-2H-isoindolyl,

- oktahydro-2H-isoindolyl, (3aS)-1,3,3a,4,5,6-heksahydro-2H-isoindolyl, (3aR,4R,7aS)-1H-isoindol-(3H,3aH,4H,5H,6H,7H,7aH)-yl, (3aR,7aS)-oktahydro-2H-isoindolyl, (3aR,4R,7aS)-oktahydro-2H-isoindolyl, (3aR,4S,7aS)-oktahydro-2H-isoindolyl, 2,5-diazabicyklo[2,2,1]heptanyl, 2-azabicyklo[2,2,1]heptenyl, 3-azabicyklo[3,1,0]heksanyl, 3,6-diazabicyklo[3,1,0]heksanyl, (1R,5S)-3-azabicyklo[3,1,0]heksanyl, (1S,5R)-3-azabicyklo[3,2,0]heptanyl, 5-azaspiro[2,4]heptanyl, 2,6-diazaspiro[3,3]heptanyl, 2,5-diazaspiro[3,4]oktanyl, 2,6-diazaspiro[3,4]oktanyl, 2,7-diazaspiro[3,5]nonanyl, 2,7-diazaspiro[4,4]nonanyl, 2-azaspiro[4,5]decanyl, 2,8-diazaspiro[4,5]decanyl, 3,6-diazabicyklo[3,2,1]oktyl, 1,4-dihydroindeno[1,2-c]pyrazolyl, dihydropyranyl, dihydropyridinyl, dihydrokinolinyl, 8H-indeno[1,2-d]tiazolyl, tetrahydroimidazo[1,2-a]pyridinyl, pyridin-2(1H)-on, (1R,5S)-8-azabicyklo[3,2,1]oktyl og 8-azabicyklo[3,2,1]okt-2-enyl, hvor heterocyklyl eventuelt er substituert med 1, 2, 3, 4 eller 5 substituenten hver valgt fra R₂, og C₉₋₁₀cykloalkyl er et mettet eller delvis umettet bicyklisk ringsystem eventuelt substituert med 1, 2, 3, 4 eller 5 substituenten hver valgt fra R₂;
- B er monocyklisk heterocyklyl, hvor heterocyklyl er et mettet eller delvis umettet ringsystem som har 1, 2 eller 3 heteroatomringelementer uavhengig valgt fra N, O eller S, hver eventuelt substituert med 1, 2, 3, 4 eller 5 substituenten hver valgt fra R₄;
- R₁ er halogen, cyano, C₁₋₄alkyl, halogen-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-karbonyl, C₁₋₄alkyl-amino-karbonyl, (C₁₋₄alkyl)₂-amino-karbonyl, C₁₋₄alkyl-amino-karbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-karbonyl-C₁₋₄alkyl, C₁₋₄alkyl-karbonyl-amino, C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkyl, hydroksyl-C₁₋₄alkyl, C₁₋₄alkyl-karbonyl, C₁₋₄alkoksy, halogen-C₁₋₄alkoksy, amino-C₁₋₄alkoksy, hydroksyl-C₁₋₄alkoksy, C₁₋₄alkyl-C₁₋₄alkoksy, C₁₋₄alkyl-amino-C₁₋₄alkoksy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoksy, C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkoksy, C₁₋₄alkoksy-C₁₋₄alkoksy, C₁₋₄alkoksy-karbonyl, C₁₋₄alkoksy-karbonyl-amino, C₁₋₄alkoksy-karbonyl-amino-C₁₋₄alkoksy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-karbonyl, C₃₋₇cykloalkyl, C₃₋₇cykloalkyl-C₁₋₄alkoksy, C₃₋₇cykloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-karbonyl, heteroaryl-C₁₋₄alkyl-karbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-karbonyl-

C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkyl, heterocyklyl, heterocyklyl-C₁₋₄alkyl, heterocyklyl-C₁₋₄alkoksy, fenyl eller fenyl-C₁₋₄alkoksy, hvor:

heteroaryl er et monocyklisk, bicyklisk eller polycyklisk aromatisk karbonatomringstrukturradikal som har ett eller flere heteroatomer valgt fra O, S og N,

heterocyklyl er et mettet eller delvis umettet monocyklisk eller bicyklisk ringsystem som har 1, 2 eller 3 heteroatomringelementer valgt fra N, O og S og

hver forekomst av fenyl, heteroaryl eller heterocyklyl eventuelt er substituert med 1 eller 2 substituenten hver valgt fra R₃;

R₂ er halogen, cyano, okso, hydroksyl-imino, C₁₋₄alkyl, halogen-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-karbonyl, hydroksyl-C₁₋₄alkyl, C₁₋₄alkoksy, C₁₋₄alkoksy-karbonyl, C₂₋₄alkenyl, C₃₋₇cykloalkyl eller heterocyklyl-C₁₋₄alkyl, hvor:

heterocyklyl er et mettet eller delvis umettet monocyklisk eller bicyklisk ringsystem som har 1, 2 eller 3 heteroatomringelementer valgt fra N, O og S og

hver forekomst av heterocyklyl eventuelt er substituert med 1 eller 2 substituenten hver valgt fra R₃;

R₃ er halogen, hydroksyl, nitro, okso, hydroksyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-karbonyl, C₁₋₄alkyl-amino-karbonyl, (C₁₋₄alkyl)₂-amino-karbonyl, C₁₋₄alkyl-amino-karbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-karbonyl-C₁₋₄alkyl, C₁₋₄alkyl-karbonyl-amino, C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkyl, hydroksyl-C₁₋₄alkyl, C₁₋₄alkyl-karbonyl, C₁₋₄alkoksy, halogen-C₁₋₄alkoksy, amino-C₁₋₄alkoksy, hydroksyl-C₁₋₄alkoksy, C₁₋₄alkyl-C₁₋₄alkoksy, C₁₋₄alkyl-amino-C₁₋₄alkoksy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoksy, C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkoksy, C₁₋₄alkoksy-C₁₋₄alkoksy, C₁₋₄alkoksy-karbonyl, C₁₋₄alkoksy-karbonyl-amino, C₁₋₄alkoksy-karbonyl-amino-C₁₋₄alkoksy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-karbonyl, C₃₋₇cykloalkyl, C₃₋₇cykloalkyl-C₁₋₄alkoksy, C₃₋₇cykloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-karbonyl, heteroaryl-C₁₋₄alkyl-karbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-karbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkyl, heterocyklyl, heterocyklyl-C₁₋₄alkyl, fenyl eller fenyl-C₁₋₄alkoksy;

R₄ uavhengig er valgt fra halogen, C₁₋₄alkyl, hydroksyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino eller hydroksyl-C₁₋₄alkyl-amino; og R₅ er hydrogen, C₁₋₄alkyl eller hydroksyl-C₁₋₄alkyl; hvor en form av forbindelsen er valgt fra gruppen bestående av en salt-, isotopolog-, racemat-, stereoisomer- og tautomerform derav.

2. Forbindelse eller en form derav for anvendelse ved behandling eller forbedring av Huntingtons sykdom ifølge krav 1, hvor

R₁ er halogen, cyano, C₁₋₄alkyl, halogen-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-karbonyl, C₁₋₄alkyl-amino-karbonyl, C₁₋₄alkyl-amino-karbonyl-C₁₋₄alkyl, C₁₋₄alkyl-karbonyl-amino, C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkyl, hydroksyl-C₁₋₄alkyl, C₁₋₄alkyl-karbonyl, C₁₋₄alkoksy, halogen-C₁₋₄alkoksy, amino-C₁₋₄alkoksy, hydroksyl-C₁₋₄alkoksy, C₁₋₄alkyl-C₁₋₄alkoksy, C₁₋₄alkyl-amino-C₁₋₄alkoksy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoksy, C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkoksy, C₁₋₄alkoksy-C₁₋₄alkoksy, C₁₋₄alkoksy-karbonyl, C₁₋₄alkoksy-karbonyl-amino, C₁₋₄alkoksy-karbonyl-amino-C₁₋₄alkoksy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-karbonyl, C₃₋₇cykloalkyl, C₃₋₇cykloalkyl-C₁₋₄alkoksy, C₃₋₇cykloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-karbonyl, heteroaryl-C₁₋₄alkyl-karbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-karbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkyl, heterocyklyl, heterocyklyl-C₁₋₄alkyl, heterocyklyl-C₁₋₄alkoksy, fenyl eller fenyl-C₁₋₄alkoksy, hvor:

heteroaryl er et monocyklisk, bicyklisk eller polycyklisk aromatisk karbonatomringstrukturradikal som har ett eller flere heteroatomer uavhengig valgt fra N, O og S, heterocyklyl er et mettet eller delvis umettet monocyklisk eller bicyklisk ringsystem som har 1, 2 eller 3 heteroatomringelementer valgt fra N, O og S og hver forekomst av fenyl, heteroaryl eller heterocyklyl eventuelt er substituert med 1 eller 2 substituenten hver valgt fra R₃;

R₂ er halogen, cyano, okso, hydroksyl-imino, C₁₋₄alkyl, halogen-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, amino-karbonyl, hydroksyl-C₁₋₄alkyl, C₁₋₄alkoksy, C₁₋₄alkoksy-karbonyl, C₂₋₄alkenyl, C₃₋₇cykloalkyl eller heterocyklyl-C₁₋₄alkyl; og


R_3 er halogen, hydroksyl, nitro, okso, hydroksyl-imino, C_{1-4} alkyl, amino, C_{1-4} alkyl-amino, $(C_{1-4}alkyl)_2$ -amino, amino- $C_{1-4}alkyl$, $C_{1-4}alkyl$ -amino- $C_{1-4}alkyl$, $(C_{1-4}alkyl)_2$ -amino- $C_{1-4}alkyl$, amino-karbonyl, $C_{1-4}alkyl$ -amino-karbonyl, $C_{1-4}alkyl$ -amino-karbonyl- $C_{1-4}alkyl$, $C_{1-4}alkyl$ -karbonyl-amino, $C_{1-4}alkyl$ -karbonyl-amino- $C_{1-4}alkyl$, hydroksyl- $C_{1-4}alkyl$, $C_{1-4}alkyl$ -karbonyl, $C_{1-4}alkoxy$, halogen- $C_{1-4}alkoxy$, amino- $C_{1-4}alkoxy$, hydroksyl- $C_{1-4}alkoxy$, $C_{1-4}alkyl$ - $C_{1-4}alkoxy$, $C_{1-4}alkyl$ -amino- $C_{1-4}alkoxy$, $(C_{1-4}alkyl)_2$ -amino- $C_{1-4}alkoxy$, $C_{1-4}alkyl$ -karbonyl-amino- $C_{1-4}alkoxy$, $C_{1-4}alkoxy$ - $C_{1-4}alkoxy$, $C_{1-4}alkoxy$ -karbonyl, $C_{1-4}alkoxy$ -karbonyl-amino, $C_{1-4}alkoxy$ -karbonyl-amino- $C_{1-4}alkoxy$, $C_{2-4}alkenyl$, $C_{2-4}alkenyl$ -amino-karbonyl, $C_{3-7}cykloalkyl$, $C_{3-7}cykloalkyl$ - $C_{1-4}alkoxy$, $C_{3-7}cykloalkenyl$, heteroaryl, heteroaryl- $C_{1-4}alkyl$, heteroaryl- $C_{1-4}alkyl$ -amino, heteroaryl- $C_{1-4}alkyl$ -amino-karbonyl, heteroaryl- $C_{1-4}alkyl$ -karbonyl-amino, heteroaryl- $C_{1-4}alkyl$ -amino-karbonyl- $C_{1-4}alkyl$, heteroaryl- $C_{1-4}alkyl$ -karbonyl-amino- $C_{1-4}alkyl$, heterocyklyl, heterocyklyl- $C_{1-4}alkyl$, fenyl eller fenyl- $C_{1-4}alkoxy$.

3. Forbindelse eller en form derav for anvendelse ved behandling eller forbedring af Huntingtons sygdom ifølge krav 1, hvor:


X er O, NH, N (CH_3) eller en binding;


A er aryl, heteroaryl eller heterocyklyl,

hvor aryl er valgt fra gruppen bestående af:




hvor heteroaryl er valgt fra gruppen bestående af:







a12




a13




a14




a15




a16




a17




a18




a19




a20




a21




a22




a23




a24




a25




a26




a27




a28




a29




a30




a31




a32



a34





a35, og




a36; og


hvor heterocyklyl er valgt fra gruppen bestående av:




5




B er monocyklisk heterocyklyl valgt fra gruppen bestående av:




10





b21, og



b23

R_{1a} og R_{1b} er hver, hvor tillatt av tilgjengelig valenser, én eller flere substituenten hver valgt fra halogen, hydroksyl, cyano, C₁₋₄alkyl, halogen-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-karbonyl, C₁₋₄alkyl-amino-karbonyl, (C₁₋₄alkyl)₂-amino-karbonyl, C₁₋₄alkyl-amino-karbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-karbonyl-C₁₋₄alkyl, C₁₋₄alkyl-karbonyl-amino, C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkyl, hydroksyl-C₁₋₄alkyl, C₁₋₄alkyl-karbonyl, C₁₋₄alkoksy, halogen-C₁₋₄alkoksy, amino-C₁₋₄alkoksy, hydroksyl-C₁₋₄alkoksy, C₁₋₄alkyl-C₁₋₄alkoksy, C₁₋₄alkyl-amino-C₁₋₄alkoksy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoksy, C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkoksy, C₁₋₄alkoksy-C₁₋₄alkoksy, C₁₋₄alkoksy-karbonyl, C₁₋₄alkoksy-karbonyl-amino, C₁₋₄alkoksy-karbonyl-amino-C₁₋₄alkoksy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-karbonyl, C₃₋₇cykloalkyl, C₃₋₇cykloalkyl-C₁₋₄alkoksy, C₃₋₇cykloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-karbonyl, heteroaryl-C₁₋₄alkyl-karbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-karbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-karbonyl-amino-C₁₋₄alkyl, heterocyklyl, heterocyklyl-C₁₋₄alkyl, heterocyklyl-C₁₋₄alkoksy, fenyl eller fenyl-C₁₋₄alkoksy, med det forbehold at når A er heteroaryl, er R_{1a} og R_{1b} ikke hydroksyl, hvor:

heteroaryl er et monocyklisk, bicyklisk eller polycyklisk aromatisk karbonatomringstrukturradikal som har ett eller flere heteroatomer uavhengig valgt fra N, O og S,

heterocyklyl er et mettet eller delvis umettet monocyklisk eller bicyklisk ringsystem som har 1, 2 eller 3 heteroatomringelementer valgt fra N, O og S og

hver forekomst av fenyl, heteroaryl eller heterocyklyl eventuelt er substituert med 1 eller 2 substituenten hver valgt fra R₃;

R_{2a}, R_{2b} og R_{2c} er hver, hvor tillatt av tilgjengelig valenser, én eller flere substituenten hver valgt fra halogen, cyano, okso, hydroksyl-imino, C₁₋₄alkyl, halogen-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-karbonyl,

hydroksyl-C₁₋₄alkyl, C₁₋₄alkoksy, C₁₋₄alkoksy-karbonyl, C₂₋₄alkenyl,
C₃₋₇cykloalkyl eller heterocyklyl-C₁₋₄alkyl, hvor:

heterocyklyl er et mettet eller delvis umettet monocyklisk eller bicyklisk
ringsystem som har 1, 2 eller 3 heteroatomringelementer valgt fra N, O
og S, og
hver forekomst av heterocyklyl er eventuelt substituert med 1 eller 2
substituenten hver valgt fra R₃;

og

R_{4a}, R_{4b}, R_{4c}, R_{4d}, R_{4e}, R_{4f} og R_{4g} er uavhengig valgt fra halogen, C₁₋₄alkyl,
hydroksyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino eller hydroksyl-
C₁₋₄alkyl-amino.

4. Forbindelse eller en form derav for anvendelse ved behandling eller forbedring av
Huntingtons sykdom ifølge krav 1, hvor forbindelsen er valgt fra gruppen bestående
av:

6-(naftalen-2-yl)-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amin
6-(benzo[b]tiofen-2-yl)-N-metyl-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-
3-amin
2-(6-(2,2,6,6-tetrametylpiiperidin-4-yl-amino)-pyridazin-3-yl)fenol
2-(6-(metyl-(2,2,6,6-tetrametylpiiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-
tiofen-5-karbonitril
6-(kinolin-3-yl)-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amin
3-(benzo[b]-tiofen-2-yl)-6-(2,2,6,6-tetrametylpiiperidin-4-yl-oksy)pyridazin
2-(6-(metyl-(2,2,6,6-tetrametylpiiperidin-4-yl)amino)-pyridazin-3-yl)fenol
6-(6-(metyl-(2,2,6,6-tetrametylpiiperidin-4-yl)amino)-pyridazin-3-yl)naftalen-
2-ol
6-(benzo[b]-tiofen-2-yl)-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amin
7-(6-((2,2,6,6-tetrametylpiiperidin-4-yl)oksy)pyridazin-3-yl)isokinolin
6-(6-((2,2,6,6-tetrametylpiiperidin-4-yl)oksy)pyridazin-3-yl)isokinolin
N-metyl-6-(kinolin-7-yl)-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amin
N-metyl-6-(kinolin-6-yl)-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amin
6-(isokinolin-7-yl)-N-metyl-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-
amin
6-(isokinolin-6-yl)-N-metyl-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-
amin
6-(imidazo[1,2-a]pyridin-6-yl)-N-metyl-N-(2,2,6,6-tetrametylpiiperidin-4-
yl)pyridazin-3-amin

- metyl-(6-kinoksalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetrametylpiperidin-4-yl)-amin
- metyl-(6-kinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetrametylpiperidin-4-yl)-amin
- N-metyl-6-(ftalazin-6-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 5 6-(benzo[c][1,2,5]oksa-diazol-5-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 6-(benzo[d]tiazol-5-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 6-(2-metylbenzo-[d]oksazol-6-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 10 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 5-klor-2-(6-(metyl(1,2,2,6,6-pentametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 3-(6-(2,2,6,6-tetrametylpiperidin-4-yl-amino)pyridazin-3-yl)naftalen-2-ol
- 15 5-klor-2-(6-(1,2,2,6,6-pentametylpiperidin-4-ylamino)pyridazin-3-yl)fenol
- 4-hidroksy-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitril
- 3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)naftalen-2-ol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluormetyl)fenol
- 20 2-fluor-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)fenol
- 3,5-dimetoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 25 4,5-dimetoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 4,5-difluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 30 5-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 3-hidroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitril
- 1-allyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 35 6-(benzo[b]tiofen-2-yl)-N-(1,2,2,6,6-pentametylpiperidin-4-yl)pyridazin-3-amin

- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 5-(5-metyl-oksazol-2-yl)-2-(6-(metyl-(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)fenol
- 5 5-(4-(hydroksymetyl)-1H-pyrazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(1H-imidazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(4-amino-1H-pyrazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 10 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 5-(3-amino-1H-pyrazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 15 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morfolino-etyl)-1H-pyrazol-4-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol
- 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(metyl-(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 20 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)fenol
- 2-((6-((2-hydroksy-etyl)-(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)fenol
- 25 2-(6-(piperidin-4-yloksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(((2S,4R,6R)-2,6-dimetylpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-((-2,6-dimetylpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oksy)pyridazin-3-yl)fenol
- 30 2-(6-(((2S,4S)-2-metylpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-((3-fluorpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(1,2,2,6,6-pentametyl-piperidin-4-yl-oksy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 35 5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetrametylpiperidin-4-yl-oksy)-pyridazin-3-yl)fenol

- 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenol
- 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naftalen-2-ol
- 5 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(3,5-dimetylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(4-(2-hidroksyetyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(3-(hidroksymetyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 10 2-(6-(4-amino-4-metylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(3-(dimetylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(1,2,2,6,6-pentametylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-fenol
- 2-(6-(3,3-dimetylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 15 3-(6-(piperazin-1-yl)pyridazin-3-yl)naftalen-2,7-diol
- 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)fenol
- 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-fenol
- 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2-ol
- 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-diol
- 20 3-(6-(2,2,6,6-tetrametyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-diol
- 3-(6-(1-metyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-diol
- 3-(6-(piperidin-4-yl)pyridazin-3-yl)naftalen-2,7-diol
- 3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)naftalen-2,7-diol
- 25 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2,7-diol
- 3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2,7-diol
- tert-butyl (3-((7-hidroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-yl)oksy)propyl)karbamat
- 30 7-(3-amino-propoksy)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)naftalen-2-ol
- N-(3-((7-hidroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-yl)oksy)propyl)acetamid
- 7-(3-hidroksypropoksy)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 35 7-(3-metoksypropoksy)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol

- 7-(2-morfolinoetoksy)-3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)naftalen-2-ol
- 3-(6-(piperidin-4-ylmetyl)pyridazin-3-yl)naftalen-2-ol
- 5 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)metyl)pyridazin-3-yl)fenol
- 3-metoksy-2-(6-(metyl(2,2,6-trimetylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-metyloksazol-2-yl)fenol
- 2-(6-((6S)-6-((S)-1-hidroksyetyl)-2,2-dimetylpiperidin-4-yloksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 10 7-hidroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naftonitril
- 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmetyl)naftalen-2-ol
- 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmetyl)naftalen-2-ol
- 15 1-brom-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2,7-diol
- 1-klor-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2,7-diol
- 20 7-metoksy-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 7-metoksy-3-(6-(metyl(1,2,2,6,6-pentametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 25 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naftalen-2-ol
- 7-(difluormetyl)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 30 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzen-1,3-diol
- 3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluormetoksy)fenol
- 35 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)-3-(trifluormetoksy)fenol

- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluormetoksy)fenol
- 4-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluormetoksy)fenyl)-1-metylpyridin-2(1H)-on
- 5 3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol
- 3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)fenol
- 3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridin-3-yl)fenol
- 10 5-(1-cyklopentyl-1H-pyrazol-4-yl)-3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 3',5-dimetoksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-bifenyl)-3-ol
- 15 3-(benzyloksy)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-metyloksazol-2-yl)fenol
- 3-etoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-metyloksazol-2-yl)fenol
- 3-(cyklopropylmetoksy)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-metyloksazol-2-yl)fenol
- 20 5-klor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 3-hydroksy-4-(6-((2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitril
- 25 2-(6-((2,2-dimetylpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)fenol
- 30 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)fenol
- 4-(1H-indol-2-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 35 4-(cyklopent-1-en-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol

- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)fenol
- 4-(4-hidroksy-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2-ol
- 5 4-(4-hidroksy-3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
- 4-(4-hidroksy-3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenyl)pyridin-2-ol
- 10 5-(1H-indazol-7-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 4-klor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 4-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 15 5-fluor-4-(1H-imidazol-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)fenol
- 5-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)fenol
- 20 4-hidroksy-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-metyl-1H-pyrazol-4-yl)metyl)benzamid
- 4-(4-(hidroksymetyl)-1H-pyrazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 25 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)metyl)pyridazin-3-yl)fenol
- 6-(3-(benzyloksy)isokinolin-6-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 6-(1-(benzyloksy)isokinolin-7-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 30 3-fluor-5-(2-metoksypyridin-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 4-(3-fluor-5-hidroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2(1H)-on
- 35 4-(3-fluor-5-hidroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on

- 5-(3-fluor-5-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
3-fluor-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenol
- 5 5-klor-3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-
- 10 (1-metyl-1H-pyrazol-4-yl)fenol
5-(5-metoksypyridin-3-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
5-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2-ol
- 15 4-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2-ol
5-(6-metoksypyridin-3-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
5-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-
- 20 yl)fenyl)-1-metylpyridin-2(1H)-on
4-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
5-(2-metoksypyridin-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 25 4-(3-hydroksy-4-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenyl)pyridin-2-ol
5-(6-(dimetylamino)pyridin-3-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
4-(3-hydroksy-4-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-
- 30 yl)fenyl)-1-metylpyridin-2(1H)-on
2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)fenol
5-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-3-ol
- 35 1-cyklopropyl-4-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2(1H)-on

- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)fenol
- 5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5 5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-metylpiperidin-4-yl)fenol
- 10 5-(1H-imidazol-2-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(1H-imidazol-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 15 5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-metyl-1H-imidazol-2-yl)fenol
- 20 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-imidazol-4-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-imidazol-5-yl)fenol
- 25 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-metyl-1H-imidazol-4-yl)fenol
- 5-(1,2-dimetyl-1H-imidazol-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 30 1-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1H-pyrazol-4-karboksamid
- 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}fenol
- 35 5-(1-metyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol

- 5-(5-metyl-1H-pyrazol-4-yl)-2-{6-[metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}fenol
- 5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
- 5 5-(5-metyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
- 2-{6-[metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)fenol
- 5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
- 10 2-[6-(1-metyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
- 15 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]fenol
- 2-[6-(1-etyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 2-{6-[metyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenol
- 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 20 2-[6-(piperidin-4-yloksy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 2-{6-[(2,6-dimetylpiperidin-4-yl)oksy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenol
- 3-[4-(1-metyl-1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
- 3-fluor-4-{6-[metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}fenol
- 25 2-{6-[(2,6-dimetylpiperidin-4-yl)oksy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)fenol
- N-metyl-6-(2-metyl-2H-indazol-5-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 2-metyl-5-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}-2H-indazol
- 30 N-metyl-6-(2-metylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 6-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}imidazo[1,2-a]pyridin
- 35 3-[5-(1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin

3-[5-(1-metyl-1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin

3-[4-(1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin

5 5-(3,5-dimetyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol

3-metoksy-4-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol

4-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}benzen-1,3-diol og

10 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}pyrimidin-5-amin;

hvor en form av forbindelsen er valgt fra gruppen bestående av en salt-, isotopolog-, racemat-, stereoisomer- og tautomerform derav.

15 5. Forbindelse eller en form derav for anvendelse ved behandling eller forbedring av Huntingtons sykdom ifølge krav 4, hvor forbindelsen er et forbindelsessalt valgt fra gruppen bestående av:

2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluormetyl)fenolhydroklorid

20 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)fenolhydroklorid

3-(6-(piperazin-1-yl)pyridazin-3-yl)naftalen-2,7-dioltrifluoracetat

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-dioltrifluoracetat

25 3-(6-(1-metyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-dioltrifluoracetat

3-(6-(piperidin-4-yl)pyridazin-3-yl)naftalen-2,7-dioltrifluoracetat

3-fluor-5-(2-metoksy-pyridin-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenolhydroklorid

30 4-(3-fluor-5-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2(1H)-onhydroklorid

4-(3-fluor-5-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-onhydroklorid

5-(3-fluor-5-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-onhydroklorid

35 3-fluor-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenolhydroklorid

- 5-klor-3-fluor-2-(6-(metyl(2,2,6,6-tetrametyl)piperidin-4-yl)amino)pyridazin-3-yl)fenolhydroklorid
- 3-fluor-2-(6-(metyl(2,2,6,6-tetrametyl)piperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenolhydroklorid
- 5 3-fluor-2-(6-(metyl(2,2,6,6-tetrametyl)piperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenolhydroklorid
- 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametyl)piperidin-4-yl)amino]pyridazin-3-yl}fenolhydroklorid
- 2-{6-[metyl(2,2,6,6-tetrametyl)piperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)fenoldihydroklorid
- 10 2-[6-(1-metyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenoltrihydroklorid
- 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]fenoltrihydroklorid
- 15 2-[6-(1-etyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenoltrihydroklorid
- 2-{6-[metyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenol tetrahydroklorid
- 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol tetrahydroklorid
- 20 2-{6-[(2,6-dimetyl)piperidin-4-yl)oksy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenoltrihydroklorid
- 3-[5-(1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametyl)piperidin-4-yl)oksy]pyridazinhydroklorid og
- 25 3-[4-(1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametyl)piperidin-4-yl)oksy]pyridazinhydroklorid;

hvor en form av forbindelsessaltet er valgt fra gruppen bestående av en isotopolog-, racemat-, stereoisomer og tautomerform derav.

- 30 6. Forbindelse eller form derav for anvendelse ved behandling eller forbedring av Huntingtons sykdom ifølge et hvilket som helst av kravene 1-5 eller 8-11, hvor den effektive mengden av forbindelsen er i intervallet fra 0,001 mg/kg/dag til 500 mg/kg/dag.
- 35 7. Forbindelse eller form derav for anvendelse ved behandling eller forbedring av Huntingtons sykdom ifølge et hvilket som helst av kravene 1-6 eller 8-11, hvor sammensetningen er blandet med ett eller flere farmasøytisk akseptable

hjelpestoff(er) i en farmasøytisk sammensetning.

8. Forbindelse, eller form derav, for anvendelse ved behandling eller forbedring av Huntingtons sykdom (HD) hos et individ med behov derav, hvor forbindelsen, eller
5 formen derav, er valgt fra gruppen bestående av

6-(naftalen-2-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

6-(benzo[b]tiofen-2-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

2-(6-(2,2,6,6-tetrametylpiperidin-4-yl-amino)-pyridazin-3-yl)fenol

10 2-(6-(metyl-(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-tiofen-5-karbonitril

6-(kinolin-3-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

3-(benzo[b]-tiofen-2-yl)-6-(2,2,6,6-tetrametylpiperidin-4-yl-oksy)pyridazin

2-(6-(metyl-(2,2,6,6-tetrametylpiperidin-4-yl)amino)-pyridazin-3-yl)fenol

15 6-(6-(metyl-(2,2,6,6-tetrametylpiperidin-4-yl)amino)-pyridazin-3-yl)naftalen-2-ol

6-(benzo[b]-tiofen-2-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

7-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)isokinolin

6-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)isokinolin

20 N-metyl-6-(kinolin-7-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

N-metyl-6-(kinolin-6-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

6-(isokinolin-7-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

25 6-(isokinolin-6-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

6-(imidazo[1,2-a]pyridin-6-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

N-metyl-6-(6-fenylpyridin-3-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

30 6-(6-(1H-pyrrol-1-yl)pyridin-3-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

6-(6-(1H-pyrazol-1-yl)pyridin-3-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

35 metyl-(6-kinoksalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetrametylpiperidin-4-yl)-amin

metyl-(6-kinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetrametylpiperidin-4-yl)-amin

N-metyl-6-(ftalazin-6-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

- 6-(benzo[c][1,2,5]oksa-diazol-5-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 6-(benzo[d]tiazol-5-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 6-(2-metylbenzo-[d]oksazol-6-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 5-klor-2-(6-(metyl(1,2,2,6,6-pentametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 3-(6-(2,2,6,6-tetrametylpiperidin-4-yl-amino)pyridazin-3-yl)naftalen-2-ol
- 5-klor-2-(6-(1,2,2,6,6-pentametylpiperidin-4-ylamino)pyridazin-3-yl)fenol
- 4-hidroksy-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitril
- 3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)naftalen-2-ol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluormetyl)fenol
- 2-fluor-6-(6-(metyl-(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)fenol
- 3,5-dimetoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 4,5-dimetoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 4,5-difluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 3-hidroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitril
- 1-allyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 6-(benzo[b]tiofen-2-yl)-N-(1,2,2,6,6-pentametylpiperidin-4-yl)pyridazin-3-amin
- N-allyl-3-hidroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzamid
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol

- 5-(5-metyl-oksazol-2-yl)-2-(6-(metyl-(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)fenol
- 5-(4-(hydroksymetyl)-1H-pyrazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(1H-imidazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(4-amino-1H-pyrazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 5-(3-amino-1H-pyrazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morfolino-etyl)-1H-pyrazol-4-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol
- 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(metyl-(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)fenol
- 2-((6-((2-hydroksy-etyl)-(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)fenol
- 2-(6-(piperidin-4-yloksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(((2S,4R,6R)-2,6-dimetylpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-((-2,6-dimetylpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oksy)pyridazin-3-yl)fenol
- 2-(6-(((2S,4S)-2-metylpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- (5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmetoksy)pyridazin-3-yl)fenol
- 2-(6-((3-fluorpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(1,2,2,6,6-pentametyl-piperidin-4-yl-oksy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetrametylpiperidin-4-yl-oksy)-pyridazin-3-yl)fenol
- 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenol

- 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naftalen-2-ol
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(3,5-dimetylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 5 2-(6-(7-metyl-2,7-diazaspiro[4,4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(4-(2-hidroksyetyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(3,6-diazabicyklo[3,2,1]oktan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 10 2-(6-(2,7-diazaspiro[3,5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(3-(hidroksymetyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(1,7-diazaspiro[4,4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(4-amino-4-metylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 15 2-(6-(3-(dimetylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(1,2,2,6,6-pentametylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-fenol
 2-(6-(3,3-dimetylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 2-(6-(7-(2-hidroksyetyl)-2,7-diazaspiro[4,4]-nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 20 2-(6-((3aR,6aS)-heksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naftalen-2,7-diol
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)fenol
 25 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-fenol
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2-ol
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-diol
 3-(6-(2,2,6,6-tetrametyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-diol
 30 3-(6-(1-metyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-diol
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naftalen-2,7-diol
 3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)naftalen-2,7-diol
 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2,7-diol
 35 3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2,7-diol
 tert-butyl (3-((7-hidroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-yl)oksy)propyl)karbamat

- 7-(3-amino-propoksy)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)naftalen-2-ol
- N-(3-((7-hidroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-yl)oksy)propyl)acetamid
- 5 7-(3-hidroksypropoksy)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 7-(3-metoksypropoksy)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 7-(2-morfolinoetoksy)-3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)naftalen-2-ol
- 10 3-(6-(piperidin-4-ylmetyl)pyridazin-3-yl)naftalen-2-ol
- 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)metyl)pyridazin-3-yl)fenol
- 3-metoksy-2-(6-(metyl(2,2,6-trimetylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-metyloksazol-2-yl)fenol
- 15 2-(6-((6S)-6-((S)-1-hidroksyetyl)-2,2-dimetylpiperidin-4-yloksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 7-hidroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naftonitril
- 20 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmetyl)naftalen-2-ol
- 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmetyl)naftalen-2-ol
- 1-brom-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2,7-diol
- 25 1-klor-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2,7-diol
- 7-metoksy-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 30 7-metoksy-3-(6-(metyl(1,2,2,6,6-pentametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naftalen-2-ol
- 35 7-(difluormetyl)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol

- 7-((4-hydroksy-2-metylbutan-2-yl)oksy)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 7-(3-hydroksy-3-metylbutoksy)-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)naftalen-2-ol
- 5 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzen-1,3-diol
- 3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluormetoksy)fenol
- 10 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)-3-(trifluormetoksy)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluormetoksy)fenol
- 15 4-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluormetoksy)fenyl)-1-metylpyridin-2(1H)-on
- 3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol
- 3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)fenol
- 20 3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridin-3-yl)fenol
- 5-(1-cyklopentyl-1H-pyrazol-4-yl)-3-metoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 25 3',5-dimetoksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-bifenyl)-3-ol
- 3-(benzyloksy)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-metyloksazol-2-yl)fenol
- 3-etoksy-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-metyloksazol-2-yl)fenol
- 30 3-(cyklopropylmetoksy)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-metyloksazol-2-yl)fenol
- 2-metyl-5-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzo[d]imidazol-6-ol
- 35 5-klor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol

- 3-hydroksy-4-(6-((2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitril
- 2-(6-((2,2-dimetylpiperidin-4-yl)oksy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)fenol
- 4-(1H-indol-2-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 4-(cyklopent-1-en-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)fenol
- 4-(4-hydroksy-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2-ol
- 4-(4-hydroksy-3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
- 4-(4-hydroksy-3-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenyl)pyridin-2-ol
- 5-(1H-indazol-7-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 4-klor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 4-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 5-fluor-4-(1H-imidazol-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)fenol
- 5-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)fenol
- 6-hydroksy-5-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-on
- 6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-1,4-dihydroindeno[1,2-c]-1H-pyrazol-7-ol

- 6-hidroksy-5-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihidro-1H-inden-1-onoksim
- 5-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihidro-1H-inden-1,6-diol
- 5 2-amino-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]tiazol-5-ol
- 9-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihidroimidazo[5,1-a]isokinolin-8-ol
- 4-hidroksy-3-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-metyl-1H-pyrazol-4-yl)metyl)benzamid
- 10 4-(4-(hidroksymetyl)-1H-pyrazol-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)metyl)pyridazin-3-yl)fenol
- 15 6-(3-(benzyloksy)isokinolin-6-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 6-(1-(benzyloksy)isokinolin-7-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 3-fluor-5-(2-metoksypyridin-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 20 4-(3-fluor-5-hidroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2(1H)-on
- 4-(3-fluor-5-hidroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
- 25 5-(3-fluor-5-hidroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
- 3-fluor-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenol
- 5-klor-3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 30 3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol
- 35 5-(5-metoksypyridin-3-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol

- 5-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2-ol
- 4-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2-ol
- 5 5-(6-metoksypyridin-3-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-3-(trifluormetyl)pyridin-2-ol
- 5-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
- 10 4-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
- 5-(2-metoksypyridin-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 15 4-(3-hydroksy-4-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenyl)pyridin-2-ol
- 5-(6-(dimetylamino)pyridin-3-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 4-(3-hydroksy-4-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenyl)-1-metylpyridin-2(1H)-on
- 20 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)fenol
- 5-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-3-ol
- 25 1-cyklopropyl-4-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2(1H)-on
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)fenol
- 5-(cyklopent-1-en-1-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 30 5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 35 5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol

- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-metylpiperidin-4-yl)fenol
- 5-(1H-imidazol-2-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(1H-imidazol-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-metyl-1H-imidazol-2-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-imidazol-4-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-imidazol-5-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)fenol
- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-metyl-1H-imidazol-4-yl)fenol
- 5-(1,2-dimetyl-1H-imidazol-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenol
- 1-(3-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1H-pyrazol-4-karboksamid
- 2-(6-((3aR,6aS)-5-(2-hidroksyetyl)heksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 2-(6-((3aR,6aS)-heksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 2-(6-((3aR,6aS)-5-metylheksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 4-(3-hidroksy-4-(6-(5-metylheksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)fenyl)-1-metylpiperidin-2(1H)-on
- 4-(3-hidroksy-4-(6-((3aR,6aR)-1-metylheksahidropyrrolo[3,4-b]pyrrol-5(1H)-yl)pyridazin-3-yl)fenyl)-1-metylpiperidin-2(1H)-on
- 2-(6-(2,7-diazaspiro[4,5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenol
- 4-(4-(6-(2,7-diazaspiro[4,5]decan-2-yl)pyridazin-3-yl)-3-hidroksyfenyl)-1-metylpiperidin-2(1H)-on

- 2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)-amino)-pyridazin-3-yl)fenol
 6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
 6-(6-(metyl(1,2,2,6,6-pentametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
 5 6-(6-((3aR,6aS)-5-metylheksahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)kinolin-7-ol
 2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
 7-(6-(metyl(1,2,2,6,6-pentametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
 10 7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
 7-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)isokinolin-6-ol
 7-(6-((3aR,6aS)-5-metylheksahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)isokinolin-6-ol
 15 1-cyklopropyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
 7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-1,6-diol
 20 6-hydroksy-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-1-karbonitril
 6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-7-ol
 8-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
 25 6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
 2-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
 3-klor-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
 30 3-brom-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
 7-hydroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-3-karbonitril
 6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(1-metyl-1H-imidazol-4-yl)kinolin-7-ol
 35 3-(1H-imidazol-1-yl)-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol

- 6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-3,7-diol
- 3-etyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
- 5 3-isopropyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
- 7-hidroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-2(1H)-on
- 7-hidroksy-1-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-2(1H)-on
- 10 4-metoksy-2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
- 2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(pyrrolidin-1-yl)kinolin-7-ol
- 15 2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-morfolinokinolin-7-ol
- 4-(dimetilamino)-2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
- 4-etoksy-2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
- 20 2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1-metyl-1H-pyrazol-4-yl)kinolin-7-ol
- 4-metoksy-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
- 25 7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinoksalin-6-ol
- 6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(tetrahydro-2H-pyran-4-yl)kinolin-7-ol
- 3-klor-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
- 30 3-brom-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
- 3-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
- 35 5-brom-3-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol

- 6-hydroksy-1-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-4(1H)-on
2,3-dimetyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
5 2-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinoksalin-6-ol
3-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinoksalin-6-ol
4-metoksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
10 4-(azetidin-1-yl)-2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
7-hydroksy-2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolon-4-karbonitril
15 4-cyklopropyl-2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-kinolin-7-ol
4-(3,6-dihydro-2H-pyran-4-yl)-2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)kinolin-7-ol
20 2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(oxetan-3-yl)kinolin-7-ol
4-(dimetylamino)-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-kinolin-7-ol
25 7-hydroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinazolin-4(1H)-on
6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinazolin-7-ol
7-hydroksy-1-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-3,4-dihydrokinolin-2(1H)-on
30 2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinazolin-7-ol
7-hydroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-1-karbonitril
35 7-hydroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-2-karbonitril

- 6-hydroksy-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-2-karbonitril
- 6-hydroksy-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-1-karboksamid
- 5 7-hydroksy-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-2-karboksamid
- 6-hydroksy-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-2-karboksamid
- metyl 6-hydroksy-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-2-karboksylat
- 10 6-hydroksy-7-(6-(piperazin-1-yl)pyridazin-3-yl)kinolin-2-karbonitril
- 7-hydroksy-6-(6-(piperazin-1-yl)pyridazin-3-yl)kinolin-2-karbonitril
- 7-(6-(piperazin-1-yl)pyridazin-3-yl)isokinolin-6-ol
- 7-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)kinolin-6-ol
- 15 1-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-7-ol
- 1-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
- 1,3-dimetyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
- 20 7-hydroksy-3-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-1-karbonitril
- 1-amino-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
- 25 7-hydroksy-1,3-dimetyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinazolin-2,4(1H,3H)-dion
- 6-hydroksy-5-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[d]oksazol-2(3H)-on
- 2-metyl-5-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-2H-indazol-6-ol
- 30 1-metyl-5-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-indazol-6-ol
- 6-hydroksy-2-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-1(2H)-on
- 35 2-etyl-6-hydroksy-7-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)isokinolin-1(2H)-on

- 1-etoksy-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
- 7-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)isokinolin-1,6-diol
- 7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-pyridazin-3-yl)-3-fenylisokinolin-6-ol
- 3-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
- 3-cyklopropyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
- 3-isopropyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-6-ol
- 3-propyl-7-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)-pyridazin-3-yl)isokinolin-6-ol
- 3-isopropyl-7-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)-pyridazin-3-yl)isokinolin-6-ol
- 3-metyl-7-(6-(piperazin-1-yl)pyridazin-3-yl)isokinolin-6-ol
- 6-(3-(benzyloksy)isokinolin-6-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 3-klor-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
- 3-isopropyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
- 3-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinoksalin-6-ol
- 4-klor-2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-ol
- 4-klor-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
- 7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-ol
- 5-(2-metoksy-4-(1H-pyrazol-1-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 6-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)naftalen-2-ol
- 5-(2-metoksykinolin-3-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(3-metoksy-naftalen-2-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin

- 5-(2-metoksy-4-(1H-pyrazol-1-yl)fenyl)-N-(1,2,2,6,6-pentametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(2-metoksy-4-(1-metyl-1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(2-metoksy-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 4-(3-metoksy-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)fenyl)-1-metylpyridin-2(1H)-on
- 5-(3-metoksy-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)fenyl)pyridin-2-ol
- 5-(3-metoksy-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)fenyl)-1-metylpyridin-2(1H)-on
- N-metyl-5-(2-metyl-4-(1-metyl-1H-pyrazol-4-yl)fenyl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 1-metyl-4-(4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-3-(trifluormetoksy)fenyl)pyridin-2(1H)-on
- 5-(4-(3,5-dimetyl-1H-pyrazol-4-yl)-2-metoksyfenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- N-metyl-5-(4-(1-metyl-1H-pyrazol-4-yl)-2-(trifluormetyl)fenyl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol
- 2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-1-yl)fenol
- 5-(3-hidroksy-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)fenyl)-1-metylpyridin-2(1H)-on
- 4-(3-hidroksy-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)fenyl)-1-metylpyridin-2(1H)-on
- 5-(3-hidroksy-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)fenyl)pyridin-2-ol
- 3-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)naftalen-2,7-diol
- 3-(5-((3aR,6aS)-heksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol-2-yl)naftalen-2,7-diol
- 3-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)naftalen-2-ol

- 3-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)kinolin-2-ol
- 2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-4-(1H-pyrazol-1-yl)fenol
- 5 5-(2-klor-4-(1-metyl-1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 3-klor-2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol
- 10 5-(2-klor-4-(1-metyl-1H-pyrazol-4-yl)fenyl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 3-metoksy-2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-metyloksazol-2-yl)fenol
- 2-(2-metoksy-4-(1H-pyrazol-1-yl)fenyl)-5-(1,2,3,6-tetrahydropyridin-4-yl)-1,3,4-tiadiazol
- 15 2-(5-(piperazin-1-yl)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-1-yl)fenol
- 5-(7-metoksykinolin-6-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 6-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)kinolin-7-ol
- 20 3-metoksy-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)benzonitril
- 3-fluor-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)benzonitril
- metyl-3-fluor-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)benzoat
- 25 5-(2-metoksy-4-(3-(metylamino)-1H-pyrazol-1-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 7-metoksy-6-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)kinolin-2-karbonitril
- 30 4-(3-metoksy-4-(5-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)-1,3,4-tiadiazol-2-yl)fenyl)-1-metylpyridin-2(1H)-on
- 4-(3-klor-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)fenyl)-1-metylpyridin-2(1H)-on
- 5-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 35 5-(2-klor-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin

- N-metyl-5-(5-(1-metyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
2-(2-klor-4-(1-metyl-1H-pyrazol-4-yl)fenyl)-5-((2,2,6,6-tetrametylpiperidin-4-yl)oksy-1,3,4-tiadiazol
- 5 5-(2-klor-4-(6-metoksypyridin-3-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
5-(4-(6-aminopyridin-3-yl)-2-fluorfenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
5-(2-fluor-4-(3-metyl-1H-pyrazol-5-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 10 5-(2-fluor-4-(1H-pyrazol-5-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
5-(2,3-difluor-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 15 5-(2,3-difluor-4-(1H-pyrazol-5-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
5-(2,5-difluor-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
5-(2,5-difluor-4-(1H-pyrazol-5-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 20 5-(2,6-difluor-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
2-(2,5-difluor-4-(1H-pyrazol-4-yl)fenyl)-5-((3aR,6aS)-heksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol
- 25 5-(2-klor-5-fluor-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
5-(3-fluor-5-(1H-pyrazol-4-yl)pyridin-2-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
5-(4-(2-aminopyrimidin-4-yl)-2-klorfenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 30 5-(5-(2-aminopyrimidin-4-yl)-2-klorfenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
5-(4-(2,4-dimetyltiazol-5-yl)-2,5-difluorfenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 35 5-(4-(2,4-dimetyltiazol-5-yl)-2,3-difluorfenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin

- 4-(3-hidroksy-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(trifluormetoksy)fenyl)-1-metylpyridin-2(1H)-on
- 5-(2-fluor-6-metoksy-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5 2-(2-fluor-6-metoksy-4-(1H-pyrazol-4-yl)fenyl)-5-((3aR,6aS)-5-metylheksahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol
- 5-(2,3-difluor-6-metoksy-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 6-metoksy-2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-3,4-dihydroisokinolin-1-(2H)-on
- 10 5-(2-klor-4-(1H-pyrazol-1-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(2-klor-4-(1H-1,2,3-triazol-1-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 15 5-(2-klor-4-(2H-1,2,3-triazol-2-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(2-klor-4-(1H-1,2,4-triazol-1-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(4-(3-amino-1H-pyrazol-1-yl)-2-klorfenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 20 2-(2-klor-4-(1H-imidazol-1-yl)fenyl)-5-((3aR,6aS)-5-metylheksahydropyrrolo[3,4c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol
- 5-(2-klor-4-(1H-imidazol-1-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 25 5-(2-fluor-4-(1H-imidazol-1-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(2-metoksy-4-(1H-pyrazol-5-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(4-(2,4-dimetyltiazol-5-yl)-2-metoksyfenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 30 5-(2-metoksy-4-(pyridin-3-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 5-(2-fluor-4-(1H-pyrazol-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 35 5-(2-metoksy-4-(2-metoksypyridin-4-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin

- 5-(2-metoksy-4-(6-metoksypyridin-3-yl)fenyl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin
- 2-(2-klor-4-(1-metyl-1H-pyrazol-4-yl)fenyl)-5-((3aR,6aS)-5-metylheksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol
- 5 2-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-5-((3aR,6aS)-5-metylheksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol
- 2-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-5-((3aR,6aR)-1-metylheksahidropyrrolo[3,4-b]pyrrol-5(1H)-yl)-1,3,4-tiadiazol
- (R)-1-(4-(5-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-1,3,4-tiadiazol-2-yl)morfolin-2-yl)-N,N-dimetylmetanamin
- 10 2-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-5-(2-metyl-2,7-diazaspiro[4,5]decan-7-yl)-1,3,4-tiadiazol
- 2-(2-fluor-4-(1H-pyrazol-4-yl)fenyl)-5-((3aR,6aS)-5-metylheksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol
- 15 2-(2-metoksy-4-(1-metyl-1H-pyrazol-4-yl)fenyl)-5-(2,6-diazaspiro[3,5]nonan-2-yl)-1,3,4-tiadiazol
- 2-(2-metoksy-4-(1-metyl-1H-pyrazol-4-yl)fenyl)-5-(2,7-diazaspiro[3,5]nonan-2-yl)-1,3,4-tiadiazol
- 2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-1-yl)fenol
- 20 5-(3-klor-4-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)fenyl)pyridin-2(1H)-on
- 2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(3-(metylamino)-1H-pyrazol-1-yl)fenol
- 25 3-fluor-2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-4-yl)fenol
- 3,4-difluor-2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-4-yl)fenol
- 6-hidroksy-5-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-2,3-dihidro-1H-inden-1-on
- 30 2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-4-yl)fenol
- 2-(5-(2,6-diazaspiro[3,5]nonan-2-yl)-1,3,4-tiadiazol-2-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol
- 35 2-(5-(2,7-diazaspiro[3,5]nonan-2-yl)-1,3,4-tiadiazol-2-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenol

3-fluor-2-(5-((3aR,6aS)-heksahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-4-yl)fenol

3-klor-2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-4-yl)fenol

5 2-(2-metoksy-4-(1H-pyrazol-1-yl)fenyl)-5-((2,2,6,6-tetrametylpiperidin-4-yl)metyl)-1,3,4-tiadiazol

2-(2,3-difluor-4-(1H-pyrazol-4-yl)fenyl)-5-(2,7-diazaspiro[3,5]nonan-2-yl)-1,3,4-tiadiazol

10 2-(5-(2,7-diazaspiro[3,5]nonan-2-yl)-1,3,4-tiadiazol-2-yl)-3-fluor-5-(1H-pyrazol-4-yl)fenol

4-metoksy-1-metyl-3-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)kinolin-2(1H)-on

4-hydroksy-1-metyl-3-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)kinolin-2(1H)-on

15 3-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)kinolin-2(1H)-on

1-metyl-3-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)kinolin-2(1H)-on

20 2-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-5-((3aR,6aS)-heksahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol

2-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-5-(2,7-diazaspiro[4,5]decan-2-yl)-1,3,4-tiadiazol

(R)-(4-(5-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-1,3,4-tiadiazol-2-yl)piperazin-2-yl)metanol

25 2-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)benzo[b]tiofen-5-karbonitril

5-(3-klorbenzo[b]tiofen-2-yl)-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin

30 2-{6-[(1R,5S)-8-azabicyklo[3,2,1]okt-3-yl(metyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenol

2-[6-((1R,5S)-8-azabicyklo[3,2,1]okt-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}fenol

35 5-(1-metyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol

- 2-[6-((1R,5S)-8-azabicyklo[3,2,1]okt-3-yloksy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 5-(5-metyl-1H-pyrazol-4-yl)-2-{6-[metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}fenol
- 5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
- 5-(5-metyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
- 2-{6-[metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)fenol
- 6-[2-metoksy-4-(4-nitro-1H-pyrazol-1-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
- 2-[6-(1-metyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
- 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]fenol
- 2-[6-(1-etyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 2-{6-[metyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenol
- 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 6-[2,5-difluor-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 2-[6-(8-azabicyklo[3,2,1]okt-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 6-[2,3-difluor-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
- 3-[2,5-difluor-4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
- 2-[6-(piperidin-4-yloksy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
- 2-{6-[(1R,5S)-8-azabicyklo[3,2,1]okt-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenol
- 6-[2-metoksy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin

3-[4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 2-{6-[(2,6-dimetylpiperidin-4-yl)oksy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenol
 3-[2-fluor-4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 5 3-[4-(1-metyl-1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 2-[6-(2,7-diazaspiro[3,5]ikke-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
 3-fluor-4-{6-[metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}fenol
 10 2-{6-[(2,6-dimetylpiperidin-4-yl)oksy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)fenol
 N-metyl-6-(2-metyl-2H-indazol-5-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
 2-metyl-5-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}-2H-indazol
 15 3-(4-klor-2-metoksyfenyl)-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 N-metyl-6-(2-metylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
 6-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}imidazo[1,2-a]pyridin
 20 3-[2-metoksy-4-(1H-pyrazol-1-yl)fenyl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 3-[5-(1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 25 3-[5-(1-metyl-1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 3-[4-(1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 5-(3,5-dimetyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
 30 6-[2-fluor-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amin
 3-metoksy-4-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}fenol
 3-[2-metoksy-4-(4-nitro-1H-pyrazol-1-yl)fenyl]-6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin
 35 4-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)oksy]pyridazin-3-yl}benzen-1,3-diol

- 6-[2-klor-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametyl piperidin-4-yl)pyridazin-3-amin
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetrametyl piperidin-4-yl)oksy]pyridazin-3-yl}pyrimidin-5-amin
 5 3-[2,6-difluor-4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametyl piperidin-4-yl)oksy]pyridazin
 2-[6-(2,6-diazaspiro[3,4]okt-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol
 3-{6-[metyl(2,2,6,6-tetrametyl piperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol
 10 6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetrametyl piperidin-4-yl)oksy]pyridazin-3-yl}pyridin-2-ol
 N,2,2,6,6-pentametyl-N-{5-[3-(1H-pyrazol-4-yl)fenoksy]-1,3,4-tiadiazol-2-yl}piperidin-4-amin
 N,2,2,6,6-pentametyl-N-{5-[4-(1H-pyrazol-4-yl)fenoksy]-1,3,4-tiadiazol-2-yl}piperidin-4-amin
 15 3-[2-(difluormetyl)-4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametyl piperidin-4-yl)oksy]pyridazin og
 6-[2-(difluormetyl)-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametyl piperidin-4-yl)pyridazin-3-amin;
 20 hvor en form av forbindelsen er valgt fra gruppen bestående av en salt-, racemat-, stereoisomer- og tautomerform derav.

9. Forbindelse eller en form derav for anvendelse ved behandling eller forbedring av Huntingtons sykdom ifølge krav 8, hvor forbindelsen er et forbindelsessalt valgt fra gruppen bestående av:

- 25 2-(6-(metyl(2,2,6,6-tetrametyl piperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluormetyl)fenolhydroklorid
 2-(6-(metyl(2,2,6,6-tetrametyl piperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)fenolhydroklorid
 30 2-(6-(piperazin-1-yl)pyridazin-3-yl)-5-1H-pyrazol-1-yl-fenolhydroklorid
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naftalen-2,7-dioltrifluoracetat
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-dioltrifluoracetat
 35 3-(6-(1-metyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naftalen-2,7-dioltrifluoracetat
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naftalen-2,7-dioltrifluoracetat

- 6-hydroksy-5-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-onoksimhydroklorid
- 2-amino-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]tiazol-5-olhydroklorid
- 5 9-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isokinolin-8-olhydroklorid
- 3-fluor-5-(2-metoksypyridin-4-yl)-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenolhydroklorid
- 4-(3-fluor-5-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)pyridin-2(1H)-onhydroklorid
- 10 4-(3-fluor-5-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpypidin-2(1H)-onhydroklorid
- 5-(3-fluor-5-hydroksy-4-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenyl)-1-metylpypidin-2(1H)-onhydroklorid
- 15 3-fluor-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetrametylpiperidin-4-yl)oksy)pyridazin-3-yl)fenolhydroklorid
- 5-klor-3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)fenolhydroklorid
- 3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)fenolhydroklorid
- 20 3-fluor-2-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-metyl-1H-pyrazol-4-yl)fenolhydroklorid
- 3-(1H-imidazol-1-yl)-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-7-olhydroklorid
- 25 6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-3,7-diolformiat
- 7-hydroksy-1-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-2(1H)-onhydroklorid
- 4-metoksy-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinolin-6-olformiat
- 30 7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)kinoksalin-6-olhydroklorid
- 2-metyl-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)kinolin-7-olformiat
- 35 4-(dimetylamino)-6-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)-kinolin-7-olformiat

6-hydroksy-2-metyl-7-(6-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)pyridazin-3-yl)isokinolin-1(2H)-onhydroklorid

3-(5-(metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino)-1,3,4-tiadiazol-2-yl)naftalen-2-olhydrobromid

5 N-metyl-5-(5-(1-metyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetrametylpiperidin-4-yl)-1,3,4-tiadiazol-2-amin-hydroklorid

3-fluor-2-(5-((3aR,6aS)-heksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazol-2-yl)-5-(1H-pyrazol-4-yl)fenoldihydroklorid

10 2-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-5-((3aR,6aS)-heksahidropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-tiadiazolhydroklorid

2-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-5-(2,7-diazaspiro[4,5]decan-2-yl)-1,3,4-tiadiazolhydroklorid

(R)-(4-(5-(2-klor-4-(1H-pyrazol-4-yl)fenyl)-1,3,4-tiadiazol-2-yl)piperazin-2-yl)metanolhydroklorid

15 2-{6-[(1R,5S)-8-azabicyklo[3,2,1]okt-3-yl(metyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenolhydroklorid

2-[6-((1R,5S)-8-azabicyklo[3,2,1]okt-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenolhydroklorid

20 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}fenolhydroklorid

2-[6-((1R,5S)-8-azabicyklo[3,2,1]okt-3-yloksy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenolhydroklorid

2-{6-[metyl(2,2,6,6-tetrametylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)fenoldihydroklorid

25 2-[6-(1-metyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenoltrihydroklorid

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]fenoltrihydroklorid

30 2-[6-(1-etyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenoltrihydroklorid

2-{6-[metyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenol tetrahydroklorid

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol tetrahydroklorid

35 6-[2,5-difluor-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametylpiperidin-4-yl)pyridazin-3-amintetrahydroklorid

- 2-[6-(8-azabicyklo[3,2,1]okt-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenolhydroklorid
- 6-[2,3-difluor-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amin-hydroklorid
- 5 3-[2,5-difluor-4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametylpiiperidin-4-yl)oksy]pyridazintrihydroklorid
- 2-{6-[(1R,5S)-8-azabicyklo[3,2,1]okt-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenolhydroklorid
- 6-[2-metoksy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-metyl-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amin-hydroklorid
- 10 2-{6-[(2,6-dimetylpiiperidin-4-yl)oksy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)fenoltrihydroklorid
- 3-[2-fluor-4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametylpiiperidin-4-yl)oksy]pyridazinhydroklorid
- 15 2-[6-(2,7-diazaspiro[3,5]ikke-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)fenol tetrahydroklorid
- 3-[5-(1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiiperidin-4-yl)oksy]pyridazinhydroklorid
- 3-[4-(1H-pyrazol-4-yl)tiofen-2-yl]-6-[(2,2,6,6-tetrametylpiiperidin-4-yl)oksy]pyridazinhydroklorid
- 20 6-[2-klor-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amintrihydroklorid
- 3-[2,6-difluor-4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametylpiiperidin-4-yl)oksy]pyridazintrihydroklorid
- 25 3-{6-[metyl(2,2,6,6-tetrametylpiiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-olhydroklorid
- N,2,2,6,6-pentametyl-N-{5-[3-(1H-pyrazol-4-yl)fenoksy]-1,3,4-tiadiazol-2-yl}piiperidin-4-amin-hydroklorid
- N,2,2,6,6-pentametyl-N-{5-[4-(1H-pyrazol-4-yl)fenoksy]-1,3,4-tiadiazol-2-yl}piiperidin-4-amin-hydroklorid
- 30 3-[2-(difluormetyl)-4-(1H-pyrazol-4-yl)fenyl]-6-[(2,2,6,6-tetrametylpiiperidin-4-yl)oksy]pyridazinhydroklorid og
- 6-[2-(difluormetyl)-4-(1H-pyrazol-4-yl)fenyl]-N-metyl-N-(2,2,6,6-tetrametylpiiperidin-4-yl)pyridazin-3-amin-hydroklorid;
- 35 hvor en form av forbindelsessaltet er valgt fra gruppen bestående av en racemat-, stereoisomer- og tautomerform derav.

10. Forbindelse eller form derav for anvendelse ved behandling eller forbedring av Huntingtons sykdom ifølge et hvilket som helst av kravene 1-4 eller 6-8, hvor formen av forbindelsen er valgt fra gruppen bestående av en salt-, racemat-, stereoisomer- og tautomerform derav.
- 5
11. Forbindelse eller form derav for anvendelse ved behandling eller forbedring av Huntingtons sykdom ifølge et hvilket som helst av kravene 5 eller 9, hvor formen av forbindelsen er valgt fra gruppen bestående av en racemat-, stereoisomer- og tautomerform derav.
- 10
12. Forbindelse eller form derav for anvendelse ved behandling eller forbedring av Huntingtons sykdom ifølge krav 1, hvor forbindelsen er 5-(1H-pyrazol-4-yl)-2-(6 - ((2,2,6,6-tetrametylpiperidin-) 4-yl)oksy)pyridazin-3-yl)fenol.
- 15
13. Forbindelse eller form derav for anvendelse ifølge krav 12, hvor formen av forbindelsen er valgt fra gruppen bestående av en salt-, racemat-, stereoisomer- og tautomerform derav.
- 20
14. Forbindelse eller form derav for anvendelse ifølge krav 12, hvor den effektive mengden av forbindelsen eller formen derav er i intervallet fra 0,001 mg/kg/dag til 500 mg/kg/dag.
- 25
15. Farmasøytisk sammensetning for anvendelse ved behandling eller forbedring av Huntingtons sykdom (HD) hos et individ med behov derav, hvor den farmasøytiske sammensetningen omfatter en forbindelse eller form derav ifølge krav 12 som er i blanding med ett eller flere farmasøytisk akseptable hjelpestoffer.