



(12) Translation of
European patent specification

(11) NO/EP 3640251 B1

NORWAY

(19) NO
(51) Int Cl.
C07D 471/04 (2006.01)
A61K 31/4738 (2006.01)
A61K 31/497 (2006.01)
A61P 35/00 (2006.01)


Norwegian Industrial Property Office

(45)	Translation Published	2022.03.07
(80)	Date of The European Patent Office Publication of the Granted Patent	2021.12.08
(86)	European Application Nr.	19189010.2
(86)	European Filing Date	2017.10.13
(87)	The European Application's Publication Date	2020.04.22
(30)	Priority	2016.10.24, US, 201662411799 P, 2016.12.16, US, 201662435159 P
(84)	Designated Contracting States:	AL ; AT ; BE ; BG ; CH ; CY ; CZ ; DE ; DK ; EE ; ES ; FI ; FR ; GB ; GR ; HR ; HU ; IE ; IS ; IT ; LI ; LT ; LU ; LV ; MC ; MK ; MT ; NL ; NO ; PL ; PT ; RO ; RS ; SE ; SI ; SK ; SM ; TR
	Designated Extension States:	BA ; ME
(62)	Divided application	EP3433256, 2017.10.13
(73)	Proprietor	Astrazeneca AB, 151 85 Södertälje, Sverige
(72)	Inventor	SCOTT, James Stewart, Astra Zeneca,Darwin Building Cambridge Science Park Milton Road, Cambridg eCambridgeshire CB4 0WG, Storbritannia BARLAAM, Bernard Christophe, Astra Zeneca,Darwin BuildingCambridge Science Park Milton Road, Cambridge Cambridgeshire CB4 0WG, Storbritannia YANG, Bin, Astra Zeneca 35 Gatehouse Drive, Waltham, MA 02451, USA MOSS, Thomas Andrew, Astra Zeneca, Darwin Building Cambridge Science Park Milton Road, Cambridge Cambridgeshire CB4 0WG, Storbritannia HUGHES, Samantha Jayne, Astra Zeneca,Darwin Building Cambridge Science Park Milton Road, Cambridge Cambridgeshire CB4 0WG, Storbritannia NISSINK, Johannes Wilhelmus Maria, Astra Zeneca, Darwin Building Cambridge Science Park Milton Road, Cambridge Canbridgeshire CB4 0WG, Storbritannia O'DONOVAN, Daniel Hillebrand, Astra Zeneca,Darwin Building Cambridge Science Park Milton Road, Cambridge Cambridgeshire CB4 0WG, Storbritannia
(74)	Agent or Attorney	RWS, Europa House, Chiltern Park, Chiltern Hill, SL99FG CHALFONT ST PETER, Storbritannia
(54)	Title	6,7,8,9-TETRAHYDRO-3H-PYRAZOLO[4,3-F]ISOQUINOLINE DERIVATIVES USEFUL IN THE TREATMENT OF CANCER
(56)	References Cited:	WO-A1-2016/097072

Enclosed is a translation of the patent claims in Norwegian. Please note that as per the Norwegian Patents Acts, section 66i the patent will receive protection in Norway only as far as there is agreement between the translation and the language of the application/patent granted at the EPO. In matters concerning the validity of the patent, language of the application/patent granted at the EPO will be used as the basis for the decision. The patent documents published by the EPO are available through Espacenet (<http://worldwide.espacenet.com>) or via the search engine on our website here: <https://search.patentstyret.no/>

Patentkrav

1. Forbindelse på formelen (ID):




(ID)

5 der:


Q er O eller NH;

R¹ er CH₂F eller CHF₂;

R¹⁴ er valgt fra gruppen som består av:



10 og ring Y er valgt fra gruppen som består av:



eller et farmasøytisk akseptabelt salt av dette.

2. Forbindelse på formelen (ID) eller farmasøytisk akseptabelt salt av dette ifølge krav


15 1, der Q er NH.

3. Forbindelse på formelen (ID) eller farmasøytisk akseptabelt salt av dette ifølge krav


1, der Q er O.

20 4. Forbindelse på formelen (ID) eller farmasøytisk akseptabelt salt av dette ifølge et av de foregående kravene, der R¹ er CH₂F.

5. Forbindelse på formelen (ID) eller farmasøytisk akseptabelt salt av dette ifølge et av de foregående kravene, der R¹⁴ er valgt fra gruppen som består av:



6. Forbindelse på formelen (ID) eller farmasøytisk akseptabelt salt av dette ifølge et av de foregående kravene, der ring Y er valgt fra gruppen som består av



5

7. Forbindelse på formelen (ID) eller farmasøytisk akseptabelt salt av dette ifølge krav 1, der forbindelsen er valgt fra gruppen som består av:

- N-((6S,8R)-7-(2,2-difluor-3-metoksypropyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-3-metoksyfenyl)-1-(3-fluorpropyl)azetidin-3-amin;
 6-((6S,8R)-7-(2,2-difluor-3-metoksypropyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-N-(1-(3-fluorpropyl)azetidin-3-yl)pyridin-3-amin;
 6-((6S,8R)-7-((1-fluorsyklopropyl)metyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-N-(1-(3-fluorpropyl)azetidin-3-yl)pyridin-3-amin;
 N-((6S,8R)-7-(2-fluor-3-metoksy-2-metylpropyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-3-metoksyfenyl)-1-(3-fluorpropyl)azetidin-3-amin;
 3-((6S,8R)-6-(2,6-difluor-4-((1-(3-fluorpropyl)azetidin-3-yl)amino)fenyl)-8-metyl-3,6,8,9-tetrahydro-7*H*-pyrazol[4,3-*f*]isokinolin-7-yl)-2,2-difluorpropan-1-ol;
 N-((6S,8R)-7-((1-fluorsyklopropyl)metyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-3-metoksyfenyl)-1-(3-fluorpropyl)azetidin-3-amin;
 (6S,8R)-7-((1-fluorsyklopropyl)metyl)-6-(4-((1-(3-fluorpropyl)azetidin-3-yl)oksy)-2-metoksyfenyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin;
 N-(3,5-difluor-4-((6S,8R)-8-metyl-7-(2,2,2-trifluoretyl)-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)fenyl)-1-(3-fluorpropyl)azetidin-3-amin;
 5-((6S,8R)-7-((1-fluorsyklopropyl)metyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-N-(1-(3-fluorpropyl)azetidin-3-yl)-4-metoksypyridin-2-amin;
 N-((6S,8R)-7-((3-(fluormetyl)oksetan-3-yl)metyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-3-metoksyfenyl)-1-(3-fluorpropyl)azetidin-3-amin;
 N-(3,5-difluor-4-((6S,8R)-7-((1-fluorsyklopropyl)metyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)fenyl)-1-(3-fluorpropyl)azetidin-3-amin;
 (6S,8R)-7-(2-fluor-3-metoksy-2-metylpropyl)-6-(4-(1-(3-fluorpropyl)azetidin-3-yl)oksy)-2-metoksyfenyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin;
 2,2-difluor-3-((6S,8R)-6-(5-((1-(3-fluorpropyl)azetidin-3-yl)amino)pyridin-2-yl)-8-metyl-3,6,8,9-tetrahydro-7*H*-pyrazol[4,3-*f*]isokinolin-7-yl)propan-1-ol;

- 5-fluor-6-((6*S*,8*R*)-7-((1-fluorsyklopropyl)metyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-*N*-(1-(3-fluorpropyl)azetidin-3-yl)pyridin-3-amin;
N-(3-etoksy-4-((6*S*,8*R*)-7-((1-fluorsyklopropyl)metyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)fenyl)-1-(3-fluorpropyl)azetidin-3-amin;
- 5 *N*-(4-((6*S*,8*R*)-7-(2,2-difluoretyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-3-metoksyfenyl)-1-(3-fluorpropyl)azetidin-3-amin;
(6*S*,8*R*)-7-(2,2-difluoretyl)-6-(4-((1-(3-fluorpropyl)azetidin-3-yl)oksy)-2-metoksyfenyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin;
3-((6*S*,8*R*)-6-(2,6-difluor-4-(1-(3-fluorpropyl)azetidin-3-ylamino)fenyl)-8-metyl-8,9-
- 10 dihydro-3*H*-pyrazol[4,3-*f*]isokinolin-7(6*H*)-yl)-2-fluor-2-metylpropan-1-ol;
6-((6*S*,8*R*)-7-(2,2-difluoretyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-*N*-(1-(3-fluorpropyl)azetidin-3-yl)pyridin-3-amin;
(6*S*,8*R*)-7-(2,2-difluoretyl)-6-(5-((1-(3-fluorpropyl)azetidin-3-yl)oksy)pyridin-2-yl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin;
- 15 1-(3-fluorpropyl)-*N*-(4-((6*R*,8*R*)-8-metyl-7-(2,2,2-trifluoretyl)-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)fenyl)azetidin-3-amin;
1-(3-fluorpropyl)-*N*-(3-metoksy-4-((6*S*,8*R*)-8-metyl-7-(2,2,2-trifluoretyl)-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)fenyl)azetidin-3-amin;
5-fluor-*N*-(1-(3-fluorpropyl)azetidin-3-yl)-6-((6*S*,8*R*)-8-metyl-7-(2,2,2-trifluoretyl)-
- 20 6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)pyridin-3-amin;
2,2-difluor-3-((6*S*,8*R*)-6-(3-fluor-5-((1-(3-fluorpropyl)azetidin-3-yl)amino)pyridin-2-yl)-8-metyl-3,6,8,9-tetrahydro-7*H*-pyrazol[4,3-*f*]isokinolin-7-yl)propan-1-ol;
6-((6*S*,8*R*)-7-(2,2-difluoretyl)-8-metyl-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-5-fluor-*N*-(1-(3-fluorpropyl)azetidin-3-yl)pyridin-3-amin;
- 25 2,2-difluor-3-((6*S*,8*R*)-6-(5-((1-(3-fluorpropyl)azetidin-3-yl)oksy)pyridin-2-yl)-8-metyl-3,6,8,9-tetrahydro-7*H*-pyrazol[4,3-*f*]isokinolin-7-yl)propan-1-ol;
2,2-difluor-3-((6*S*,8*R*)-6-(3-fluor-5-((1-(3-fluorpropyl)azetidin-3-yl)oksy)pyridin-2-yl)-8-metyl-3,6,8,9-tetrahydro-7*H*-pyrazol[4,3-*f*]isokinolin-7-yl)propan-1-ol; og
2,2-difluor-3-((6*S*,8*R*)-6-(4-((1-(3-fluorpropyl)azetidin-3-yl)amino)-2-metoksyfenyl)-8-
- 30 methyl-3,6,8,9-tetrahydro-7*H*-pyrazol[4,3-*f*]isokinolin-7-yl)propan-1-ol.

8. Forbindelse eller farmasøytisk akseptabelt salt av dette, valgt blant:

- 6-((6*S*,8*R*)-1-fluor-8-metyl-7-(2,2,2-trifluoretyl)-6,7,9,8-tetrahydro-3*H*-pyrazol[4,3-*f*]isokin-6-yl)-*N*-(3-fluorpropyl)azetidin-3-yl)pyridin-3-amin;
- 35 *N*-(1-(3-fluorpropyl)azetidin-3-yl)-6-((6*S*,8*R*)-1-deutero-8-metyl-7-(2,2,2-trifluoretyl)-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)pyridin-3-amin;
N-(1-(3-fluorpropyl)azetidin-3-yl)-5-metoksy-6-((6*S*,8*R*)-8-metyl-7-(2,2,2-trifluoretyl)-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)pyridin-3-amin; og

5-((6*S*,8*R*)-1-fluor-8-metyl-7-(2,2,2-trifluoretyl)-6,7,8,9-tetrahydro-3*H*-pyrazol[4,3-*f*]isokinolin-6-yl)-*N*-(*I*-(3-fluorpropyl)azetidin-3-yl)pyrazin-2-amin.

9. Forbindelse eller farmasøytisk akseptabelt salt av dette ifølge et av kravene 1 til 8,
5 til bruk som legemiddel.

10. Forbindelse eller farmasøytisk akseptabelt salt av dette ifølge et av kravene 1 til 8,
til bruk i forebygging eller behandling av kreft hos et varmblodig dyr, så som et menneske.

10 11. Forbindelse til bruk ifølge krav 10, der kreften er brystkreft eller gynekologisk kreft.

12. Kombinasjon til bruk i behandling av kreft, som omfatter en forbindelse eller et
farmasøytisk akseptabelt salt av dette ifølge et av kravene 1 til 8 og en CDK4/6-hemmer.

15 13. Kombinasjon til bruk ifølge krav 12, der CDK4/6-hemmeren er palbociklib.

14. Kombinasjon til bruk ifølge krav 12 eller krav 13, der kreften er brystkreft eller
gynekologisk kreft.

20 15. Farmasøytisk sammensetning som omfatter en forbindelse eller et farmasøytisk
akseptabelt salt av dette ifølge et av kravene 1 til 8, og et farmasøytisk akseptabelt
hjelpestoff.